

September 16, 2024

Memo to: Asa Hopkins and Phil Hanser, NCCE Co-Chairs
From: Peter J. Barrer and Denise Freed
Re: GSEP in Newton 2023 - an updated Investigation from 2022
Cc: Bob Persons, Ellie Goldberg, Nathan Phillips

Summary

The Newton Gas Pipes Team, a volunteer non-governmental group, has completed an investigation of National Grid's Gas System Enhancement Program (GSEP) plans and National Grid's pipeline replacement and leak repair projects in Newton for calendar year 2023. We initiated this investigation to evaluate whether National Grid's (NG) leak repair and pipeline replacement activities are in the interest of the City and its resident gas ratepayers.

On December 29, 2023, the authors released an [investigation](#) on the cost and results of National Grid's gas pipeline replacement and leak repair in 2022. This current report similarly investigates National Grid's pipeline replacement and leak repair in Newton in 2023.

We found that the present GSEP does not serve the interests of Newton and does not correspond to the City's Climate Action Plan goal of eliminating fossil fuel carbon emissions by 2050.

The City's priorities have changed since GSEP was first implemented in 2014. The City now recognizes that even leaks classified as non-hazardous can still pose significant risks to health and the environment and that the City needs a plan for retiring the gas system entirely.

Gas leaks are a significant contributor to Newton's greenhouse gas emissions. However, "leak-prone" pipe replacement dominates current GSEP expenses, and this pipe replacement has been ineffective in reducing existing gas leaks. Leak repair is less expensive and much more effective for leak reduction than pipe replacement. In coordination with National Grid, Newton should now prioritize repairing gas leaks as quickly as possible. To achieve this goal while minimizing ratepayer costs, the GSEP needs to be completely overhauled.

Detailed Highlights

- \$17,834,218 was charged to GSEP in Newton in 2023.
- Only \$198,996 was charged to GSEP for repairing non-hazardous, large emitting (grade 3SEI) leaks without replacing gas pipes.
- Almost all of the eliminated leak extent was treated by lower-cost leak repair and not by pipe replacement.
- Approximately \$4,500,000 was spent on low priority work, (work that was not specifically based on the safety of the pipes).

- Over 60% of the money charged to GSEP was spent without appearing in GSEP plans. Such projects were primarily due to new conditions in the field or coordination with a City public works project.
- Some new leaks appeared on lengths of pipe (or the service lines connected to them) after the pipe had been replaced under GSEP.

As Newton residents work to eliminate carbon emissions, the leaky gas distribution system will be retired as it becomes obsolete. Under GSEP, however, National Grid's continued investments in the outdated gas pipe system will impose unnecessary costs on ratepayers and perhaps taxpayers.

Introduction

The Newton Gas Pipes non-governmental volunteer team compiles publicly available data about the Newton gas distribution system operated by National Grid. We have compiled public records of Gas System Enhancement Program (GSEP) plans, end-of-year accounting reports (GREC), end-of-year Service Quality reports (SQARs), and quarterly gas leak reports filed with the Mass. Department of Public Utilities (DPU), in addition to street surveys and other data from Newton public records.

The pipe replacement program requires National Grid to evaluate leak-prone pipe segments in order to prioritize replacing pipes that are at significant risk of developing high-impact leaks that could be explosive. It requires National Grid to repair the dangerous leaks, and permits accelerated cost recovery for repairing leak-prone pipes. GSEP also permits accelerated cost recovery for pipes whose replacement can be coordinated with other public works jobs.

The Massachusetts legislature established GSEP in 2014 to increase the safety and reliability of the gas distribution system. This plan was made in the context of an aging system of pipes that would be used for the foreseeable future. GSEP provided a framework for classifying and repairing leaks that were deemed hazardous, replacing leak-prone pipes, and expanding the gas infrastructure to replace what were considered to be more-polluting energy sources. However, even “non-hazardous” leaks pose health risks and can contribute significantly to greenhouse gasses and to extra costs to consumers. To address the leak problem, the legislature in 2017 added the repair of high-volume methane leaks to the GSEP scope. These leaks are classified as “non-hazardous” but as still having Significant Environmental Impact (SEI).

The DPU has defined the various gas leak grades. Grade 1 leaks are hazardous and must be repaired immediately. Grade 2 leaks are non-hazardous, but could become hazardous in the near future and must be repaired within a year. Grade 3 leaks are non-hazardous and are expected to remain non-hazardous. Grade 3 leaks initially designated after 1/1/2018 are required to be repaired or eliminated within 8 years. Grade 3 SEI are grade 3 leaks larger than

2,000 square feet as measured by the leak extent method and are required to be repaired in 1-3 years.

We initiated this analysis to investigate whether GSEP work is in the interest of the City and its resident gas ratepayers.

Methodology

Data for this investigation were compiled from National Grid's filings submitted to the DPU. Most of these filings were downloaded from the DPU's web-based "file room."

Each fall NGrid files GSEP plans for the coming year and at the same time files less-detailed GSEP plans ("lookaheads") for the following four years. We focused on the 2023 GSEP plan. However, allowing for the possibility of a previous GSEP installation being delayed, we searched all GSEP plans back to 2020. Allowing for an unexpected acceleration of a GSEP installation, we also searched GSEP "lookaheads"¹ covering 2022 through 2028. We compiled GSEP plans for 2020, 2021, 2022, 2023, and 2024 into a single table, see linked [Table L1](#). We compiled lookahead plans for 2022 to 2025, 2023 to 2026, 2024 to 2027, and 2025 to 2028 in linked [Table L2](#). These plans were initially collected with assistance from the Home Energy Efficiency Team (HEET), a nonprofit climate solutions incubator.

National Grid filed its Reconciliation "GREC" report for the 2023 GSEP expenses on May 1, 2023. To compile the cost data supporting this investigation, we downloaded from the file room (Docket 23-GREC-03) the CY 2023 GREC reports NG-AS/MT-2, 3, 5, 6, 7, 8, and 13.

We obtained gas leak data from the best available source: the 2023 NG Service Quality Report dated March 1, 2024. The report lists all reported leaks and identifies which ones were eliminated during the year. Unfortunately, NGrid's leak survey process is too infrequent to capture current conditions, so even the best source is an incomplete description of leak extent in the City.

In addition, every quarter, National Grid submits to the DPU an accounting of gas leaks in its system; we obtained these reports covering December 31, 2021 to the present, using DPU records requests.

Regarding leak repair, GSEP also provides incentivized cost recovery for repair of G3SEI (Grade 3 significant environmental impact) leaks. We compiled and analyzed the GSEP plans for such repair in 2023 and the actual 2023 costs in the GREC filing.

We extracted Newton data from all the filed reports. We analyzed the 2023 GREC filings to determine what kind of work the 2023 costs actually funded.

¹ Our use of the word "lookahead" refers to NGrid's reports that anticipate pipe replacements four years in advance, in compliance with regulations in 220 CMR 114.

Lastly, we compiled reports of how leaks were eliminated in 2023.

Results: GSEP cost summary for Newton 2023

Table 1 below summarizes GSEP costs in Newton as reported in the GREC filing by National Grid. In addition to leak repair and pipe main replacement, GSEP also allows costs to replace “service” pipes to individual buildings. Note this table excludes \$600,000 for a pipe lining project that was partially in Newton.

Table 1 2023 GSEP costs in Newton

GSEP costs for repairing large leaks	\$198,996	1.1%
GSEP costs for pipe replacements	\$16,423,668	92.1%
GSEP costs for in-service projects ²	\$1,203,477	6.8%
GSEP costs for service replacements ³	\$8,077	<0.1%
Total	\$17,834,21	100%

Results: Pipe replacement

Analysis of 2023 GSEP pipe replacement costs as displayed in the GREC filing

We separated the costs reported in the 2023 GREC into the following five categories of projects, displayed in Table 2.

- A. Projects that were anticipated in the GSEP plans for 2023.
- B. Projects that appeared in any other year’s GSEPs or lookaheads.⁴
- C. Projects that did not appear in GSEP plans and were attributed to “encroachment.”
- D. Projects that did not appear in GSEP plans but responded to priority conditions during the year or previous years.⁵
- E. Projects that were not in GSEP plans, had no priority assessment, and were accomplished in accordance with Newton DPW coordination.

² These repairs were required on pipes that had already been replaced. Note that our Newton Gaspipes Team 2022 GSEP investigation incorrectly described the meaning of “in service replacements”.

³ Service replacements connect the main in the street to the customer’s building.

⁴ Category B includes a project that had a priority number and was in a lookahead but was done because of priority conditions in the field.

⁵ Category D Includes two projects that we presume were responding to priority conditions in prior years. One is a project that is typically done because of conditions in the field (H2OINT), but is listed by National Grid as a carry-over from previous years. The second does not appear in any of the GSEPs or lookaheads, has a priority number, and is listed as a carry over from a previous year.

Table 2: Analysis of 2023 GSEP pipe replacement costs

Category	Number of projects	GSEP cost
A.	2	\$2,807,049
B.	2	\$2,338,594
C.	2	\$166,256
D.	4	\$6,641,417
E.	5	\$4,470,353
Total	15	\$16,423,669

Table 3 below consolidates results from Table 2.

Table 3 Consolidated analysis of 2023 GSEP pipe replacement costs

Description	GSEP cost	Pct.
All projects in a GSEP plan or lookahead (A plus B)	\$5,145,643	31%
Projects that were not in GSEP plans but addressed field conditions or encroachment from other utilities (C plus D)	\$6,807,673	42%
Projects without GSEP prioritization that were completed in coordination with Newton Public Works. (E)	\$4,470,353	27%
Total	\$16,423,669	100%

Note that 27% of the costs originated in coordination with Newton Public Works in the context of maintaining the gas infrastructure for the indefinite future.

Pipe replacement projects charged to GSEP in 2023 are shown in linked [Table L3](#). The table lists each pipe replacement project. If the project appeared in a prior GSEP plan, the prior plan is also noted in the table.

Results - Leaks and GSEP in Newton

Analysis of the National Grid reporting of leaks and leak repair results in the following conclusions:

GREC over the year reported an expense of \$198,996 to repair 24 G3SEI leaks comprising 110,898 sq. ft. according to the latest measurement reported in 2023.

Through pipe replacement, in 2023, GSEP addressed 10 leaks comprising 3,425 sq. ft. leak extent at the time of repair. Only 6 of the 15 replacement projects included at least one leak repair. The cost of pipe replacement work orders that included at least one leak repair was \$9,236,671. Two of the completed pipe replacement projects addressed leaks that at some time were measured to be grade 3SEI, and most of the leak extent eliminated by pipe replacement came from these two projects. 64% of the leak extent eliminated by pipe replacement, including the Grade 3 SEI leak, occurred in public works projects. This suggests that in 2023 there was some consideration about current leaks when public works projects were selected.⁶ See linked [Table L4](#) which displays leaks that were associated with GSEP pipe replacement projects.

In [Table L4](#), we looked at all the reported leaks since April 1, 2019 along the locations where pipes were replaced. These leaks include Grade 1, Grade 2, and Grade 3 leaks.

Two Grade 1 leaks, one Grade 2 leak, and two Grade 3 leaks were first reported during the replacement period, which indicates that these pipes were in a fragile state. At least two leaks were reported after the replacements were completed. These two leaks might be in the service lines at those locations. We concluded that replacing or repairing pipes does not prevent all new leaks, which illustrates the fragility of the whole gas distribution system.

For the pipe replacement locations that appeared in a GSEP plan or lookahead (i.e. the 4 projects in categories A and B), we identified only 4 reported leaks over the past 5 years, while for public works-related projects (the 5 projects in category E) we found 7 reported leaks.

The 2023 experience shows that GSEP expenditures to reduce leak extent by leak repair are much more cost-effective than expenditures by pipe replacement.

⁶ Mayor Fuller's newsletter on Feb 2, 2023 described improved attention to repair of G3SEI leaks in the first quarter of 2023.

Results - Leaks in Newton during 2023

We analyzed the National Grid Service Quality Report to understand how all Newton leaks were treated in 2023 regardless of whether the cost appeared in GSEP or outside of GSEP. Our analysis found the following:

- Total reported leaks as of Jan 1, 2023: 600 leaks comprising 486,884 sq. ft. leak extent
[Table L5](#)
 - 1 Grade 1 leak
 - 31 Grade 2 leaks
 - 568 Grade 3 leaks comprising 483,989 sq. ft. leak extent
- Total reported leaks as of Jan 1, 2024: 515 leaks comprising 305,767 sq. ft. leak extent
[Table L6](#)
 - 3 Grade 1 leaks
 - 20 Grade 2 leaks
 - 492 Grade 3 leaks comprising 305,767 sq. ft. leak extent
- A total of 390 leaks were eliminated during 2023, including 137 Grade 3 leaks comprising 146,008 sq. ft. of leak extent.
- 87% of the eliminated leak extent for Grade 3 leaks was accomplished by leak repair. Only 3% of the eliminated leak extent for Grade 3 leaks was accomplished by pipe replacement. The remainder, 10% of eliminated leak extent, resulted from a variety of circumstances including leaks that stopped being observable, duplicate leak accounting, or other circumstances.
- 305 new leaks were recorded during 2023 ($515 + 390 - 600 = 305$).
 - 172 new Grade 1 leaks
 - 44 new Grade 2 leaks
 - 89 new Grade 3 leaks
- 17 leaks that were non-hazardous in January 2023 were “upgraded” to a higher risk category during the year and eliminated. (Two of these received new leak ID’s when they were upgraded .)
- 5 that were non-hazardous in January 2023 were “upgraded” to a higher risk category during the year and not eliminated.

[Table L7](#) lists all the leaks that were eliminated during 2023 and how they were eliminated.

[Table L8](#) lists leaks eliminated by leak repair without first being upgraded to a more hazardous category.

[Table L9](#) lists leaks eliminated by pipe replacement (GSEP and non-GSEP)

[Table L10](#) lists leaks “eliminated otherwise”, such as by being upgraded first, by repair of a nearby leak, or by some circumstance other than repair

[Table L11](#) aggregates National Grid’s statement of how leaks were “Eliminated Otherwise”

Table 4 aggregates data by how leaks were eliminated, according to National Grid categories.

Table 4 Aggregation of how leaks were eliminated in 2023

How eliminated	Count (All grades)	Count (Grade 3)	Leak extent sq. ft. (Grade 3)	% leak extent
Simple repair	276	56	127,254	87.2%
Pipe replacement	17	15	4,955	3.4%
Eliminated by leak repair of other leaks or after being upgraded	26	18	5,955	4.1%
Eliminated by circumstances other than leak repair or pipe replacement	71	48	7,844	5.4%
Total	390	137	146,008	100.0%

Results - Leak History in Newton since December 31, 2019

Table 5 summarizes the status of reported gas leaks in Newton at the end of each quarter. In the first quarter of 2023, Mayor Fuller stated a desire for Newton to reduce large leaks. She also reported a successful recent reduction in leak extent, which is evident in Table 5. Over the course of nearly four years, the extent of reported leaks has been reduced by more than half. However, since the Mayor’s statement in early 2023, leak extent reduction has lagged, particularly in 3Q of 2023 and in 2Q of 2024. Newton has a valuable opportunity to review its coordination with National Grid to ensure the continuous elimination of large leaks.

Table 5 Newton Reported Leak History since January 1, 2020

National Grid Report Date	Number of Unrepaired Leaks	Total Leak Extent of unrepaired leaks	Percentage Reduction in Total Leak Extent from Previous Quarter
03/31/2020	860	800,862	
06/30/2020	769	652,552	19%
09/30/2020	737	557,358	15%
12/31/2020	718	523,966	6%
03/31/2021	695	571,889	-9%
06/30/2021	682	569,074	0%
09/30/2021	677	567,119	0%
12/31/2021	644	607,732	-7%
03/31/2022	627	554,472	9%
06/30/2022	645	587,340	-6%
09/30/2022	625	534,642	9%
12/31/2022	594	486,769	9%
03/31/2023	579	375,515	23%
06/30/2023	572	340,320	9%
09/30/2023	551	335,892	1%
12/31/2023	513	305,667	9%
03/31/2024	502	297,824	3%
06/30/2024	512	316,538	-6%

In Newton as of June 30, 2024 there were 28 unrepaired SEI leaks out of 512 total unrepaired leaks. The sum of SEI leak extent was 151,183 sq ft. which is almost half of the total leak extent in Newton (316,538 sq. ft). In other words, 5% of leaks, the SEI leaks, account for 48% of all the leak extent. Therefore, repairing SEI leaks is particularly effective in reducing methane releases to the atmosphere. However, roughly half of the leak extent in Newton is due to non-SEI leaks, which points to the importance of eliminating as many leaks as possible, even those less than the 2,000 sq. ft. definition of SEI.

Conclusions and Recommendations

Gas leak repair is much more cost-effective in the short term for reducing gas leaks than replacing leak-prone pipes.

National Grid's pattern for replacing pipes and repairing leaks in 2023 was similar to 2022.

Our recommendations are similar to the recommendations in the 2022 investigation:

Gas pipe work in Newton should heavily prioritize leak repair and other technologies, such as pipe lining, that cost much less than pipe replacements. Complete pipe replacement, which is currently mandated, is an expensive choice and should be avoided wherever possible.

Newton should strengthen its policy of encouraging National Grid to repair the largest leaks as quickly as possible because leaking methane is a significant current source of greenhouse gasses. The plans and results for leak repair in Newton should be published quarterly for accountability.

GSEP should be entirely overhauled to align with the December 6, 2023 DPU Order 20-80-B. In contrast to the concept behind the original program, which envisioned operation of the gas system indefinitely, GSEP should provide incentives to accelerate the retirement of the residential gas infrastructure.

Newton should amplify its official advocacy to State officials for an overhaul of GSEP to reflect Newton's priorities. Newton's Climate Action Plan goals will require retiring the gas system entirely. GSEP needs to emphasize/prioritize the immediate reduction/repair of gas leaks and require a detailed plan for the retirement of the gas distribution system as ratepayers transition to electrification. An overhauled GSEP needs to provide a better balance among public safety, infrastructure cost, and speedy retirement of the gas system.

Appreciations

Thank you to HEET and to others on the Newton pipes team including, in particular, Josh Nichols-Barrer.

APPENDIX

List of Tables

Num	Title	Page
1	GSEP costs in Newton 2023	4
2	Aggregation of 2023 GSEP pipe replacement costs	5
3	Consolidated aggregation of 2023 GSEP pipe replacement costs	5
4	Aggregation of how leaks were eliminated	8
5	Newton Leak History since January 1, 2020	9
	Linked Tables	
<u>L1</u>	GSEP plans in Newton for Years 2020 through 2024	
<u>L2</u>	GSEP Lookahead plans for Years 2022 through 2028	
<u>L3</u>	Pipe replacement projects charged to GSEP in 2023	
<u>L4</u>	Leaks eliminated by GSEP pipe replacement in 2023	
<u>L5</u>	Reported leaks as of Dec. 31, 2022	
<u>L6</u>	Reported leaks as of Dec. 31, 2023	
<u>L7</u>	All leaks eliminated in 2023	
<u>L8</u>	Leaks eliminated by repair in 2023	
<u>L9</u>	Leaks eliminated by all pipe replacement	
<u>L10</u>	Leaks “eliminated otherwise” detail	
<u>L11</u>	Aggregation of Leaks Eliminated Otherwise	

Guide to GSEP program abbreviations for pipe replacement

Quoted from NGrid filing D.P.U. 23-GREC-03, Exhibit NG-AS/MT-1, May 1, 2023, Page 7

There are 11 types of programs included: (1) "BSMNRPL," which indicates a bare steel main replacement project; (2) "CIMNRPL<10," which is a cast iron main replacement project with pipe diameter less than 10 inches; (3) "CIRE101214," which is a cast iron main replacement project with pipe diameter greater than 8" but less than or equal to 14"; (4) "ENCRCHMTPL," which is a parallel main encroachment; (5) "PWNONREIM," which is a public works non-reimbursable project; (6) "ENCRCHMTUM," which is a main encroachment due to undermining of the existing facility; (7) "H2OINT," a program that addresses recurring customer outages resulting from water intrusion into low-pressure distribution systems through the replacement of existing leak-prone pipe; (8) "REANONLEAK," a program used to replace main that, based on conditions found in the field, is immediately prioritized for replacement regardless of leak history; (9) "ALDYRPL," a program to replace pre-1985 vintage Aldyl-A plastic pipe; (10) "GPLNG," which are system reliability main replacements; and, (11) BRIDGES.

END

Table L1 Newton GSEP pipe replacement plans 2020 to 2024

Year	Work order number	Street address	Old pipe size (in)	GSEP footage (ft)	Cost estimate
2020	1118346	9 - 85 CUMMINGS RD and 15 - 92 NORTH ST CTR	4	2,365	\$908,802
2020	1196349	5 - 124 MCCARTHY RD and 5 - 65 INDIAN RIDGE RD	8	6,595	\$1,980,850
2021	1312616	63 - 74 BOWEN ST	4	280	\$136,727
		1063 - 1125 COMMONWEALTH AVE, LOWELL AVE from COMMONWEALTH AVE to WHITTIER RD and WHITTIER RD	8	1,975	\$1,110,625
2021	1350723	374 - 430 HOMER ST and 1095 - 1125 COMMONWEALTH AVE	12	1,775	\$1,023,397
2022	1199164	17 - 117 MOULTON ST and 1 - 15 COLGATE CIR	6	2,425	\$1,009,605
2022	1325241	21 - 203 LAKE AVE CTR and LAKE TER	5	2,700	\$1,185,717
2022	1343154	14 - 63 BOWDOIN ST and 60 - 93 FOREST ST	3	1,290	\$633,506
2022	1384498	616 - 692 BOYLSTON ST and 5 - 16 WALNUT HILL RD	6	1,250	\$587,398
2022	1384741	308 - 374 HOMER ST and WALNUT ST and HOMER ST	12	725	\$787,348
2022	1395791	7 - 93 HANCOCK ST and 32 - 94 WOODLAND RD	3	2,045	\$899,139
2022	1400142	388 - 450 LEXINGTON ST and 2060 - 2111 COMMONWEALTH AVE	12	2,105	\$2,128,966
2023	1350723	374 - 430 HOMER ST and 1095 - 1125 COMMONWEALTH AVE	12	1,945	\$1,058,970
2023	1400142	388 - 450 LEXINGTON ST and 2060 - 2111 COMMONWEALTH AVE	12	2,105	\$2,095,991
2023	1421227	7 - 80 WADE ST	6	1,020	\$605,472
2023	1421288	18 - 109 AUBURN ST and CURVE ST	12	1,355	\$916,102
2023	1421438	1046 - 1267 CENTRE ST, PELHAM ST and Langley RD from CENTRE ST to PELHAM ST	10	5,750	\$4,777,446
2023	1457999	595 - 687 WATERTOWN ST	6	4,530	\$2,617,402
2023	1458805	1549 - 1649 BEACON ST	12	4,140	\$3,576,325
2024	1342783	15 - 56 MOODY ST and 250 HAMMOND POND PKWY	4	780	\$617,324
2024	1421288	18 - 109 AUBURN ST and CURVE ST	12	1,355	\$1,020,896
2024	1421438	1046 - 1267 CENTRE ST, PELHAM ST and Langley RD from CENTRE ST to PELHAM ST	10	5,750	\$6,070,659
2024	1441118	1080 - 1136 WALNUT ST and COLUMBUS ST	12	4,185	\$3,285,027
2024	1444162	3 - 144 ELLIOT ST	10	2,315	\$1,616,987
2024	1458805	1549 - 1649 BEACON ST	12	4,140	\$4,651,865
2024	1463413	141 - 258 LINWOOD AVE	6	3,890	\$2,749,745
2024	1476454	10 - 114 HILLSIDE AVE	6	1,045	\$705,700

Table L1 Newton GSEP pipe replacement plans 2020 to 2024

Year	Work order number	Street address	Old pipe size (in)	GSEP footage (ft)	Cost estimate
2024	1505036	1 - 109 ESSEX RD	6	3,465	\$2,011,358

Table L2 Newton GSEP plans			
Lookahead Years 2022-2025, 2023-2026, 2024-2027 and 2025-2028			
Years	Street address	Old pipe size (in)	GSEP footage (ft)
2022 - 2025	ALDEN ST	4	288
2022 - 2025	2 - 66 ALEXANDER RD and 67 - 142 WALNUT HILL RD	5	1,965
2022 - 2025	9 - 28 ARDMORE RD and 7 - 14 ARDMORE TER	4	630
2022 - 2025	631 - 731 BEACON ST and 11 - 15 COUSENS CIR	4	1,625
2022 - 2025	14 - 63 BOWDOIN ST and 60 - 93 FOREST ST	3	1,290
2022 - 2025	491 - 565 BOYLSTON ST, DUXBURY RD and LANTERN LN	4	3,635
2022 - 2025	11 - 56 CARLETON ST	4	820
2022 - 2025	347 - 407 CENTRAL ST	6	730
2022 - 2025	12 - 74 COTTAGE ST, COLUMBIA AVE NUF and CHAMPA ST	4	1,675
2022 - 2025	9 - 85 CUMMINGS RD and 15 - 92 NORTH ST CTR	4	2,325
2022 - 2025	14 - 100 ERIE AVE, BOWDOIN ST and HARTFORD ST	4	2,580
2022 - 2025	33 - 59 GAY ST, FREDERICK ST, HARVARD ST and HARVARD CIR	6	2,895
2022 - 2025	141 - 192 GROVE ST and MYRTLE AVE	8	1,000
2022 - 2025	48 - 139 HIGH ST NUF, SUMMER ST and ROCKLAND PL	4	2,485
2022 - 2025	4 - 49 JASSET ST	4	610
2022 - 2025	21 - 203 LAKE AVE CTR and LAKE TER	5	2,725
2022 - 2025	79 - 143 LANGDON ST and 4 - 35 LAUDHOLM RD	4	2,065
2022 - 2025	256 - 360 LOWELL AVE and 88 - 120 OTIS ST	12	1,875
2022 - 2025	75 - 171 LOWELL AVE	3	1,535
2022 - 2025	15 - 56 MOODY ST and 250 HAMMOND POND PKWY	4	780
2022 - 2025	17 - 117 MOULTON ST and 1 - 15 COLGATE CIR	6	1,930
2022 - 2025	5 - 90 OLDE FIELD RD, HAGEN RD, PHILBRICK RD and SHELDON RD	2	4,190
2022 - 2025	9 - 34 RICKER RD and 11 - 20 RICKER TER	6	630
2022 - 2025	42 - 51 ROCKLAND ST HGH	8	245
2022 - 2025	337 - 647 WASHINGTON ST	10	3,300
2022 - 2025	821 - 1251 WASHINGTON ST, DUNSTAN ST, KEMPTON PL and ARMORY ST	10	6,685
2022 - 2025	112 - 284 WINCHESTER ST	12	2,990
2023 - 2026	2 - 66 ALEXANDER RD and 67 - 142 WALNUT HILL RD	5	1,965
2023 - 2026	9 - 28 ARDMORE RD and 7 - 14 ARDMORE TER	4	630
2023 - 2026	2 - 112 ATHELSTANE RD	6	3,770
2023 - 2026	150 - 257 AUBURN ST and CENTRAL ST and AUBURN ST	8	2,370
2023 - 2026	18 - 109 AUBURN ST and CURVE ST	4	1,365
2023 - 2026	112 - 205 AUBURNDALE AVE	6	3,490
2023 - 2026	2 - 112 AUBURNDALE AVE, RYAN CT and REBECCA RD	6	1,710
2023 - 2026	248 - 355 AUBURNDALE AVE	6	3,490

Table L2 Newton GSEP plans			
Lookahead Years 2022-2025, 2023-2026, 2024-2027 and 2025-2028			
Years	Street address	Old pipe size (in)	GSEP footage (ft)
2023 - 2026	1038 - 1150 BEACON ST	10	2,085
2023 - 2026	825 - 1013 BEACON ST and LAUREL ST	8	3,365
2023 - 2026	992 - 1050 BEACON ST, ALBION PL and NEWBURY TER	6	2,275
2023 - 2026	491 - 565 BOYLSTON ST, DUXBURY RD and LANTERN LN	4	3,635
2023 - 2026	1 - 73 CANTERBURY RD	8	2,400
2023 - 2026	11 - 56 CARLETON ST	4	820
2023 - 2026	347 - 407 CENTRAL ST	6	730
2023 - 2026	1404 - 1542 CENTRE ST	10	3,095
2023 - 2026	430 - 497 CENTRE ST and MOUNT IDA ST	10	3,150
2023 - 2026	930 - 1055 CENTRE ST	10	3,570
2023 - 2026	1 - 22 CHAMBERLAIN RD	6	3,490
2023 - 2026	32 - 160 CHERRY ST	6	3,020
2023 - 2026	1 - 68 COLLEGE RD	12	3,445
2023 - 2026	1063 - 1125 COMMONWEALTH AVE, LOWELL AVE from COMMONWEALTH AVE to WHITTIER RD and WHITTIER RD	8	1,975
2023 - 2026	12 - 74 COTTAGE ST, THURSTON RD and CHAMPA ST	4	3,205
2023 - 2026	9 - 85 CUMMINGS RD and 15 - 92 NORTH ST CTR	4	2,325
2023 - 2026	9 - 305 CYPRESS ST	6	3,855
2023 - 2026	8 - 160 DAY ST	6	3,910
2023 - 2026	1 - 120 DEVONSHIRE RD	6	3,670
2023 - 2026	14 - 100 ERIE AVE, BOWDOIN ST and HARTFORD ST	4	2,580
2023 - 2026	108 - 229 FULLER ST WAB	10	3,780
2023 - 2026	242 - 326 FULLER ST WAB	10	3,790
2023 - 2026	32 - 114 GREENLAWN AVE	6	1,770
2023 - 2026	1 - 125 GROVE ST	8	3,085
2023 - 2026	141 - 192 GROVE ST and MYRTLE AVE	8	1,000
2023 - 2026	240 - 450 HAMMOND ST, RESERVOIR AVE and WOODMAN RD	8	2,990
2023 - 2026	48 - 139 HIGH ST NUF, SUMMER ST and ROCKLAND PL	4	2,485
2023 - 2026	50 - 180 HIGHLAND ST	6	3,185
2023 - 2026	230 - 308 HOMER ST and GARLAND RD	8	2,000
2023 - 2026	374 - 430 HOMER ST and 1095 - 1125 COMMONWEALTH AVE	12	1,775
2023 - 2026	6 - 150 ISLINGTON RD	6	2,210
2023 - 2026	4 - 49 JASSET ST	4	610
2023 - 2026	79 - 143 LANGDON ST and 4 - 35 LAUDHOLM RD	4	2,065
2023 - 2026	256 - 360 LOWELL AVE and 88 - 120 OTIS ST	12	1,895
2023 - 2026	75 - 171 LOWELL AVE	3	1,535

Table L2 Newton GSEP plans			
Lookahead Years 2022-2025, 2023-2026, 2024-2027 and 2025-2028			
Years	Street address	Old pipe size (in)	GSEP footage (ft)
2023 - 2026	15 - 56 MOODY ST and 250 HAMMOND POND PKWY	4	780
2023 - 2026	158 - 255 NEWTONVILLE AVE	8	2,780
2023 - 2026	97 - 200 OAK ST	12	2,160
2023 - 2026	5 - 90 OLDE FIELD RD, HAGEN RD, PHILBRICK RD and SHELDON RD	2	4,190
2023 - 2026	1 - 35 OWATONNA ST and KAPOSIA ST	6	3,515
2023 - 2026	3 - 76 PARK LN, TARLETON RD and CHAPIN RD	6	4,325
2023 - 2026	1 - 75 PELHAM ST and Langley RD and PELHAM ST	10	2,295
2023 - 2026	17 - 78 PLAINFIELD ST and UPLAND RD WAB	6	1,620
2023 - 2026	4 - 118 PRINCE ST	4	3,880
2023 - 2026	110 - 128 PROSPECT ST and 5 - 39 TENNYSON RD	3	940
2023 - 2026	225 - 293 RIVER ST	8	3,520
2023 - 2026	42 - 51 ROCKLAND ST HGH	8	245
2023 - 2026	1 - 98 ROWENA RD	8	3,475
2023 - 2026	4 - 52 SHAW ST	6	3,300
2023 - 2026	10 - 203 SPIERS RD, ANTONELLIS CIR and J ROADWAY	8	5,800
2023 - 2026	5 - 90 SUFFOLK RD	8	1,395
2023 - 2026	4 - 50 SUMNER ST	4	2,145
2023 - 2026	34 - 64 WABAN AVE	8	2,660
2023 - 2026	7 - 80 WADE ST	6	1,020
2023 - 2026	406 - 506 WALNUT ST	12	1,440
2023 - 2026	337 - 647 WASHINGTON ST	10	3,300
2023 - 2026	821 - 1251 WASHINGTON ST, DUNSTAN ST, KEMPTON PL and ARMORY ST	10	6,685
2023 - 2026	229 - 429 WATERTOWN ST	6	2,910
2023 - 2026	112 - 284 WINCHESTER ST	12	2,990
2023 - 2026	7 - 154 WOODCHESTER DR	8	3,110
2023 - 2026	107 - 230 WOODWARD ST and MAYFLOWER TER	8	3,515
2024 - 2027	2 - 66 ALEXANDER RD and 67 - 142 WALNUT HILL RD	5	1,965
2024 - 2027	112 - 205 AUBURNDALE AVE	6	4,010
2024 - 2027	2 - 112 AUBURNDALE AVE, RYAN CT and REBECCA RD	6	1,710
2024 - 2027	248 - 355 AUBURNDALE AVE	6	3,490
2024 - 2027	1038 - 1150 BEACON ST	10	2,085
2024 - 2027	1665 - 1791 BEACON ST	12	3,410
2024 - 2027	7 - 61 BRUSH HILL RD	6	3,550
2024 - 2027	1 - 73 CANTERBURY RD	8	2,400
2024 - 2027	11 - 56 CARLETON ST	4	820
2024 - 2027	347 - 407 CENTRAL ST	6	730
2024 - 2027	1404 - 1542 CENTRE ST	10	4,445

Table L2 Newton GSEP plans			
Lookahead Years 2022-2025, 2023-2026, 2024-2027 and 2025-2028			
Years	Street address	Old pipe size (in)	GSEP footage (ft)
2024 - 2027	430 - 497 CENTRE ST and MOUNT IDA ST	6	2,770
2024 - 2027	885 - 1055 CENTRE ST, WARD ST and CENTRE ST and NATHAN RD	12	4,245
2024 - 2027	1 - 22 CHAMBERLAIN RD	6	3,490
2024 - 2027	1 - 68 COLLEGE RD	12	3,445
2024 - 2027	9 - 305 CYPRESS ST	6	2,955
2024 - 2027	8 - 160 DAY ST	6	3,910
2024 - 2027	1 - 120 DEVONSHIRE RD	6	3,670
2024 - 2027	1 - 71 DUNCKLEE ST	6	1,265
2024 - 2027	144 - 251 ELLIOT ST and MECHANIC ST	12	4,185
2024 - 2027	3 - 144 ELLIOT ST	10	2,315
2024 - 2027	14 - 100 ERIE AVE, BOWDOIN ST and HARTFORD ST	4	2,580
2024 - 2027	108 - 229 FULLER ST WAB	10	3,780
2024 - 2027	242 - 326 FULLER ST WAB	10	3,770
2024 - 2027	32 - 114 GREENLAWN AVE	6	1,770
2024 - 2027	240 - 450 HAMMOND ST, RESERVOIR AVE and WOODMAN RD	8	3,000
2024 - 2027	50 - 180 HIGHLAND ST	6	3,185
2024 - 2027	10 - 114 HILLSIDE AVE	6	1,045
2024 - 2027	230 - 308 HOMER ST and GARLAND RD	8	2,000
2024 - 2027	308 - 374 HOMER ST and WALNUT ST and HOMER ST	12	725
2024 - 2027	4 - 49 JASSET ST	4	610
2024 - 2027	79 - 143 LANGDON ST and 4 - 35 LAUDHOLM RD	4	2,065
2024 - 2027	1 - 99 LENOX ST	6	3,849
2024 - 2027	158 - 255 NEWTONVILLE AVE	8	3,640
2024 - 2027	100 - 200 OAK ST	12	2,160
2024 - 2027	5 - 90 OLDE FIELD RD, HAGEN RD, PHILBRICK RD and SHELDON RD	2	4,190
2024 - 2027	3 - 76 PARK LN, TARLETON RD and CHAPIN RD	6	4,325
2024 - 2027	17 - 78 PLAINFIELD ST and UPLAND RD WAB	6	1,620
2024 - 2027	1 - 180 PLYMOUTH RD	6	6,240
2024 - 2027	4 - 118 PRINCE ST	4	4,405
2024 - 2027	42 - 51 ROCKLAND ST HGH	8	245
2024 - 2027	1 - 98 ROWENA RD	8	3,900
2024 - 2027	4 - 52 SHAW ST	6	3,300
2024 - 2027	10 - 203 SPIERS RD, ANTONELLIS CIR and J ROADWAY	8	5,800
2024 - 2027	5 - 90 SUFFOLK RD	8	1,395
2024 - 2027	4 - 50 SUMNER ST	4	2,145
2024 - 2027	34 - 64 WABAN AVE	8	2,660

Table L2 Newton GSEP plans			
Lookahead Years 2022-2025, 2023-2026, 2024-2027 and 2025-2028			
Years	Street address	Old pipe size (in)	GSEP footage (ft)
2024 - 2027	1080 - 1136 WALNUT ST and COLUMBUS ST	12	4,185
2024 - 2027	2251 - 2362 WASHINGTON ST	12	1,770
2024 - 2027	337 - 647 WASHINGTON ST	10	3,300
2024 - 2027	229 - 429 WATERTOWN ST	6	3,280
2024 - 2027	111 - 279 WEBSTER ST	8	2,570
2024 - 2027	112 - 284 WINCHESTER ST	12	2,990
2024 - 2027	7 - 154 WOODCHESTER DR	8	3,170
2024 - 2027	107 - 230 WOODWARD ST and MAYFLOWER TER	8	3,515
2025 - 2028	2 - 112 ATHELSTANE RD	6	2,530
2025 - 2028	150 - 257 AUBURN ST and CENTRAL ST and AUBURN ST	8	2,370
2025 - 2028	2 - 112 AUBURNDALE AVE, RYAN CT and REBECCA RD	6	1,710
2025 - 2028	1038 - 1150 BEACON ST	10	2,200
2025 - 2028	1665 - 1791 BEACON ST	12	3,410
2025 - 2028	805 - 991 BEACON ST and LAUREL ST	8	3,465
2025 - 2028	96 - 342 BEACON ST	12	3,015
2025 - 2028	992 - 1050 BEACON ST	8	2,175
2025 - 2028	616 - 692 BOYLSTON ST and 5 - 16 WALNUT HILL RD	6	1,250
2025 - 2028	8 - 150 CEDAR ST	8	3,500
2025 - 2028	430 - 497 CENTRE ST and MOUNT IDA ST	6	2,770
2025 - 2028	885 - 1055 CENTRE ST, WARD ST and CENTRE ST and NATHAN RD	12	4,245
2025 - 2028	32 - 160 CHERRY ST	6	3,450
2025 - 2028	50 - 275 CONCORD ST	6	3,915
2025 - 2028	23 - 88 ELINOR RD	6	1,380
2025 - 2028	144 - 251 ELLIOT ST and MECHANIC ST	12	4,255
2025 - 2028	1 - 113 GROVE ST	8	3,055
2025 - 2028	240 - 450 HAMMOND ST, RESERVOIR AVE and WOODMAN RD	8	3,000
2025 - 2028	1 - 134 HANSON RD	4	3,900
2025 - 2028	308 - 374 HOMER ST and WALNUT ST and HOMER ST	12	725
2025 - 2028	100 - 200 OAK ST	12	2,160
2025 - 2028	5 - 100 OLDE FIELD RD, HAGEN RD, PHILBRICK RD and SHELDON RD	4	4,280
2025 - 2028	3 - 76 PARK LN, TARLETON RD and CHAPIN RD	6	4,325
2025 - 2028	1 - 124 PARKER AVE	8	3,925
2025 - 2028	225 - 293 RIVER ST	8	3,770
2025 - 2028	85 - 240 VALENTINE ST	8	2,480
2025 - 2028	1136 - 1208 WALNUT ST and HYDE ST	10	3,340
2025 - 2028	1750 - 1940 WASHINGTON ST and SETON HILL RD	10	4,815

Table L2 Newton GSEP plans			
Lookahead Years 2022-2025, 2023-2026, 2024-2027 and 2025-2028			
Years	Street address	Old pipe size (in)	GSEP footage (ft)
2025 - 2028	2251 - 2362 WASHINGTON ST	12	1,770
2025 - 2028	821 - 1251 WASHINGTON ST, DUNSTAN ST, KEMPTON PL and ARMORY ST	10	6,685
2025 - 2028	229 - 429 WATERTOWN ST	6	3,280
2025 - 2028	107 - 230 WOODWARD ST and MAYFLOWER TER	8	3,515

Table L3 Pipe replacement projects charged to GSEP in 2023

Work Order	DESCRIPTION	Included in Original List	Actual Project Cost through 12/31/2023	Prioritization Factor	Status as of 12/31/2023	Program ID	Project Approval Date	Project Start Date	Project Completion Date	2023 Project Costs Included in GSEP Filing	Earliest GSEP plan	Latest GSEP plan	Report Category (A-F)
1350723	374-430 Homer St, New, & 1	YES	\$2,259,480	59.7	Complete	CIRE101214	1/27/2021	10/28/2021	8/16/2023	\$2,200,471	2021 plan	2023 plan	A
1409992	5 - 107 Mary Ellen Rd Evelyn	ADDED	\$2,221,590	N/A	Completed-Carry	H2OINT	1/19/2022	10/3/2022	4/26/2023	\$2,093,123			D
1421227	7-80 Wade St, New	YES	\$607,844	22.3	Complete	CIMNRPL<10	9/29/2022	8/16/2023	10/31/2023	\$606,578	2023 plan		A
1426949	1-98 Rowena Rd, New	ADDED	\$1,645,720	22.8	Completed-Carry	CIMNRPL<10	7/21/2022	11/3/2022	6/16/2023	\$1,619,029	2023 lookahead	2024 lookahead	B
1442285	1-71 Duncklee St, New	ADDED	\$720,559	8.3	Completed-Ident	CIMNRPL<10	11/4/2022	6/16/2023	9/18/2023	\$719,565	2023 lookahead	2024 lookahead	B
1449677	104-256 Austin St, New	ADDED	\$991,748	N/A	Completed Publi	PWNONREIM	4/27/2022	7/5/2023	12/22/2023	\$986,292			E
1449944	293 - 367 Albemarle Rd	ADDED	\$386,894	N/A	Completed Publi	PWNONREIM	3/16/2022	12/6/2022	2/16/2023	\$386,894			E
1449994	256-355 Ward St, New	ADDED	\$1,560,994	N/A	Completed Publi	PWNONREIM	9/12/2022	10/31/2022	7/24/2023	\$1,560,842			E
1453006	20-125 Meadowbrook Rd, N	ADDED	\$1,485,054	N/A	Completed Publi	PWNONREIM	5/10/2022	4/14/2023	12/22/2023	\$1,376,313			E
1454061	1235-1295 Boylston St, New	ADDED	\$998,949	35.7	Completed-Carry	BSMNRL	1/13/2023	2/22/2023	6/30/2023	\$974,062			D
1457007	1-154 Paulson Rd, New	ADDED	\$1,425,390	N/A	Completed-Ident	H2OINT	1/23/2023	5/2/2023	10/24/2023	\$1,422,877			D
1457071	90-267 Hartman Rd, New	ADDED	\$2,260,080	N/A	Completed-Ident	H2OINT	9/1/2022	9/29/2022	5/25/2023	\$2,151,355			D
1466315	33-44 Reservoir Dr, New	ADDED	\$160,030	N/A	Completed Publi	PWNONREIM	6/10/2022	10/24/2023	11/20/2023	\$160,012			E
1532460	Meredith Av, New	ADDED	\$39,862	N/A	Completed Publi	ENCRCHMTPL	11/27/2023	11/27/2023	12/4/2023	\$31,060			C
1536989	20-30 Manet Rd, New, 30-36	ADDED	\$158,905	N/A	Completed Publi	ENCRCHMTPL	5/26/2023	7/18/2023	8/9/2023	\$135,196			C

Table L4 Leaks eliminated by GSEP pipe replacement in 2023

	DESCRIPTION	Grade	Leak Extent (sq. ft.) at time of repair	Maximum Leak Extent (sq. ft.)	Program ID	Leak Classification Date	Leak Repair Date	Pipe Replacement Start Date	Pipe Replacement Completion Date	Pipe Replacement Work Order
	374-430 Homer St, New, & 1095-1125 Comm Av				CIRE101214			10/28/2021	8/16/2023	1350723
7381364	376 Homer St	3				5/11/2023	9/15/2023			
7382248	394 Homer St	1				7/9/2023	7/9/2023			
	5 - 107 Mary Ellen Rd Evelyn Rd & Comm Av				H2OINT			10/3/2022	4/26/2023	1409992
304719	94 Mary Ellen Rd	3	525			8/29/2007	5/1/2023			
3190426	5 Mary Ellen Rd	3 negl.		625		5/5/2015	5/1/2023			
7360337	44 Mary Ellen Rd	3 negl.		1272		3/14/2020	5/1/2023			
7380664	126 Evelyn Rd	2				4/17/2023	5/1/2023			
7380671	118 Evelyn Rd	3				3/30/2023	5/1/2023			
	7-80 Wade St				CIMNRPL<10			8/16/2023	10/31/2023	1421227
7364131	28 Wade St	3	2040			7/16/2020	4/21/2022			
	1-98 Rowena Rd				CIMNRPL<10			11/3/2022	6/16/2023	1426949
596669	90 Rowena Rd	3	700			11/28/2011	6/20/2023			
	1-71 Duncklee St				CIMNRPL<10			6/16/2023	9/18/2023	1442285
	104-256 Austin St				PWNONREIM			7/5/2023	12/22/2023	1449677
7339371	110 Austin St	3	2700			10/17/2017	2/15/2023			
7379088	104 Austin St	1				1/11/2023	1/11/2023			
	293 - 367 Albemarle Rd				PWNONREIM			12/6/2022	2/16/2023	1449944
304327	Albermarle Rd a	3	750	1400		8/15/2007				
7327564	367 Albermarle Rd	3	2100	4316		6/24/2016	3/3/2023			
7380201	Alabermarle Rd	2				3/5/2023	3/24/2023			
	256-355 Ward St				PWNONREIM			10/31/2022	7/24/2023	1449994
7355569	300 Ward St	3	100	5600		8/21/20019	10/3/2023			
	20-125 Meadowbrook Rd				PWNONREIM			4/14/2023	12/22/2023	1453006
7327024	118 Meadowbro	3 negl.		1610		6/22/2016	9/28/2023			
	1235-1295 Boylston St				BSMRPL			2/22/2023	6/30/2023	1454061
	1-154 Paulson Rd				H2OINT			5/2/2023	10/24/2023	1457007
7381950	Paulson Rd. and	1				6/21/2023	6/21/2023			
	90-267 Hartman Rd				H2OINT			9/29/2022	5/25/2023	1457071
	33-44 Reservoir Dr				PWNONREIM			10/24/2023	11/20/2023	1466315

Table L4 Leaks eliminated by GSEP pipe replacement in 2023

	DESCRIPTION	Grade	Leak Extent (sq. ft.) at time of repair	Maximum Leak Extent (sq. ft.)	Program ID	Leak Classification Date	Leak Repair Date	Pipe Replacement Start Date	Pipe Replacement Completion Date	Pipe Replacement Work Order
	Meredith Av				ENCRCHMTPL			11/27/2023	12/4/2023	1532460
7382370	Meredith Av. and	1				7/15/20223	7/16/2023			
7382941	4 Meredith Av.	1				8/13/2023	8/15/2023			
	20-30 Manet Rd, 30-36 Off Manet Rd				ENCRCHMTPL			7/18/2023	8/9/2023	1536989
7380807	20 Manet Rd.	1				5/5/2023	5/5/2023			

Table L5 Newton Leak Report Dec 31, 2022														
Detailed Quarterly Information			QUARTER 4 - 2022		Name of Operator: <i>Boston Gas Company</i>									
Leak ID (if applicable)	Location		Grade [1, 2, 3]	Classification Date	Repair Dates (during quarter)	Carried Forward/ Newly Identified	Status at End of Quarter	Prior Grade (if change in classification)	For G3SEI Leaks			Notes/Explanations		
	Street Number and Name	Town/City							Designation Date	Leak Extent or Barhole Reading	Method Used [Leak Extent/ Barhole]			
7347785	2227 WASHINGTON ST	NEWTON	3	9/28/2018	9/14/2022	Carried Forw	Repaired		7/26/2022	18,750	Leak Extent			
7351546	303 NAHANTON ST	NEWTON	3	3/21/2019	12/12/2022	Carried Forw	Repaired		8/25/2022	15,000	Leak Extent			
7374847	1880 BEACON ST	NEWTON	3	5/2/2022		Newly Identifi	Pending		5/2/2022	13,120	Leak Extent			
270315	144 ELLIOT ST	NEWTON	3	9/29/2003		Carried Forw	Pending		3/25/2022	13,000	Leak Extent			
7355677	255 PARKER ST	NEWTON	3	8/21/2019	12/28/2022	Carried Forw	Repaired		5/3/2022	11,200	Leak Extent			
7374844	1974 WASHINGTON ST	NEWTON	3	4/27/2022		Newly Identifi	Pending		4/27/2022	11,200	Leak Extent			
2808175	381 WATERTOWN ST	NEWTON	3	12/21/2014	12/21/2022	Carried Forw	Repaired		3/28/2022	10,800	Leak Extent			
305353	312 KENDRICK ST	NEWTON	3	8/29/2007		Carried Forw	Pending		8/3/2022	9,750	Leak Extent			
7334003	250 BOYLSTON ST	NEWTON	3	4/19/2017	2/11/2022	Carried Forw	Repaired		1/5/2022	9,690	Leak Extent			
367546	1830 BEACON ST	NEWTON	3	9/3/2011	7/5/2022	Carried Forw	Repaired		1/25/2022	9,030	Leak Extent			
7374848	299 WOODLAND RD	NEWTON	3	5/6/2022		Newly Identifi	Pending		5/6/2022	8,150	Leak Extent			
7375168	410 LEXINGTON ST	NEWTON	3	6/3/2022		Newly Identifi	Pending		6/3/2022	8,075	Leak Extent			
7364128	330 HOMER ST	NEWTON	3	7/14/2020	12/8/2022	Carried Forw	Repaired		4/15/2022	8,060	Leak Extent			
7358557	38 PRINCE ST	NEWTON	3	3/7/2020	11/28/2022	Carried Forw	Eliminated Otherwise	10/7/2022	7,000	Leak Extent	NO READS			
7369056	935 WASHINGTON ST	NEWTON	3	9/8/2021		Carried Forw	Pending		8/2/2022	6,860	Leak Extent			
7355567	7 SUNSET RD	NEWTON	3	8/19/2019		Carried Forw	Pending		4/15/2022	6,710	Leak Extent			
7364133	121 WINDSOR RD	NEWTON	3	7/30/2020		Carried Forw	Pending		6/14/2022	6,000	Leak Extent			
7375166	20 RUTHVEN RD	NEWTON	3	6/1/2022		Newly Identifi	Pending		6/1/2022	5,640	Leak Extent			
7371866	1292 WALNUT ST	NEWTON	3	11/9/2021		Carried Forw	Pending		9/7/2022	5,320	Leak Extent			
7325822	25 CORNELL ST	NEWTON	3	4/28/2016		Carried Forw	Pending		3/30/2022	5,123	Leak Extent			
7370879	983 CENTRE ST	NEWTON	3	9/8/2021		Carried Forw	Pending		8/2/2022	5,120	Leak Extent			
329976	15 VISTA AVE	NEWTON	3	11/9/2009	12/8/2022	Carried Forw	Repaired		3/23/2022	5,000	Leak Extent			
7354710	103 COLLINS RD	NEWTON	3	7/19/2019		Carried Forw	Pending		4/7/2022	4,940	Leak Extent			
7332893	1106 BOYLSTON ST	NEWTON	3	10/20/2017	3/21/2022	Carried Forw	Eliminated Otherwise	6/22/2021	4,830	Leak Extent	UPGRADE			
7326886	1414 CENTRE ST	NEWTON	3	6/20/2016	12/15/2022	Carried Forw	Repaired		10/17/2022	4,600	Leak Extent			
7364122	STONELEIGH RD	NEWTON	3	6/29/2020		Carried Forw	Pending		4/15/2022	4,503	Leak Extent			
7375100	7 AMHERST RD	NEWTON	3	4/5/2022		Newly Identifi	Pending		4/5/2022	4,454	Leak Extent			

Table L5 Newton Leak Report Dec 31, 2022														
Detailed Quarterly Information			QUARTER 4 - 2022		Name of Operator: <i>Boston Gas Company</i>									
Leak ID (if applicable)	Location		Grade [1, 2, 3]	Classification Date	Repair Dates (during quarter)	Carried Forward/ Newly Identified	Status at End of Quarter	Prior Grade (if change in classification)	For G3SEI Leaks			Notes/Explanations		
	Street Number and Name	Town/City							Designation Date	Leak Extent or Barhole Reading	Method Used [Leak Extent/ Barhole]			
158807	657 BOYLSTON ST	NEWTON	3	3/23/2004	3/21/2022	Carried Forw	Eliminated Otherwise		5/18/2021	4,452	Leak Extent	UPGRADE		
7325996	1 NONANTUM ST	NEWTON	3	5/10/2016		Carried Forw	Pending		8/16/2022	4,400	Leak Extent			
323156	45 PLAINFIELD ST	NEWTON	3	5/23/2009	8/29/2022	Carried Forw	Eliminated Otherwise		3/22/2022	4,200	Leak Extent	UPGRADE		
7375169	78 FARLOW RD	NEWTON	3	6/1/2022		Newly Identi	Pending		6/1/2022	4,160	Leak Extent			
303659	470 CALIFORNIA ST	NEWTON	3	8/3/2007		Carried Forw	Pending		4/25/2022	4,032	Leak Extent			
7355432	65 SUFFOLK RD	NEWTON	3	7/24/2019		Carried Forw	Pending		4/13/2022	3,960	Leak Extent			
												CALLED OFF BY SUPERVISOR		
7326192	2000 WASHINGTON ST	NEWTON	3	5/12/2016	9/27/2022	Carried Forw	Eliminated Otherwise		8/16/2022	3,900	Leak Extent			
7337028	100 CONCORD ST	NEWTON	3	8/1/2017		Carried Forw	Pending		3/30/2022	3,888	Leak Extent			
7325803	640 GROVE ST	NEWTON	3	4/22/2016		Carried Forw	Pending		3/30/2022	3,800	Leak Extent			
1215753	52 ELLIOT ST	NEWTON	3	7/12/2013		Carried Forw	Pending		3/28/2022	3,776	Leak Extent			
347021	160 COMMONWEALTH	NEWTON	3	5/25/2011		Carried Forw	Pending		5/3/2022	3,750	Leak Extent			
4339243	130 BEACON ST	NEWTON	3	6/4/2015		Carried Forw	Pending		4/28/2022	3,696	Leak Extent			
316528	64 FULLER ST	NEWTON	3	9/8/2008		Carried Forw	Pending		3/11/2022	3,600	Leak Extent			
7327033	186 WOODWARD ST	NEWTON	3	6/24/2016	6/22/2022	Carried Forw	Repaired		1/14/2022	3,600	Leak Extent			
7360536	34 BEACON ST	NEWTON	3	5/29/2020		Carried Forw	Pending		4/11/2022	3,600	Leak Extent			
4497451	60 HIGHLAND AVE	NEWTON	3	3/4/2015		Carried Forw	Pending		4/14/2022	3,520	Leak Extent			
7374855	23 FOREST AVE	NEWTON	3	5/12/2022		Newly Identi	Pending		5/12/2022	3,420	Leak Extent			
7357138	CHARLESBANK RD	NEWTON	3	10/25/2019	4/6/2022	Carried Forw	Eliminated Otherwise		9/22/2021	3,400	Leak Extent	NO READS		
7353513	23 HIGH ST	NEWTON	3	5/23/2019		Carried Forw	Pending		3/28/2022	3,392	Leak Extent			
329823	41 BERKELEY ST	NEWTON	3	12/4/2009		Carried Forw	Pending		11/8/2022	3,360	Leak Extent			
4497624	580 WASHINGTON ST	NEWTON	3	12/4/2014	5/20/2022	Carried Forw	Repaired		1/25/2022	3,332	Leak Extent			
7353522	8 WETHERELL ST	NEWTON	3	5/5/2019		Carried Forw	Pending		11/8/2022	3,237	Leak Extent			
329877	39 HOLMAN RD	NEWTON	3	11/5/2009		Carried Forw	Pending		3/28/2022	3,201	Leak Extent			
284375	59 WACHUSETT RD	NEWTON	3	1/25/2006		Carried Forw	Pending		3/23/2022	3,200	Leak Extent			
7355236	98 LEXINGTON ST	NEWTON	3	8/5/2019		Carried Forw	Pending		4/14/2022	3,150	Leak Extent			

Table L5 Newton Leak Report Dec 31, 2022														
Detailed Quarterly Information			QUARTER 4 - 2022		Name of Operator: <i>Boston Gas Company</i>									
Leak ID (if applicable)	Location		Grade [1, 2, 3]	Classification Date	Repair Dates (during quarter)	Carried Forward/ Newly Identified	Status at End of Quarter	Prior Grade (if change in classification)	For G3SEI Leaks			Notes/Explanations		
	Street Number and Name	Town/City							Designation Date	Leak Extent or Barhole Reading	Method Used [Leak Extent/ Barhole]			
7374850	145 WOODLAND RD	NEWTON	3	5/9/2022		Newly Identified	Pending		5/9/2022	3,150	Leak Extent			
7365084	DAVIS ST	NEWTON	3	9/23/2020		Carried Forward	Pending		7/27/2022	3,105	Leak Extent			
7371048	212 TEMPLE ST	NEWTON	3	9/27/2021		Carried Forward	Pending		8/16/2022	3,060	Leak Extent			
7326640	1806 BEACON ST	NEWTON	3	6/6/2016	7/8/2022	Carried Forward	Repaired		11/17/2021	3,040	Leak Extent			
7374849	15 VISTA AVE	NEWTON	3	5/9/2022	6/8/2022	Newly Identified	Eliminated Otherwise		5/9/2022	3,015	Leak Extent	DUPLICATE LEAK		
7364451	150 BEACON ST	NEWTON	3	8/23/2020	7/13/2022	Carried Forward	Repaired		7/12/2022	3,000	Leak Extent			
7375167	275 WAVERLY AVE	NEWTON	3	6/2/2022		Newly Identified	Pending		6/2/2022	2,952	Leak Extent			
270745	WALNUT ST	NEWTON	3	8/6/2004		Carried Forward	Pending		3/3/2022	2,880	Leak Extent			
270470	9 BROWNING RD	NEWTON	3	6/7/2004	7/28/2022	Carried Forward	Repaired		1/14/2022	2,850	Leak Extent			
302760	60 WHITE OAK RD	NEWTON	3	7/13/2007		Carried Forward	Pending		10/17/2022	2,800	Leak Extent			
7364130	109 CABOT ST	NEWTON	3	7/15/2020		Carried Forward	Pending		4/15/2022	2,754	Leak Extent			
7353512	47 CHANDLER PL	NEWTON	3	5/23/2019		Carried Forward	Pending		3/28/2022	2,703	Leak Extent			
7339371	110 AUSTIN ST	NEWTON	3	10/17/2017		Carried Forward	Pending		4/25/2022	2,700	Leak Extent			
7325705	79 CHARLEMONT ST	NEWTON	3	4/15/2016		Carried Forward	Pending		3/30/2022	2,664	Leak Extent			
7347782	2044 BEACON ST	NEWTON	3	9/23/2018		Carried Forward	Pending		7/26/2022	2,660	Leak Extent			
7365113	110 ADELINE RD	NEWTON	3	10/9/2020		Carried Forward	Pending		8/3/2022	2,660	Leak Extent			
1593092	1629 BEACON ST	NEWTON	3	2/19/2014		Carried Forward	Pending		4/28/2022	2,600	Leak Extent			
7345355	1388 COMMONWEALTH	NEWTON	3	7/2/2018	12/20/2022	Carried Forward	Repaired		7/18/2022	2,600	Leak Extent			
7353516	43 HIGH ST	NEWTON	3	5/23/2019		Carried Forward	Pending		3/28/2022	2,600	Leak Extent			
7355428	265 RIVER ST	NEWTON	3	7/25/2019		Carried Forward	Pending		4/12/2022	2,600	Leak Extent			
7356426	5 NIGHTINGALE PATH	NEWTON	3	9/26/2019		Carried Forward	Pending		6/17/2022	2,585	Leak Extent			
833292	CHARLESBANK RD	NEWTON	3	3/7/2012	5/23/2022	Carried Forward	Repaired		1/5/2022	2,556	Leak Extent			
307752	176 WABAN AVE	NEWTON	3	11/7/2007		Carried Forward	Pending		10/10/2022	2,550	Leak Extent			
7324469	16 SOMERSET RD	NEWTON	3	4/1/2016		Carried Forward	Pending		3/30/2022	2,544	Leak Extent			
7327002	1395 COMMONWEALTH	NEWTON	3	6/23/2016		Carried Forward	Pending		10/10/2022	2,520	Leak Extent			
275900	544 QUINOBÉQUIN RD	NEWTON	3	6/8/2005		Carried Forward	Pending		3/22/2022	2,500	Leak Extent			
278687	HAMMOND ST	NEWTON	3	8/8/2005		Carried Forward	Pending		3/25/2022	2,500	Leak Extent			

Table L5 Newton Leak Report Dec 31, 2022														
Detailed Quarterly Information			QUARTER 4 - 2022		Name of Operator: <i>Boston Gas Company</i>									
Leak ID (if applicable)	Location		Grade [1, 2, 3]	Classification Date	Repair Dates (during quarter)	Carried Forward/ Newly Identified	Status at End of Quarter	Prior Grade (if change in classification)	For G3SEI Leaks			Notes/Explanations		
	Street Number and Name	Town/City							Designation Date	Leak Extent or Barhole Reading	Method Used [Leak Extent/ Barhole]			
7375170	275 AUBURN ST	NEWTON	3	6/3/2022		Newly Identified	Pending		6/3/2022	2,500	Leak Extent			
7354711	86 COMMONWEALTH AVE	NEWTON	3	7/16/2019		Carried Forward	Pending		4/7/2022	2,496	Leak Extent			
303664	12 WOODBINE ST	NEWTON	3	4/18/2014		Carried Forward	Pending		3/25/2022	2,490	Leak Extent			
3862414	11 CANTERBURY RD	NEWTON	3	4/7/2015	5/18/2022	Carried Forward	Repaired		11/1/2021	2,438	Leak Extent			
7326621	116 OXFORD RD	NEWTON	3	6/10/2016		Carried Forward	Pending		10/7/2022	2,436	Leak Extent			
7324470	22 PURITAN RD	NEWTON	3	3/30/2016		Carried Forward	Pending		3/30/2022	2,432	Leak Extent			
7375992	8 CLEARWATER RD	NEWTON	3	6/20/2022		Newly Identified	Pending		6/20/2022	2,420	Leak Extent			
7353517	26 LINDEN ST	NEWTON	3	5/29/2019		Carried Forward	Pending		3/22/2022	2,400	Leak Extent			
7335236	49 WINCHESTER ST	NEWTON	3	5/31/2017	7/7/2022	Carried Forward	Repaired		12/21/2021	2,346	Leak Extent			
294279	21 KILBURN RD	NEWTON	2	2/22/2022	3/15/2022	Carried Forward	Repaired	3	2/22/2022	2,340	Leak Extent			
7355421	37 CHAPIN RD	NEWTON	3	7/25/2019	12/15/2022	Carried Forward	Eliminated Otherwise		4/12/2022	2,340	Leak Extent	UPGRADE		
7347788	ALGONQUIN RD	NEWTON	3	9/24/2018	8/10/2022	Carried Forward	Repaired		7/26/2022	2,275	Leak Extent			
5338221	WABAN AVE	NEWTON	3	7/10/2015		Carried Forward	Pending		4/21/2022	2,250	Leak Extent			
7354551	30 BERWICK RD	NEWTON	3	7/9/2019		Carried Forward	Pending		4/11/2022	2,250	Leak Extent			
7369310	74 BROOKSIDE AVE	NEWTON	2	2/22/2022	3/17/2022	Carried Forward	Repaired	3	3/3/2022	2,250	Leak Extent			
7353090	19 RANGELEY RD	NEWTON	3	5/10/2019	9/29/2022	Carried Forward	Repaired		3/2/2022	2,240	Leak Extent			
7375164	8 BALDPATE HILL RD	NEWTON	3	4/26/2022		Newly Identified	Pending		4/26/2022	2,240	Leak Extent			
1286053	LEXINGTON ST	NEWTON	3	7/10/2013		Carried Forward	Pending		2/16/2022	2,210	Leak Extent			
7355561	117 NORTH ST	NEWTON	3	8/19/2019		Carried Forward	Pending		4/15/2022	2,210	Leak Extent			
7326638	89 WINDSOR RD	NEWTON	3	6/10/2016		Carried Forward	Pending		10/7/2022	2,208	Leak Extent			
293593	12 PLEASANT ST	NEWTON	3	4/27/2007		Carried Forward	Pending		3/22/2022	2,200	Leak Extent			
7345444	251 PLYMOUTH RD	NEWTON	3	7/8/2018	2/1/2022	Carried Forward	Repaired		9/7/2021	2,200	Leak Extent			
7356517	6 RESERVOIR AVE	NEWTON	3	9/12/2019		Carried Forward	Pending		4/28/2022	2,184	Leak Extent			
1065939	53 CHARLESBANK RD	NEWTON	3	8/30/2012		Carried Forward	Pending		10/17/2022	2,160	Leak Extent			
7356154	104 VINE ST	NEWTON	3	9/4/2019		Carried Forward	Pending		4/22/2022	2,160	Leak Extent			
1338964	15 PHEASANT RD	NEWTON	3	9/3/2013		Carried Forward	Pending		2/17/2022	2,132	Leak Extent			
7356850	HIGHLAND ST	NEWTON	3	10/15/2019		Carried Forward	Pending		7/14/2022	2,100	Leak Extent			

Table L5 Newton Leak Report Dec 31, 2022														
Detailed Quarterly Information			QUARTER 4 - 2022		Name of Operator: <i>Boston Gas Company</i>									
Leak ID (if applicable)	Location		Grade [1, 2, 3]	Classification Date	Repair Dates (during quarter)	Carried Forward/ Newly Identified	Status at End of Quarter	Prior Grade (if change in classification)	For G3SEI Leaks			Notes/Explanations		
	Street Number and Name	Town/City							Designation Date	Leak Extent or Barhole Reading	Method Used [Leak Extent/ Barhole]			
7345717	85 COMMONWEALTH A	NEWTON	3	7/14/2018		Carried Forw	Pending		7/18/2022	2,088	Leak Extent			
7375163	303 HARTMAN RD	NEWTON	3	5/25/2022		Newly Identifi	Pending		5/25/2022	2,058	Leak Extent			
7364131	28 WADE ST	NEWTON	3	7/16/2020		Carried Forw	Pending		4/21/2022	2,040	Leak Extent			
7374835	138 WARREN ST	NEWTON	3	4/8/2022		Newly Identifi	Pending		4/8/2022	2,014	Leak Extent			
296483	10 LANGLEY RD	NEWTON	3	12/7/2006		Carried Forw	Pending		3/3/2022	1,980	Leak Extent			
334810	59 PONTIAC RD	NEWTON	3	6/23/2010	9/23/2022	Carried Forw	Repaired		2/22/2022	1,980	Leak Extent			
7347783	69 EVELYN RD	NEWTON	3	9/16/2018		Carried Forw	Pending		7/26/2022	1,980	Leak Extent			
7352431	54 TEMPLE ST	NEWTON	3	3/28/2019		Carried Forw	Pending		9/15/2022	1,980	Leak Extent			
7354553	7 BUSWELL PIKE	NEWTON	3	7/9/2019		Carried Forw	Pending		4/11/2022	1,980	Leak Extent			
7369309	129 DORSET RD	NEWTON	3	6/11/2021		Carried Forw	Pending		4/28/2022	1,980	Leak Extent			
1317692	ARAPAHOE RD	NEWTON	3	8/16/2013	7/29/2022	Carried Forw	Repaired		1/25/2022	1,976	Leak Extent			
7326613	14 NOBLE ST	NEWTON	3	6/6/2016	6/29/2022	Carried Forw	Repaired		11/17/2021	1,925	Leak Extent			
1363297	284 CHESTNUT ST	NEWTON	3	9/6/2013		Carried Forw	Pending		4/14/2022	1,920	Leak Extent			
7375162	33 OAK HILL ST	NEWTON	3	5/19/2022		Newly Identifi	Pending		5/19/2022	1,887	Leak Extent			
7355431	1928 COMMONWEALT	NEWTON	3	8/5/2019		Carried Forw	Pending		4/14/2022	1,881	Leak Extent			
7356225	105 HANSON RD	NEWTON	3	9/5/2019		Carried Forw	Pending		4/25/2022	1,850	Leak Extent			
293233	WASHINGTON ST	NEWTON	3	9/21/2006	9/30/2022	Carried Forw	Eliminated Otherwise		3/25/2022	1,849	Leak Extent	NO READS		
591420	342 BEACON ST	NEWTON	3	11/27/2011		Carried Forw	Pending		4/1/2022	1,840	Leak Extent			
1363546	295 DUDLEY RD	NEWTON	3	9/19/2013		Carried Forw	Pending		4/28/2022	1,820	Leak Extent			
230055	1046 CHESTNUT ST	NEWTON	3	10/24/2017		Carried Forw	Pending		4/28/2022	1,800	Leak Extent			
294276	64 PUTNAM ST	NEWTON	3	9/25/2006		Carried Forw	Pending		3/22/2022	1,800	Leak Extent			
7354554	81 CHURCH ST	NEWTON	3	7/9/2019		Carried Forw	Pending		4/11/2022	1,800	Leak Extent			
7371042	305 COMMONWEALTH	NEWTON	3	10/6/2021		Carried Forw	Pending		8/24/2022	1,800	Leak Extent			
7375165	49 GROVE ST	NEWTON	3	5/27/2022		Newly Identifi	Pending		5/27/2022	1,800	Leak Extent			
270388	50 DORSET RD	NEWTON	3	4/29/2004		Carried Forw	Pending		2/16/2022	1,760	Leak Extent			
7367241	46 CEDAR ST	NEWTON	3	3/1/2021		Carried Forw	Pending		10/10/2022	1,750	Leak Extent			
1282579	239 WOODLAND RD	NEWTON	3	6/28/2013		Carried Forw	Pending		4/22/2022	1,728	Leak Extent			

Table L5 Newton Leak Report Dec 31, 2022														
Detailed Quarterly Information			QUARTER 4 - 2022		Name of Operator: <i>Boston Gas Company</i>									
Leak ID (if applicable)	Location		Grade [1, 2, 3]	Classification Date	Repair Dates (during quarter)	Carried Forward/ Newly Identified	Status at End of Quarter	Prior Grade (if change in classification)	For G3SEI Leaks			Notes/Explanations		
	Street Number and Name	Town/City							Designation Date	Leak Extent or Barhole Reading	Method Used [Leak Extent/ Barhole]			
7326636	NORTH ST	NEWTON	3	6/13/2016		Carried Forw	Pending		9/15/2022	1,728	Leak Extent			
7367242	497 BOYLSTON ST	NEWTON	3	3/7/2021	6/1/2022	Carried Forw	Eliminated by Replacemen		1/5/2022	1,728	Leak Extent			
7327022	74 HOMESTEAD ST	NEWTON	3	6/27/2016		Carried Forw	Pending		7/11/2022	1,680	Leak Extent			
7353695	90 HIGHLAND AVE	NEWTON	3	5/29/2019		Carried Forw	Pending		8/3/2022	1,680	Leak Extent			
7357654	143 RIVER ST	NEWTON	3	10/16/2019		Carried Forw	Pending		7/14/2022	1,650	Leak Extent			
100193	9 CARTER ST	NEWTON	3	3/15/1996		Carried Forw	Pending		2/17/2022	1,645	Leak Extent			
7354712	31 DEVONSHIRE RD	NEWTON	3	7/19/2019		Carried Forw	Pending		4/7/2022	1,632	Leak Extent			
7337023	90 BEACON ST	NEWTON	3	7/26/2017	9/27/2022	Carried Forw	Eliminated Otherwise		3/3/2022	1,620	Leak Extent	NO READS		
7356211	84 RACHEL RD	NEWTON	3	9/5/2019		Carried Forw	Pending		5/20/2022	1,600	Leak Extent			
338427	65 ELINOR RD	NEWTON	3	10/9/2010		Carried Forw	Pending		4/28/2022	1,575	Leak Extent			
1286045	12 MURRAY RD	NEWTON	3	7/10/2013		Carried Forw	Pending		2/16/2022	1,575	Leak Extent			
4788513	22 AUBURN ST	NEWTON	3	7/9/2015		Carried Forw	Pending		9/15/2022	1,575	Leak Extent			
7327326	91 ARNOLD RD	NEWTON	3	7/8/2016		Carried Forw	Pending		2/16/2022	1,575	Leak Extent			
7353121	95 PINE GROVE AVE	NEWTON	3	5/8/2019		Carried Forw	Pending		2/22/2022	1,575	Leak Extent			
7355668	34 BROADLAWN DR	NEWTON	3	8/23/2019		Carried Forw	Pending		4/21/2022	1,575	Leak Extent			
1363357	647 COMMONWEALTH	NEWTON	3	9/12/2013		Carried Forw	Pending		11/8/2022	1,520	Leak Extent			
6592025	142 GORDON RD	NEWTON	3	9/8/2015		Carried Forw	Pending		3/3/2022	1,512	Leak Extent			
1363327	36 ROSLYN RD	NEWTON	3	9/6/2013		Carried Forw	Pending		2/17/2022	1,504	Leak Extent			
155801	KENDALL RD	NEWTON	3	7/23/1999		Carried Forw	Pending		3/25/2022	1,500	Leak Extent			
7354252	2 KINGSTON RD	NEWTON	3	6/27/2019		Carried Forw	Pending		4/5/2022	1,500	Leak Extent			
7341496	COMMONWEALTH AVE	NEWTON	3	1/12/2018		Carried Forw	Pending		7/27/2022	1,484	Leak Extent			
7326197	145 HIGHLAND ST	NEWTON	3	5/11/2016		Carried Forw	Pending		8/24/2022	1,470	Leak Extent			
7356134	105 OSBORNE PATH	NEWTON	3	9/3/2019		Carried Forw	Pending		4/21/2022	1,470	Leak Extent			
253266	351 WABAN AV	NEWTON	3	3/18/2003	10/3/2022	Carried Forw	Repaired		3/4/2022	1,440	Leak Extent			
7348310	95 DORSET RD	NEWTON	3	10/11/2018		Carried Forw	Pending		7/18/2022	1,440	Leak Extent			
7355427	20 PIERREPONT RD	NEWTON	3	7/26/2019	7/7/2022	Carried Forw	Repaired		4/13/2022	1,410	Leak Extent			
7356428	37 TRUMAN RD	NEWTON	3	9/26/2019		Carried Forw	Pending		6/17/2022	1,406	Leak Extent			

Table L5 Newton Leak Report Dec 31, 2022														
Detailed Quarterly Information			QUARTER 4 - 2022		Name of Operator: <i>Boston Gas Company</i>									
Leak ID (if applicable)	Location		Grade [1, 2, 3]	Classification Date	Repair Dates (during quarter)	Carried Forward/ Newly Identified	Status at End of Quarter	Prior Grade (if change in classification)	For G3SEI Leaks			Notes/Explanations		
	Street Number and Name	Town/City							Designation Date	Leak Extent or Barhole Reading	Method Used [Leak Extent/ Barhole]			
333621	587 CHESTNUT ST	NEWTON	3	5/22/2010	10/11/2022	Carried Forw	Eliminated by Replacemen	2/22/2022	1,400	Leak Extent				
6625370	27 CAMDEN RD	NEWTON	3	9/22/2015		Carried Forw	Pending		4/5/2022	1,400	Leak Extent			
7375160	64 HILLSIDE AVE	NEWTON	3	5/17/2022		Newly Identifi	Pending		5/17/2022	1,400	Leak Extent			
1362600	45 PARK LN	NEWTON	3	9/25/2013		Carried Forw	Pending		7/11/2022	1,368	Leak Extent			
7326625	129 PARKER ST	NEWTON	3	6/10/2016		Carried Forw	Pending		10/7/2022	1,368	Leak Extent			
7373591	495 WATERTOWN ST	NEWTON	3	1/21/2022		Newly Identifi	Pending		11/8/2022	1,360	Leak Extent			
303666	78 WOODBINE ST	NEWTON	3	8/1/2007		Carried Forw	Pending		3/25/2022	1,350	Leak Extent			
7356212	500 DEDHAM ST	NEWTON	3	9/5/2019		Carried Forw	Pending		4/25/2022	1,349	Leak Extent			
7335500	35 LLEWELLYN RD	NEWTON	3	6/13/2017		Carried Forw	Pending		3/30/2022	1,332	Leak Extent			
7368733	17 COCHITUATE RD	NEWTON	3	5/19/2021		Carried Forw	Pending		4/14/2022	1,332	Leak Extent			
304860	167 PARKER ST	NEWTON	3	8/14/2007		Carried Forw	Pending		2/22/2022	1,330	Leak Extent			
7325430	9 KIRKSTALL RD	NEWTON	3	4/20/2016		Carried Forw	Pending		3/30/2022	1,330	Leak Extent			
7351056	687 WATERTOWN ST	NEWTON	3	2/12/2019	4/19/2022	Carried Forw	Eliminated Otherwise	9/22/2021	1,330	Leak Extent	UPGRADE			
7337016	214 CONCORD ST	NEWTON	3	8/1/2017		Carried Forw	Pending		3/30/2022	1,296	Leak Extent			
303097	82 CONCORD ST	NEWTON	3	7/3/2007		Carried Forw	Pending		2/8/2022	1,290	Leak Extent			
7326999	169 FULLER ST	NEWTON	3	6/23/2016		Carried Forw	Pending		10/10/2022	1,280	Leak Extent			
307227	210 COTTON ST	NEWTON	3	8/27/2007		Carried Forw	Pending		2/16/2022	1,260	Leak Extent			
612365	18 ANNawan RD	NEWTON	3	12/4/2011	4/13/2022	Carried Forw	Eliminated Otherwise	4/11/2022	1,260	Leak Extent	UPGRADE			
1337305	108 WINDSOR RD	NEWTON	3	8/21/2013		Carried Forw	Pending		6/7/2022	1,260	Leak Extent			
311463	1150 BOYLSTON ST	NEWTON	3	9/24/2008	3/23/2022	Carried Forw	Repaired		8/2/2021	1,240	Leak Extent			
839499	220 WOODWARD ST	NEWTON	3	6/29/2016		Carried Forw	Pending		2/18/2022	1,240	Leak Extent			
7355555	68 LITTLEFIELD RD	NEWTON	3	8/19/2019		Carried Forw	Pending		4/15/2022	1,239	Leak Extent			
7355559	96 NORTH ST	NEWTON	3	8/19/2019		Carried Forw	Pending		4/15/2022	1,232	Leak Extent			
7365119	110 WOODWARD ST	NEWTON	3	9/24/2020		Carried Forw	Pending		7/27/2022	1,232	Leak Extent			
270391	WOODWARD ST	NEWTON	3	4/22/2004		Carried Forw	Pending		10/17/2022	1,224	Leak Extent			

Table L5 Newton Leak Report Dec 31, 2022													
Detailed Quarterly Information			QUARTER 4 - 2022		Name of Operator: <i>Boston Gas Company</i>								
Leak ID (if applicable)	Location		Grade [1, 2, 3]	Classification Date	Repair Dates (during quarter)	Carried Forward/ Newly Identified	Status at End of Quarter	Prior Grade (if change in classification)	For G3SEI Leaks			Notes/Explanations	
	Street Number and Name	Town/City							Designation Date	Leak Extent or Barhole Reading	Method Used [Leak Extent/ Barhole]		
334466	HOMER ST	NEWTON	3	6/14/2010	7/15/2022	Carried Forw	Eliminated Otherwise		5/10/2022	1,200	Leak Extent	REPAIRED UNDER OTHER LEAK REPAIR	
7336530	6 SAMOSET RD	NEWTON	3	7/21/2017		Carried Forw	Pending		4/5/2022	1,200	Leak Extent		
7353115	150 WOODLAND RD	NEWTON	3	5/8/2019		Carried Forw	Pending		2/22/2022	1,190	Leak Extent		
7327405	DAVIS AVE	NEWTON	3	6/27/2016		Carried Forw	Pending		11/8/2022	1,180	Leak Extent		
3093950	43 SEWALL ST	NEWTON	3	2/9/2015		Carried Forw	Pending		7/14/2022	1,170	Leak Extent		
42571	1418 COMMONWEALTH	NEWTON	3	7/7/1995		Carried Forw	Pending		4/22/2022	1,140	Leak Extent		
7343320	30 E ROADWAY	NEWTON	3	4/6/2018		Carried Forw	Pending		8/24/2022	1,120	Leak Extent		
7371865	4 RANDOLPH ST	NEWTON	3	11/9/2021		Carried Forw	Pending		9/7/2022	1,120	Leak Extent		
7332283	76 WALDEN ST	NEWTON	3	1/27/2017		Carried Forw	Pending		11/8/2022	1,088	Leak Extent		
7327000	442 CHESTNUT ST	NEWTON	3	6/23/2016	10/11/2022	Carried Forw	Eliminated by Replacemen		10/17/2022	1,080	Leak Extent		
7332282	NONANTUM RD	NEWTON	3	2/1/2017		Carried Forw	Pending		7/26/2022	1,080	Leak Extent		
7375346	61 HUNTINGTON RD	NEWTON	2	6/1/2022		Newly Identi	Pending		10/7/2022	1,080	Leak Extent		
7326619	26 PARKER ST	NEWTON	3	6/10/2016		Carried Forw	Pending		9/15/2022	1,050	Leak Extent		
7325492	135 BIGELOW RD	NEWTON	3	4/21/2016		Carried Forw	Pending		3/30/2022	1,023	Leak Extent		
5620468	121 PARKER AVE	NEWTON	3	8/27/2015		Carried Forw	Pending		3/23/2022	1,000	Leak Extent		
7373593	POLE 61 BOYLSTON ST	NEWTON	3	2/22/2022		Newly Identi	Pending		2/22/2022	1,000	Leak Extent		
7354709	20 CLAREMONT ST	NEWTON	3	7/16/2019		Carried Forw	Pending		4/7/2022	990	Leak Extent		
1150031	1957 BEACON ST	NEWTON	3	2/13/2013		Carried Forw	Pending		4/22/2022	960	Leak Extent		
6624524	14 SAMOSET RD	NEWTON	3	9/21/2015		Carried Forw	Pending		7/12/2022	960	Leak Extent		
7355426	7 KILBURN RD	NEWTON	3	7/25/2019		Carried Forw	Pending		4/12/2022	960	Leak Extent		
7353083	1830 COMMONWEALT	NEWTON	3	5/13/2019		Carried Forw	Pending		2/17/2022	925	Leak Extent		
305109	32 WESSEX RD	NEWTON	3	8/28/2007		Carried Forw	Pending		3/28/2022	918	Leak Extent		

Table L5 Newton Leak Report Dec 31, 2022													
Detailed Quarterly Information			QUARTER 4 - 2022		Name of Operator: <i>Boston Gas Company</i>								
Leak ID (if applicable)	Location		Grade [1, 2, 3]	Classification Date	Repair Dates (during quarter)	Carried Forward/ Newly Identified	Status at End of Quarter	Prior Grade (if change in classification)	For G3SEI Leaks			Notes/Explanations	
	Street Number and Name	Town/City							Designation Date	Leak Extent or Barhole Reading	Method Used [Leak Extent/ Barhole]		
7327035	175 CHESTNUT ST	NEWTON	3	6/24/2016	7/7/2022	Carried Forw	Eliminated Otherwise		1/12/2022	900	Leak Extent	REPAIRED UNDER OTHER LEAK REPAIR	
7331479	425 CENTRE ST	NEWTON	3	1/3/2017		Carried Forw	Pending		4/5/2022	900	Leak Extent		
7336456	12 BERTRAND RD	NEWTON	3	7/18/2017		Carried Forw	Pending		3/2/2022	900	Leak Extent		
7348100	63 OAKDALE RD	NEWTON	3	10/12/2018		Carried Forw	Pending		7/18/2022	900	Leak Extent		
7354257	254 WEBSTER ST	NEWTON	3	12/31/2019		Carried Forw	Pending		8/11/2022	900	Leak Extent		
7356355	146 HAMMOND ST	NEWTON	3	9/25/2019		Carried Forw	Pending		5/26/2022	900	Leak Extent		
7371859	214 BEACON ST	NEWTON	3	11/10/2021		Carried Forw	Pending		9/14/2022	900	Leak Extent		
7371382	212 CHESTNUT ST	NEWTON	3	10/9/2021		Carried Forw	Pending		8/24/2022	884	Leak Extent		
304740	275 MILL ST	NEWTON	3	8/31/2007		Carried Forw	Pending		3/1/2022	875	Leak Extent		
1337093	40 WINDSOR RD	NEWTON	3	8/19/2013		Carried Forw	Pending		3/25/2022	864	Leak Extent		
337468	95 ALLEN AVE	NEWTON	3	9/18/2010	7/28/2022	Carried Forw	Repaired		1/25/2022	858	Leak Extent		
7354888	624 BEACON ST	NEWTON	2	6/17/2020		Carried Forw	Pending		8/3/2022	840	Leak Extent		
7353077	8 HOPE ST	NEWTON	3	5/13/2019		Carried Forw	Pending		2/18/2022	837	Leak Extent		
7375161	262 OTIS ST	NEWTON	3	5/18/2022		Newly Identifi	Pending		5/18/2022	832	Leak Extent		
1363313	110 CEDAR ST	NEWTON	3	9/10/2013		Carried Forw	Pending		4/14/2022	806	Leak Extent		
270381	55 WINDSOR RD	NEWTON	3	4/29/2004		Carried Forw	Pending		3/23/2022	800	Leak Extent		
270497	WARD ST	NEWTON	3	6/18/2004		Carried Forw	Pending		3/23/2022	800	Leak Extent		
7354547	443 WOLCOTT ST	NEWTON	3	7/9/2019		Carried Forw	Pending		4/5/2022	800	Leak Extent		
7373055	56 CRESCENT AVE	NEWTON	2	1/25/2022		Newly Identifi	Pending		9/7/2022	800	Leak Extent		
7353088	238 DORSET RD	NEWTON	3	5/6/2019		Carried Forw	Pending		2/8/2022	795	Leak Extent		
230384	41 LAKEVIEW AV	NEWTON	3	8/7/2000		Carried Forw	Pending		7/12/2022	750	Leak Extent		
271927	NESHOBE RD	NEWTON	3	2/14/2005		Carried Forw	Pending		3/1/2022	750	Leak Extent		
7348312	393 LOWELL AVE	NEWTON	3	10/13/2018		Carried Forw	Pending		7/18/2022	750	Leak Extent		
7354261	MELROSE AVE	NEWTON	3	6/24/2019		Carried Forw	Pending		4/1/2022	742	Leak Extent		

Table L5 Newton Leak Report Dec 31, 2022														
Detailed Quarterly Information			QUARTER 4 - 2022		Name of Operator: <i>Boston Gas Company</i>									
Leak ID (if applicable)	Location		Grade [1, 2, 3]	Classification Date	Repair Dates (during quarter)	Carried Forward/ Newly Identified	Status at End of Quarter	Prior Grade (if change in classification)	For G3SEI Leaks			Notes/Explanations		
	Street Number and Name	Town/City							Designation Date	Leak Extent or Barhole Reading	Method Used [Leak Extent/ Barhole]			
7354698	559 CENTRE ST	NEWTON	3	7/16/2019		Carried Forw	Pending		4/7/2022	741	Leak Extent			
290176	38 LOCKSLEY RD	NEWTON	3	12/6/2006		Carried Forw	Pending		9/14/2022	728	Leak Extent			
329904	25 MORSE RD	NEWTON	3	12/8/2009		Carried Forw	Pending		2/22/2022	720	Leak Extent			
338734	6 SUN HILL LN	NEWTON	3	10/21/2010		Carried Forw	Pending		4/21/2022	720	Leak Extent			
7335809	1319 CENTRE ST	NEWTON	3	6/23/2017		Carried Forw	Pending		3/2/2022	720	Leak Extent			
7351330	34 COLLINS RD	NEWTON	3	3/7/2019		Carried Forw	Pending		8/24/2022	720	Leak Extent			
1338973	5 CHANNING RD	NEWTON	3	8/30/2013		Carried Forw	Pending		4/28/2022	700	Leak Extent			
7347784	12 NONANTUM ST	NEWTON	3	9/15/2018		Carried Forw	Pending		7/26/2022	700	Leak Extent			
7353084	3 AUSTIN ST	NEWTON	3	5/15/2019		Carried Forw	Pending		3/2/2022	700	Leak Extent			
7354697	72 ALGONQUIN RD	NEWTON	3	7/16/2019		Carried Forw	Pending		4/11/2022	700	Leak Extent			
7356372	569 SAWMILL BROOK P	NEWTON	3	9/25/2019		Carried Forw	Pending		6/7/2022	693	Leak Extent			
7338745	67 OAKCLIFF RD	NEWTON	3	9/27/2017		Carried Forw	Pending		4/13/2022	690	Leak Extent			
332258	30 ROLAND ST	NEWTON	3	4/8/2010		Carried Forw	Pending		4/21/2022	680	Leak Extent			
7327103	19 RICHARDSON RD	NEWTON	3	6/30/2016		Carried Forw	Pending		11/8/2022	680	Leak Extent			
7335226	26 PAGE RD	NEWTON	3	5/31/2017		Carried Forw	Pending		10/7/2022	680	Leak Extent			
7354537	10 DAY ST	NEWTON	3	7/15/2019		Carried Forw	Pending		4/11/2022	680	Leak Extent			
7325806	4 PEMBROKE ST	NEWTON	3	4/22/2016		Carried Forw	Pending		4/1/2022	650	Leak Extent			
1286057	26 HOLMAN RD	NEWTON	3	6/12/2013		Carried Forw	Pending		3/4/2022	648	Leak Extent			
693516	1 QUINOBEQUIN RD	NEWTON	3	12/15/2011		Carried Forw	Pending		2/18/2022	640	Leak Extent			
6722810	75 GROVE HILL AVE	NEWTON	3	9/29/2015		Carried Forw	Pending		3/29/2022	630	Leak Extent			
7368131	62 BEACON ST	NEWTON	3	4/19/2021	12/13/2022	Carried Forw	Repaired		6/29/2022	630	Leak Extent			
1283461	21 WALNUT ST	NEWTON	3	9/29/2014		Carried Forw	Pending		11/14/2022	625	Leak Extent			
232986	174 LEXINGTON ST	NEWTON	3	7/10/2002		Carried Forw	Pending		3/29/2022	600	Leak Extent			
270681	131 COUNTRY CLUB RD	NEWTON	3	8/3/2004		Carried Forw	Pending		3/1/2022	600	Leak Extent			
271180	63 AVONDALE RD	NEWTON	3	2/1/2005		Carried Forw	Pending		2/9/2022	600	Leak Extent			
304662	19 FENWICK RD	NEWTON	3	9/12/2007		Carried Forw	Pending		2/23/2022	600	Leak Extent			
854114	712 SAWMILL BROOK P	NEWTON	3	4/24/2012		Carried Forw	Pending		2/9/2022	600	Leak Extent			

Table L5 Newton Leak Report Dec 31, 2022														
Detailed Quarterly Information			QUARTER 4 - 2022		Name of Operator: <i>Boston Gas Company</i>									
Leak ID (if applicable)	Location		Grade [1, 2, 3]	Classification Date	Repair Dates (during quarter)	Carried Forward/ Newly Identified	Status at End of Quarter	Prior Grade (if change in classification)	For G3SEI Leaks			Notes/Explanations		
	Street Number and Name	Town/City							Designation Date	Leak Extent or Barhole Reading	Method Used [Leak Extent/ Barhole]			
7326997	21 LAUDHOLM RD	NEWTON	3	6/17/2016		Carried Forw	Pending		10/10/2022	600	Leak Extent			
7353089	65 GROVE ST	NEWTON	3	5/8/2019		Carried Forw	Pending		2/9/2022	600	Leak Extent			
1338217	102 RIDGE AVE	NEWTON	3	8/20/2013		Carried Forw	Pending		4/21/2022	540	Leak Extent			
304719	94 MARY ELLEN RD	NEWTON	3	8/29/2007		Carried Forw	Pending		7/26/2022	525	Leak Extent			
7339413	908 BEACON ST	NEWTON	3	11/9/2017	9/27/2022	Carried Forw	Eliminated Otherwise		4/12/2022	525	Leak Extent	NO READS		
7356142	26 HARWICH RD	NEWTON	3	9/4/2019		Carried Forw	Pending		4/22/2022	525	Leak Extent			
7332762	ISLINGTON RD	NEWTON	3	3/21/2017		Carried Forw	Pending		4/13/2022	522	Leak Extent			
7354542	190 TEMPLE ST	NEWTON	3	7/11/2019		Carried Forw	Pending		4/11/2022	510	Leak Extent			
7361466	109 PRINCE ST	NEWTON	3	6/9/2020		Carried Forw	Pending		4/11/2022	510	Leak Extent			
7371043	34 EMERSON ST	NEWTON	3	10/7/2021		Carried Forw	Pending		8/24/2022	510	Leak Extent			
307614	499 CRAFTS ST	NEWTON	3	9/4/2007		Carried Forw	Pending		4/13/2022	504	Leak Extent			
230386	LANGDON ST	NEWTON	3	2/26/2002		Carried Forw	Pending		2/9/2022	500	Leak Extent			
303702	9 T ROADWAY	NEWTON	3	8/6/2007		Carried Forw	Pending		7/12/2022	500	Leak Extent			
												REPAIRED UNDER OTHER LEAK REPAIR		
7326616	177 PARK ST	NEWTON	3	6/3/2016	2/28/2022	Carried Forw	Eliminated Otherwise		11/30/2021	500	Leak Extent			
7336297	327 DEDHAM ST	NEWTON	3	7/12/2017		Carried Forw	Pending		2/24/2022	500	Leak Extent			
7342376	3 DANIEL ST	NEWTON	3	3/6/2018		Carried Forw	Pending		8/11/2022	500	Leak Extent			
7365477	8 BACON RD	NEWTON	3	11/9/2020		Carried Forw	Pending		8/25/2022	500	Leak Extent			
7343321	15 G ROADWAY	NEWTON	3	4/6/2018		Carried Forw	Pending		8/24/2022	480	Leak Extent			
7355422	1466 COMMONWEALTH	NEWTON	3	7/24/2019		Carried Forw	Pending		4/1/2022	480	Leak Extent			
7356347	40 JANE RD	NEWTON	3	9/25/2019		Carried Forw	Pending		5/11/2022	480	Leak Extent			
332435	30 K ROADWAY	NEWTON	3	4/13/2010		Carried Forw	Pending		3/2/2022	456	Leak Extent			
7346650	249 WINCHESTER ST	NEWTON	3	8/24/2018	3/14/2022	Carried Forw	Repaired		8/27/2021	456	Leak Extent			
121969	CRAFTS ST	NEWTON	3	4/8/1998		Carried Forw	Pending		2/23/2022	450	Leak Extent			
596669	90 ROWENA RD	NEWTON	3	11/28/2011		Carried Forw	Pending		2/9/2022	450	Leak Extent			

Table L5 Newton Leak Report Dec 31, 2022														
Detailed Quarterly Information			QUARTER 4 - 2022		Name of Operator: <i>Boston Gas Company</i>									
Leak ID (if applicable)	Location		Grade [1, 2, 3]	Classification Date	Repair Dates (during quarter)	Carried Forward/ Newly Identified	Status at End of Quarter	Prior Grade (if change in classification)	For G3SEI Leaks			Notes/Explanations		
	Street Number and Name	Town/City							Designation Date	Leak Extent or Barhole Reading	Method Used [Leak Extent/ Barhole]			
7353079	1870 COMMONWEALTH	NEWTON	3	5/13/2019		Carried Forw	Pending		2/17/2022	450	Leak Extent			
7349163	CYPRESS ST	NEWTON	3	11/15/2018		Carried Forw	Pending		6/17/2022	448	Leak Extent			
7326889	89 WALTHAM ST	NEWTON	3	6/15/2016		Carried Forw	Pending		9/15/2022	432	Leak Extent			
7336460	1746 BEACON ST	NEWTON	3	7/19/2017		Carried Forw	Pending		3/2/2022	432	Leak Extent			
7338634	6 VAUGHAN AVE	NEWTON	3	9/9/2017		Carried Forw	Pending		6/7/2022	432	Leak Extent			
7356139	344 BROOKLINE ST	NEWTON	3	9/3/2019		Carried Forw	Pending		4/22/2022	432	Leak Extent			
7349893	240 VALENTINE ST	NEWTON	3	12/17/2018		Carried Forw	Pending		6/17/2022	420	Leak Extent			
1246024	242 WABAN AVE	NEWTON	3	7/31/2017		Carried Forw	Pending		3/25/2022	400	Leak Extent			
7334305	WALNUT PIKE	NEWTON	3	4/30/2017	12/15/2022	Carried Forw	Repaired		8/11/2022	400	Leak Extent			
7354535	40 KELVEDEN RD	NEWTON	3	7/10/2019	12/6/2022	Carried Forw	Repaired		4/5/2022	400	Leak Extent			
7354538	5 MARSHALL ST	NEWTON	3	7/8/2019		Carried Forw	Pending		4/5/2022	400	Leak Extent			
7354555	11 OWAISA RD	NEWTON	3	6/10/2019		Carried Forw	Pending		3/31/2022	400	Leak Extent			
7356438	741 SAWMILL BROOK P	NEWTON	3	9/26/2019		Carried Forw	Pending		6/29/2022	400	Leak Extent			
7374842	6 LINCOLN ST	NEWTON	3	4/22/2022		Newly Identif	Pending		4/22/2022	391	Leak Extent			
6722656	69 PRINCE ST	NEWTON	3	9/29/2015		Carried Forw	Pending		3/29/2022	390	Leak Extent			
42522	3 COLUMBUS ST	NEWTON	3	5/21/1993		Carried Forw	Pending		2/17/2022	375	Leak Extent			
3869342	212 GRANT AVE	NEWTON	3	4/9/2015		Carried Forw	Pending		2/23/2022	375	Leak Extent			
7353118	207 AUBURN ST	NEWTON	3	5/17/2019		Carried Forw	Pending		2/23/2022	375	Leak Extent			
6980988	83 CARVER RD	NEWTON	3	5/28/2019		Carried Forw	Pending		3/4/2022	360	Leak Extent			
1230002	WALNUT ST	NEWTON	3	5/17/2013		Carried Forw	Pending		6/7/2022	352	Leak Extent			
270655	100 SUFFOLK RD	NEWTON	3	8/19/2004		Carried Forw	Pending		7/27/2022	350	Leak Extent			
1362684	131 WINDSOR RD	NEWTON	3	9/30/2013		Carried Forw	Pending		2/24/2022	350	Leak Extent			
7335811	78 NONANTUM ST	NEWTON	3	6/10/2017		Carried Forw	Pending		10/7/2022	340	Leak Extent			
2725982	BEACON ST	NEWTON	3	12/4/2014		Carried Forw	Pending		5/26/2022	335	Leak Extent			
847743	93 HANCOCK AVE	NEWTON	3	5/16/2014	12/12/2022	Carried Forw	Eliminated by Replacemen	7/13/2022		330	Leak Extent			
270413	1812 COMMONWEALT	NEWTON	3	5/18/2004		Carried Forw	Pending		2/9/2022	300	Leak Extent			
796835	11 VIRGINIA RD	NEWTON	3	2/6/2012		Carried Forw	Pending		5/3/2022	300	Leak Extent			

Table L5 Newton Leak Report Dec 31, 2022													
Detailed Quarterly Information			QUARTER 4 - 2022		Name of Operator: <i>Boston Gas Company</i>								
Leak ID (if applicable)	Location		Grade [1, 2, 3]	Classification Date	Repair Dates (during quarter)	Carried Forward/ Newly Identified	Status at End of Quarter	Prior Grade (if change in classification)	For G3SEI Leaks			Notes/Explanations	
	Street Number and Name	Town/City							Designation Date	Leak Extent or Barhole Reading	Method Used [Leak Extent/ Barhole]		
949724	8 HAMMOND ST	NEWTON	3	8/1/2012		Carried Forw	Pending		2/17/2022	300	Leak Extent		
7336365	23 DAVIS ST	NEWTON	3	7/15/2017		Carried Forw	Pending		2/24/2022	300	Leak Extent		
7350513	15 OAK ST	NEWTON	3	2/1/2019		Carried Forw	Pending		8/3/2022	300	Leak Extent		
7354716	16 KENYON ST	NEWTON	3	7/19/2019		Carried Forw	Pending		4/5/2022	300	Leak Extent		
7355420	138 CEDAR ST	NEWTON	3	7/26/2019	1/4/2022	Carried Forw	Repaired		5/13/2021	300	Leak Extent		
7364449	20 STONEWOOD DR	NEWTON	3	8/9/2020		Carried Forw	Pending		4/28/2022	300	Leak Extent		
7355430	32 SMITH AVE	NEWTON	3	7/25/2019		Carried Forw	Pending		4/13/2022	290	Leak Extent		
7327702	111 HOBART RD	NEWTON	3	7/7/2016		Carried Forw	Pending		3/2/2022	260	Leak Extent		
7365117	206 WINDSOR RD	NEWTON	3	4/14/2022	6/2/2022	Carried Forw	Repaired		5/26/2022	252	Leak Extent		
304327	ALBEMARLE RD	NEWTON	3	8/15/2007		Carried Forw	Pending		11/14/2022	250	Leak Extent		
7323096	11 RIDGEWAY TER	NEWTON	3	1/21/2016		Carried Forw	Pending		3/29/2022	250	Leak Extent		
7356210	15 LEEWOOD RD	NEWTON	3	9/5/2019		Carried Forw	Pending		5/3/2022	250	Leak Extent		
7364119	23 MAPLE ST	NEWTON	3	5/13/2020		Carried Forw	Pending		3/31/2022	250	Leak Extent		
7365526	36 METACOMET RD	NEWTON	3	11/20/2020		Carried Forw	Pending		8/25/2022	250	Leak Extent		
7370900	11 CLOVELLY RD	NEWTON	3	9/20/2021		Carried Forw	Pending		8/11/2022	250	Leak Extent		
7356214	471 DEDHAM ST	NEWTON	3	9/5/2019		Carried Forw	Pending		4/25/2022	242	Leak Extent		
7353086	43 CENTRAL ST	NEWTON	3	5/8/2019		Carried Forw	Pending		2/9/2022	240	Leak Extent		
5337636	330 CENTRAL ST	NEWTON	3	7/6/2015		Carried Forw	Pending		9/20/2022	230	Leak Extent		
258065	122 WARD ST	NEWTON	3	1/22/2004		Carried Forw	Pending		4/5/2022	225	Leak Extent		
7325813	32 MELVILLE AVE	NEWTON	3	4/29/2016		Carried Forw	Pending		4/1/2022	220	Leak Extent		
270389	128 WOODWARD ST	NEWTON	3	4/27/2004		Carried Forw	Pending		9/20/2022	216	Leak Extent		
7356367	350 WINCHESTER ST	NEWTON	3	9/25/2019		Carried Forw	Pending		6/7/2022	208	Leak Extent		
303660	43 WALNUT ST	NEWTON	3	11/18/2014		Carried Forw	Pending		3/23/2022	200	Leak Extent		
304862	30 PEARL ST	NEWTON	3	8/14/2007		Carried Forw	Pending		3/23/2022	200	Leak Extent		
333433	5 TRUMAN RD	NEWTON	3	5/17/2010	12/1/2022	Carried Forw	Repaired		2/8/2022	200	Leak Extent		
337057	327 CHERRY ST	NEWTON	3	12/2/2020		Carried Forw	Pending		8/25/2022	200	Leak Extent		
1237078	94 DEVONSHIRE RD	NEWTON	3	10/9/2015		Carried Forw	Pending		5/3/2022	200	Leak Extent		

Table L5 Newton Leak Report Dec 31, 2022														
Detailed Quarterly Information			QUARTER 4 - 2022		Name of Operator: <i>Boston Gas Company</i>									
Leak ID (if applicable)	Location		Grade [1, 2, 3]	Classification Date	Repair Dates (during quarter)	Carried Forward/ Newly Identified	Status at End of Quarter	Prior Grade (if change in classification)	For G3SEI Leaks			Notes/Explanations		
	Street Number and Name	Town/City							Designation Date	Leak Extent or Barhole Reading	Method Used [Leak Extent/ Barhole]			
2834933	2401 COMMONWEALTH	NEWTON	3	11/7/2014		Carried Forw	Pending		3/31/2022	200	Leak Extent			
7331915	150 SPIERS RD	NEWTON	3	2/2/2017		Carried Forw	Pending		4/5/2022	200	Leak Extent	CALLED OFF BY SUPERVISOR		
7336765	833 WASHINGTON ST	NEWTON	3	7/27/2017	9/27/2022	Carried Forw	Eliminated Otherwise	3/23/2022	200	Leak Extent				
7356852	WATERTOWN ST	NEWTON	3	10/15/2019		Carried Forw	Pending		8/25/2022	200	Leak Extent			
7364831	5 PHILBRICK RD	NEWTON	3	8/17/2020		Carried Forw	Pending		6/29/2022	200	Leak Extent			
7368124	650 CENTRE ST	NEWTON	3	4/22/2021		Carried Forw	Pending		3/31/2022	200	Leak Extent			
7372371	28 MOODY ST	NEWTON	3	12/3/2021		Carried Forw	Pending		10/10/2022	200	Leak Extent			
7374838	64 OAK ST	NEWTON	3	4/13/2022		Newly Identi	Pending		4/13/2022	200	Leak Extent			
7374857	265 OTIS ST	NEWTON	3	5/15/2022		Newly Identi	Pending		5/15/2022	200	Leak Extent			
7375135	341 CABOT ST	NEWTON	3	5/23/2022		Newly Identi	Pending		5/23/2022	200	Leak Extent			
304763	8 LANCASTER RD	NEWTON	3	6/21/2016		Carried Forw	Pending		3/4/2022	180	Leak Extent			
305355	36 MAGNOLIA AVE	NEWTON	3	8/29/2007		Carried Forw	Pending		3/4/2022	180	Leak Extent			
329984	216 WINSLOW RD	NEWTON	3	11/30/2009		Carried Forw	Pending		5/26/2022	180	Leak Extent			
345666	1234 COMMONWEALTH	NEWTON	3	4/14/2011		Carried Forw	Pending		7/11/2022	180	Leak Extent			
1206963	41 BRUSH HILL RD	NEWTON	3	4/25/2013		Carried Forw	Pending		2/9/2022	180	Leak Extent			
7375133	46 BEMIS ST	NEWTON	3	5/17/2022		Newly Identi	Pending		5/17/2022	180	Leak Extent			
335508	15 ROTHERWOOD RD	NEWTON	3	7/10/2010		Carried Forw	Pending		9/20/2022	176	Leak Extent			
7356371	80 HANSON RD	NEWTON	3	9/25/2019		Carried Forw	Pending		6/7/2022	168	Leak Extent			
270741	313 BROOKLINE ST	NEWTON	3	8/11/2004	9/7/2022	Carried Forw	Repaired		2/8/2022	165	Leak Extent			
258085	WABAN AV	NEWTON	3	2/24/2004		Carried Forw	Pending		3/23/2022	150	Leak Extent			
303110	40 CENTRAL TER	NEWTON	3	7/3/2007		Carried Forw	Pending		8/25/2022	150	Leak Extent			
1131163	2322 WASHINGTON ST	NEWTON	3	2/5/2013	9/8/2022	Carried Forw	Repaired		2/23/2022	150	Leak Extent			
7325718	8 WHITE OAK RD	NEWTON	3	5/10/2016		Carried Forw	Pending		8/11/2022	150	Leak Extent			
7365478	50 MANEMET RD	NEWTON	3	11/14/2020		Carried Forw	Pending		8/25/2022	150	Leak Extent			
7368736	1330 BOYLSTON ST	NEWTON	3	5/15/2021		Carried Forw	Pending		4/5/2022	150	Leak Extent			

Table L5 Newton Leak Report Dec 31, 2022														
Detailed Quarterly Information			QUARTER 4 - 2022		Name of Operator: <i>Boston Gas Company</i>									
Leak ID (if applicable)	Location		Grade [1, 2, 3]	Classification Date	Repair Dates (during quarter)	Carried Forward/ Newly Identified	Status at End of Quarter	Prior Grade (if change in classification)	For G3SEI Leaks			Notes/Explanations		
	Street Number and Name	Town/City							Designation Date	Leak Extent or Barhole Reading	Method Used [Leak Extent/ Barhole]			
7370889	375 AUBURN ST	NEWTON	3	9/19/2021		Carried Forw	Pending		8/11/2022	150	Leak Extent			
7374830	21 MARSHFIELD RD	NEWTON	3	3/15/2022		Newly Identifi	Pending		3/15/2022	150	Leak Extent			
7374831	75 ELMHURST RD	NEWTON	3	4/5/2022		Newly Identifi	Pending		4/5/2022	150	Leak Extent			
7327026	20 MONADNOCK RD	NEWTON	3	6/17/2016	11/28/2022	Carried Forw	Eliminated Otherwise		10/10/2022	140	Leak Extent	NO READS		
339664	33 TERRACE AVE	NEWTON	3	10/13/2015		Carried Forw	Pending		3/1/2022	120	Leak Extent			
871400	23 FREDANA RD	NEWTON	3	5/4/2012		Carried Forw	Pending		3/1/2022	120	Leak Extent			
1217681	206 CONCORD ST	NEWTON	3	5/6/2013		Carried Forw	Pending		2/9/2022	120	Leak Extent			
7354258	369 LEXINGTON ST	NEWTON	3	6/24/2019		Carried Forw	Pending		4/1/2022	120	Leak Extent			
337228	DORSET RD	NEWTON	3	8/19/2010		Carried Forw	Pending		2/24/2022	100	Leak Extent			
338426	61 CENTRAL ST	NEWTON	3	9/17/2015		Carried Forw	Pending		2/9/2022	100	Leak Extent			
343469	PARKER ST	NEWTON	3	2/1/2011		Carried Forw	Pending		2/24/2022	100	Leak Extent			
1065965	32 RICHARDSON ST	NEWTON	3	11/29/2012		Carried Forw	Pending		6/29/2022	100	Leak Extent			
3900011	18 ALDEN ST	NEWTON	3	4/24/2015		Carried Forw	Pending		2/23/2022	100	Leak Extent			
7326186	1267 CENTRE ST	NEWTON	3	5/20/2016		Carried Forw	Pending		8/30/2022	100	Leak Extent			
7327017	DAVIS AVE	NEWTON	3	6/27/2016	11/16/2022	Carried Forw	Eliminated Otherwise		11/14/2022	100	Leak Extent	NO READS		
7331474	71 COMMONWEALTH A	NEWTON	3	1/3/2017		Carried Forw	Pending		4/5/2022	100	Leak Extent			
7354041	66 NEEDHAM ST	NEWTON	3	10/20/2021		Carried Forw	Pending		8/30/2022	100	Leak Extent			
7354043	170 NEEDHAM ST	NEWTON	2	5/21/2020		Carried Forw	Pending		8/30/2022	100	Leak Extent			
7354263	1932 COMMONWEALT	NEWTON	3	6/24/2019		Carried Forw	Pending		4/5/2022	100	Leak Extent			
7354715	6 EDGEWOOD RD	NEWTON	3	7/19/2019		Carried Forw	Pending		4/5/2022	100	Leak Extent			
7355977	173 HIGHLAND ST	NEWTON	3	12/8/2020		Carried Forw	Pending		8/30/2022	100	Leak Extent			
7356420	24 O'Rourke PATH	NEWTON	3	9/26/2019		Carried Forw	Pending		7/15/2022	100	Leak Extent			
7359319	15 SHERIDAN ST	NEWTON	3	2/3/2020	2/28/2022	Carried Forw	Repaired		8/30/2022	100	Leak Extent			
7365115	1364 WALNUT ST	NEWTON	3	10/9/2020		Carried Forw	Pending		8/11/2022	100	Leak Extent			
7365406	48 PRINCE ST	NEWTON	3	12/19/2020		Carried Forw	Pending		8/30/2022	100	Leak Extent			
7365409	64 OBER RD	NEWTON	3	12/21/2020		Carried Forw	Pending		8/30/2022	100	Leak Extent			
7370687	1129 WALNUT ST	NEWTON	3	8/21/2021		Carried Forw	Pending		7/15/2022	100	Leak Extent			

Table L5 Newton Leak Report Dec 31, 2022														
Detailed Quarterly Information			QUARTER 4 - 2022		Name of Operator: <i>Boston Gas Company</i>									
Leak ID (if applicable)	Location		Grade [1, 2, 3]	Classification Date	Repair Dates (during quarter)	Carried Forward/ Newly Identified	Status at End of Quarter	Prior Grade (if change in classification)	For G3SEI Leaks			Notes/Explanations		
	Street Number and Name	Town/City							Designation Date	Leak Extent or Barhole Reading	Method Used [Leak Extent/ Barhole]			
7371862	26 VAN ROOSEN RD	NEWTON	3	11/8/2021		Carried Forw	Pending		8/30/2022	100	Leak Extent			
7371864	465 CENTRE ST	NEWTON	3	10/23/2021		Carried Forw	Pending		8/30/2022	100	Leak Extent			
												REPAIRED UNDER OTHER LEAK REPAIR		
7372908	238 WINCHESTER ST	NEWTON	3	1/2/2022	3/2/2022	Newly Identifi	Eliminated O		3/2/2022	100	Leak Extent			
7373592	11 ASHCROFT RD	NEWTON	3	2/22/2022		Newly Identifi	Pending		2/22/2022	100	Leak Extent			
7375136	15 ELMWOOD PIKE	NEWTON	3	5/24/2022		Newly Identifi	Pending		5/24/2022	100	Leak Extent			
7375989	38 VERNDALE RD	NEWTON	3	6/17/2022		Newly Identifi	Pending		6/17/2022	100	Leak Extent			
7326329	121 DICKERMAN RD	NEWTON	3	6/1/2016		Carried Forw	Pending		9/20/2022	96	Leak Extent			
7375986	11 EDGE HILL RD	NEWTON	3	5/23/2022		Newly Identifi	Pending		5/23/2022	90	Leak Extent			
7376046	11 EDGEFIELD RD	NEWTON	3	6/23/2022		Newly Identifi	Pending		6/23/2022	90	Leak Extent			
7355582	284 WOODWARD ST	NEWTON	3	8/19/2019		Carried Forw	Pending		4/20/2022	81	Leak Extent			
258079	2004 BEACON ST	NEWTON	3	3/2/2004		Carried Forw	Pending		2/24/2022	75	Leak Extent			
331037	2221 WASHINGTON ST	NEWTON	3	2/16/2010	9/14/2022	Carried Forw	Repaired		2/24/2022	75	Leak Extent			
333022	WASHBURN AVE	NEWTON	3	4/28/2010		Carried Forw	Pending		5/26/2022	75	Leak Extent			
7324254	70 OAKDALE RD	NEWTON	3	3/27/2016		Carried Forw	Pending		3/29/2022	75	Leak Extent			
7356436	317 PARKER ST	NEWTON	2	7/27/2021		Carried Forw	Pending		5/26/2022	75	Leak Extent			
7355545	11 ANTONELLIS CIR	NEWTON	3	8/22/2019		Carried Forw	Pending		4/20/2022	72	Leak Extent			
7322014	83 DEVONSHIRE RD	NEWTON	3	12/8/2015		Carried Forw	Pending		4/13/2022	70	Leak Extent			
270538	522 COMMONWEALTH	NEWTON	3	6/29/2004		Carried Forw	Pending		6/29/2022	50	Leak Extent			
1217730	10 OAK TER	NEWTON	3	5/6/2013		Carried Forw	Pending		2/23/2022	50	Leak Extent			
1337088	4 GAY ST	NEWTON	3	8/20/2013		Carried Forw	Pending		3/1/2022	50	Leak Extent			
7347786	DEDHAM ST	NEWTON	3	9/29/2018		Carried Forw	Pending		7/15/2022	50	Leak Extent			
7348728	283 MELROSE ST	NEWTON	3	6/29/2018		Carried Forw	Pending		7/15/2022	50	Leak Extent			
7359968	33 COLLINS RD	NEWTON	3	8/18/2020		Carried Forw	Pending		6/29/2022	50	Leak Extent			
7355564	51 SHERBROOK RD	NEWTON	3	8/21/2019		Carried Forw	Pending		4/20/2022	48	Leak Extent			

Table L5 Newton Leak Report Dec 31, 2022														
Detailed Quarterly Information			QUARTER 4 - 2022		Name of Operator: <i>Boston Gas Company</i>									
Leak ID (if applicable)	Location		Grade [1, 2, 3]	Classification Date	Repair Dates (during quarter)	Carried Forward/ Newly Identified	Status at End of Quarter	Prior Grade (if change in classification)	For G3SEI Leaks			Notes/Explanations		
	Street Number and Name	Town/City							Designation Date	Leak Extent or Barhole Reading	Method Used [Leak Extent/ Barhole]			
7354042	130 NEEDHAM ST	NEWTON	3	6/21/2019		Carried Forw	Pending		4/1/2022	36	Leak Extent			
1337372	229 CYPRESS ST	NEWTON	3	8/21/2013		Carried Forw	Pending		4/13/2022	32	Leak Extent			
7355556	205 MILL ST	NEWTON	3	8/22/2019		Carried Forw	Pending		4/20/2022	30	Leak Extent			
7356361	52 G ROADWAY	NEWTON	3	9/25/2019		Carried Forw	Pending		5/26/2022	30	Leak Extent			
263170	207 WALTHAM ST	NEWTON	3	10/13/2004		Carried Forw	Pending		4/25/2022	25	Leak Extent			
304745	4 JANET RD	NEWTON	3	8/23/2007		Carried Forw	Pending		4/20/2022	25	Leak Extent			
304766	6 SUMNER ST	NEWTON	3	8/28/2007		Carried Forw	Pending		3/31/2022	25	Leak Extent			
305519	50 CHESTNUT HILL RD	NEWTON	3	8/23/2007		Carried Forw	Pending		4/7/2022	25	Leak Extent			
332674	15 HARTMAN RD	NEWTON	3	12/20/2010		Carried Forw	Pending		4/7/2022	25	Leak Extent			
2720300	61 SHARPE RD	NEWTON	3	1/23/2015		Carried Forw	Pending		3/25/2022	25	Leak Extent			
2824563	103 HIGH ST	NEWTON	3	12/12/2014	3/30/2022	Carried Forw	Eliminated by Replacement		3/22/2022	25	Leak Extent			
3205205	60 HIGHLAND ST	NEWTON	3	3/4/2015		Carried Forw	Pending		4/14/2022	25	Leak Extent			
6591350	22 OLDEFIELD RD	NEWTON	3	9/12/2015		Carried Forw	Pending		3/23/2022	25	Leak Extent			
7322667	12 CHAMBERLAIN RD	NEWTON	3	1/12/2016		Carried Forw	Pending		3/29/2022	25	Leak Extent			
7322832	49 ASHMONT AVE	NEWTON	3	4/25/2016		Carried Forw	Pending		4/25/2022	25	Leak Extent			
7323095	21 TURNER TER	NEWTON	3	1/21/2016		Carried Forw	Pending		3/29/2022	25	Leak Extent			
7325428	20 MANCHESTER RD	NEWTON	3	4/20/2016	10/4/2022	Carried Forw	Eliminated by Replacement		3/31/2022	25	Leak Extent			
7325491	604 WALNUT ST	NEWTON	3	4/19/2016		Carried Forw	Pending		3/31/2022	25	Leak Extent			
7325494	4 MARLBORO ST	NEWTON	3	4/21/2016		Carried Forw	Pending		3/31/2022	25	Leak Extent			
7325711	5 AGAWAM RD	NEWTON	3	5/10/2016		Carried Forw	Pending		4/14/2022	25	Leak Extent			
7329882	BEACON ST	NEWTON	3	10/28/2016		Carried Forw	Pending		4/5/2022	25	Leak Extent			
7336761	425 WATERTOWN ST	NEWTON	3	7/28/2017		Carried Forw	Pending		3/22/2022	25	Leak Extent			
7339913	58 AUBURN ST	NEWTON	3	11/15/2017		Carried Forw	Pending		5/3/2022	25	Leak Extent			
7341258	71 SHARPE RD	NEWTON	3	12/19/2018	2/23/2022	Carried Forw	Eliminated Otherwise		8/11/2021	25	Leak Extent	REPAIRED UNDER OTHER LEAK REPAIR		

Table L5 Newton Leak Report Dec 31, 2022														
Detailed Quarterly Information			QUARTER 4 - 2022		Name of Operator: <i>Boston Gas Company</i>									
Leak ID (if applicable)	Location		Grade [1, 2, 3]	Classification Date	Repair Dates (during quarter)	Carried Forward/ Newly Identified	Status at End of Quarter	Prior Grade (if change in classification)	For G3SEI Leaks			Notes/Explanations		
	Street Number and Name	Town/City							Designation Date	Leak Extent or Barhole Reading	Method Used [Leak Extent/ Barhole]			
7341653	457 WASHINGTON ST	NEWTON	3	1/28/2018		Carried Forw	Pending		7/27/2022	25	Leak Extent			
7345915	COMMONWEALTH AVE	NEWTON	3	2/4/2019		Carried Forw	Pending		8/3/2022	25	Leak Extent			
7354021	25 HAYNES RD	NEWTON	3	6/4/2019		Carried Forw	Pending		3/29/2022	25	Leak Extent			
7354147	9 HIGH ST	NEWTON	3	6/27/2019		Carried Forw	Pending		4/5/2022	25	Leak Extent			
7354148	238 TREMONT ST	NEWTON	3	6/17/2019		Carried Forw	Pending		3/31/2022	25	Leak Extent			
7354269	62 WALNUT PIKE	NEWTON	3	6/26/2019		Carried Forw	Pending		4/5/2022	25	Leak Extent			
												REPAIRED UNDER OTHER LEAK REPAIR		
7354361	49 LEXINGTON ST	NEWTON	3	7/8/2019	8/17/2022	Carried Forw	Eliminated Otherwise		4/5/2022	25	Leak Extent			
7355351	57 COOK ST	NEWTON	3	8/12/2019		Carried Forw	Pending		4/15/2022	25	Leak Extent			
7355359	41 ORCHARD AVE	NEWTON	3	8/12/2019		Carried Forw	Pending		4/15/2022	25	Leak Extent			
7355445	345 BOYLSTON ST	NEWTON	3	8/14/2019	8/10/2022	Carried Forw	Eliminated Otherwise		4/20/2022	25	Leak Extent	NO READS		
7355549	200 COTTON ST	NEWTON	3	8/22/2019		Carried Forw	Pending		4/20/2022	25	Leak Extent			
7356133	151 VALENTINE ST	NEWTON	3	8/6/2019		Carried Forw	Pending		4/14/2022	25	Leak Extent			
7356220	27 EVELYN RD	NEWTON	3	9/4/2019		Carried Forw	Pending		4/25/2022	25	Leak Extent			
7356357	12 WACHUSSETT RD	NEWTON	3	9/25/2019		Carried Forw	Pending		5/26/2022	25	Leak Extent			
7356362	29 F ROADWAY	NEWTON	3	9/25/2019		Carried Forw	Pending		5/26/2022	25	Leak Extent			
7358412	LOS ANGELES ST	NEWTON	3	12/26/2019		Carried Forw	Pending		8/3/2022	25	Leak Extent			
7364115	33 WARREN RD	NEWTON	3	5/24/2020		Carried Forw	Pending		4/5/2022	25	Leak Extent			
7364116	1774 COMMONWEALT	NEWTON	3	6/29/2020		Carried Forw	Pending		4/14/2022	25	Leak Extent			
7364120	43 SHERBROOKE RD	NEWTON	3	6/15/2020		Carried Forw	Pending		4/5/2022	25	Leak Extent			
7364409	170 OTIS ST	NEWTON	3	7/15/2020		Carried Forw	Pending		4/15/2022	25	Leak Extent			
7365086	85 BIGELOW RD	NEWTON	3	9/24/2020	8/23/2022	Carried Forw	Eliminated by		8/3/2022	25	Leak Extent			
7368505	87 ATWOOD AVE	NEWTON	3	5/4/2021		Carried Forw	Pending		4/7/2022	25	Leak Extent			
7374846	90 ELM ST	NEWTON	3	5/2/2022		Newly Identi	Pending		5/2/2022	25	Leak Extent			
7374851	24 LESLIE RD	NEWTON	3	5/11/2022		Newly Identi	Pending		5/11/2022	25	Leak Extent			

Table L5 Newton Leak Report Dec 31, 2022														
Detailed Quarterly Information			QUARTER 4 - 2022		Name of Operator: <i>Boston Gas Company</i>									
Leak ID (if applicable)	Location		Grade [1, 2, 3]	Classification Date	Repair Dates (during quarter)	Carried Forward/ Newly Identified	Status at End of Quarter	Prior Grade (if change in classification)	For G3SEI Leaks			Notes/Explanations		
	Street Number and Name	Town/City							Designation Date	Leak Extent or Barhole Reading	Method Used [Leak Extent/ Barhole]			
7374856	1750 COMMONWEALTH	NEWTON	3	5/14/2022		Newly Identified	Pending		5/14/2022	25	Leak Extent			
7375985	66 PELHAM ST	NEWTON	3	5/28/2022		Newly Identified	Pending		5/28/2022	25	Leak Extent			
7376041	14 HOMESTEAD ST	NEWTON	3	7/13/2022		Newly Identified	Pending		7/13/2022	25	Leak Extent			
1363304	321 HAMMOND ST	NEWTON	3	9/9/2013		Carried Forward	Pending		2/23/2022	20	Leak Extent			
7359597	8 WOODCHESTER DR	NEWTON	3	1/30/2020		Carried Forward	Pending		4/1/2022	16	Leak Extent			
7355547	85 BROOKSIDE AVE	NEWTON	3	8/20/2019		Carried Forward	Pending		6/7/2022	15	Leak Extent			
317344	116 RIDGE AVE	NEWTON	3	12/12/2008		Carried Forward	Pending		4/21/2022	9	Leak Extent			
1230877	1105 WASHINGTON ST	NEWTON	3	5/20/2013	7/15/2022	Carried Forward	Eliminated by Replacement		1/14/2022	9	Leak Extent			
4105417	23 COLLEGE RD	NEWTON	3	3/22/2019		Carried Forward	Pending		8/16/2022	9	Leak Extent			
4118969	141 RANDLETT PIKE	NEWTON	3	3/15/2015		Carried Forward	Pending		7/11/2022	9	Leak Extent			
4787571	137 LAKE AVE	NEWTON	3	7/8/2015	10/11/2022	Carried Forward	Eliminated by Replacement		9/14/2022	9	Leak Extent			
4788254	8 CENTRAL AVE	NEWTON	3	7/10/2015		Carried Forward	Pending		7/18/2022	9	Leak Extent			
7321944	120 FARWELL ST	NEWTON	3	12/4/2015		Carried Forward	Pending		9/20/2022	9	Leak Extent			
7325992	269 JACKSON ST	NEWTON	3	5/12/2016		Carried Forward	Pending		8/16/2022	9	Leak Extent			
7326200	79 CHESTNUT ST	NEWTON	3	5/10/2016	3/15/2022	Carried Forward	Eliminated by Replacement		8/6/2021	9	Leak Extent			
7330385	75 SUMNER ST	NEWTON	3	11/16/2016		Carried Forward	Pending		7/11/2022	9	Leak Extent			
7351646	20 SUN HILL LN	NEWTON	3	3/8/2019		Carried Forward	Pending		8/24/2022	9	Leak Extent			
7356203	17 WAYNE RD	NEWTON	3	9/4/2019		Carried Forward	Pending		4/22/2022	9	Leak Extent			
7367238	67 HANCOCK ST	NEWTON	3	2/21/2021	11/16/2022	Carried Forward	Eliminated Otherwise		10/10/2022	9	Leak Extent	NO READS		
7355442	361 THORNTON ST	NEWTON	3	8/1/2019		Carried Forward	Pending		4/13/2022	6	Leak Extent			
284000	48 INDIANA TER	NEWTON	3	12/10/2005		Carried Forward	Pending		3/3/2022	4	Leak Extent			
303390	167 MELROSE ST	NEWTON	3	7/31/2007		Carried Forward	Pending		3/4/2022	4	Leak Extent			
7325267	130 RACHEL RD	NEWTON	3	4/14/2016		Carried Forward	Pending		7/12/2022	4	Leak Extent			
7326998	118 LANGDON ST	NEWTON	3	6/17/2016	12/7/2022	Carried Forward	Eliminated Otherwise		10/10/2022	4	Leak Extent	NO READS		
7327021	20 HOLDEN RD	NEWTON	3	6/28/2016		Carried Forward	Pending		11/14/2022	4	Leak Extent			
7327360	A ROADWAY	NEWTON	3	6/14/2017		Carried Forward	Pending		11/14/2022	4	Leak Extent			
7353562	401 WINCHESTER ST	NEWTON	3	5/22/2019		Carried Forward	Pending		3/3/2022	4	Leak Extent			

Table L5 Newton Leak Report Dec 31, 2022															
Detailed Quarterly Information			QUARTER 4 - 2022		Name of Operator: <i>Boston Gas Company</i>										
Leak ID (if applicable)	Location		Grade [1, 2, 3]	Classification Date	Repair Dates (during quarter)	Carried Forward/ Newly Identified	Status at End of Quarter	Prior Grade (if change in classification)	For G3SEI Leaks			Notes/Explanations			
	Street Number and Name	Town/City							Designation Date	Leak Extent or Barhole Reading	Method Used [Leak Extent/ Barhole]				
7354890	33 THE LEDGES RD	NEWTON	3	7/24/2019		Carried Forw	Pending		4/12/2022	4	Leak Extent				
7355411	47 ESTY FARM RD	NEWTON	3	8/2/2019		Carried Forw	Pending		4/12/2022	4	Leak Extent				
7355415	7 FREDETTE RD	NEWTON	3	8/2/2019		Carried Forw	Pending		4/12/2022	4	Leak Extent				
7355552	8 EXMOOR RD	NEWTON	3	8/21/2019		Carried Forw	Pending		4/20/2022	4	Leak Extent				
7355569	300 WARD ST	NEWTON	3	8/21/2019		Carried Forw	Pending		4/20/2022	4	Leak Extent				
7364121	34 FENNO RD	NEWTON	3	6/17/2020		Carried Forw	Pending		4/12/2022	4	Leak Extent				
7368732	1304 BOYLSTON ST	NEWTON	3	5/30/2021		Carried Forw	Pending		4/20/2022	4	Leak Extent				
2835044	1766 COMMONWEALTH	NEWTON	3	6/11/2014		Carried Forw	Pending		7/13/2022	1	Leak Extent				
7332312	336 BOYLSTON ST	NEWTON	3	2/23/2017	3/21/2022	Carried Forw	Eliminated Otherwise		5/18/2021	1	Leak Extent	UPGRADE			
7336232	566 SAWMILL BROOK P	NEWTON	3	7/14/2017		Carried Forw	Pending		3/1/2022	1	Leak Extent				
7373864	183 LAKE AVE	NEWTON	3	3/11/2022	10/11/2022	Newly Identif	Eliminated by		3/11/2022	1	Leak Extent				
7374840	78 MOULTON ST	NEWTON	3	4/21/2022	12/20/2022	Newly Identif	Eliminated by Replacemen		4/21/2022	1	Leak Extent				
7375134	380 WINCHESTER ST	NEWTON	3	5/16/2022		Newly Identif	Pending		5/16/2022	1	Leak Extent				
42479	52 SEWALL ST	NEWTON	3	10/22/1990		Carried Forw	Pending		3/4/2022	-	No CGI Reading				
42649	CLAREMONT ST	NEWTON	3	3/3/1993		Carried Forw	Pending		2/8/2022	-	No CGI Reading				
94414	30 COLELLA RD	NEWTON	2	2/10/2022	3/15/2022	Carried Forw	Repaired	3	3/9/2022	-	No CGI Reading				
129024	BOYLSTON ST	NEWTON	3	10/22/1998	8/10/2022	Carried Forw	Eliminated Otherwise		6/21/2022	-	No CGI Reading	NO READS			
227016	WARE RD	NEWTON	2	3/22/2022	4/28/2022	Carried Forw	Repaired	3	3/22/2022	-	No CGI Reading				
259255	OPP95 WOODWARD ST	NEWTON	3	11/16/2004	8/23/2022	Carried Forw	Eliminated Otherwise		1/5/2022	-	No CGI Reading	UPGRADE			
270390	PLYMOUTH RD	NEWTON	3	4/27/2004		Carried Forw	Pending		2/8/2022	-	No CGI Reading				
270560	9 STRATFORD RD	NEWTON	3	7/1/2004		Carried Forw	Pending		2/24/2022	-	No CGI Reading				

Table L5 Newton Leak Report Dec 31, 2022														
Detailed Quarterly Information			QUARTER 4 - 2022		Name of Operator: <i>Boston Gas Company</i>									
Leak ID (if applicable)	Location		Grade [1, 2, 3]	Classification Date	Repair Dates (during quarter)	Carried Forward/ Newly Identified	Status at End of Quarter	Prior Grade (if change in classification)	For G3SEI Leaks			Notes/Explanations		
	Street Number and Name	Town/City							Designation Date	Leak Extent or Barhole Reading	Method Used [Leak Extent/ Barhole]			
270590	35-45 MCCARTHY RD	NEWTON	3	7/22/2004		Carried Forw	Pending		3/3/2022	-	No CGI Reading			
270598	16-25 BROADLAWN DR	NEWTON	3	7/27/2004		Carried Forw	Pending		11/14/2022	-	No CGI Reading			
270652	55 JEFFERSON ST	NEWTON	3	8/13/2004		Carried Forw	Pending		6/29/2022	-	No CGI Reading			
270653	HAMMOND ST	NEWTON	3	8/20/2004		Carried Forw	Pending		2/18/2022	-	No CGI Reading			
286926	COLLEGE RD	NEWTON	2	2/10/2022	4/1/2022	Carried Forw	Repaired	3	3/9/2022	-	No CGI Reading			
303661	315 CRAFTS ST	NEWTON	3	8/6/2007		Carried Forw	Pending		2/22/2022	-	No CGI Reading			
304721	45 SHERIDAN ST	NEWTON	2	1/1/2022	3/3/2022	Carried Forw	Repaired	3	2/15/2022	-	No CGI Reading			
304863	4 GREEN ST	NEWTON	3	8/14/2007	11/16/2022	Carried Forw	Eliminated Otherwise	9/14/2022	-	No CGI Reading	NO READS			
307615	24 CENTRAL AVE	NEWTON	3	9/10/2007		Carried Forw	Pending		2/17/2022	-	No CGI Reading			
317346	1326 WASHINGTON ST	NEWTON	3	8/6/2008	7/15/2022	Carried Forw	Eliminated by Replacemen	9/10/2021	-	No CGI Reading				
321189	4 GARRISON ST	NEWTON	3	1/27/2009		Carried Forw	Pending		7/13/2022	-	No CGI Reading			
329373	320 NEEDHAM ST	NEWTON	3	10/11/2009		Carried Forw	Pending		9/15/2022	-	No CGI Reading			
329840	1125 COMMONWEALTH	NEWTON	3	11/2/2009	8/10/2022	Carried Forw	Eliminated by Replacemen	7/11/2022	-	No CGI Reading				
329885	178 MORTON ST	NEWTON	3	11/18/2009	8/24/2022	Carried Forw	Eliminated Otherwise	7/12/2022	-	No CGI Reading	UPGRADE			
333019	23 EDEN AVE	NEWTON	3	4/24/2010	7/8/2022	Carried Forw	Eliminated by Replacemen	5/3/2022	-	No CGI Reading				

Table L5 Newton Leak Report Dec 31, 2022														
Detailed Quarterly Information			QUARTER 4 - 2022		Name of Operator: <i>Boston Gas Company</i>									
Leak ID (if applicable)	Location		Grade [1, 2, 3]	Classification Date	Repair Dates (during quarter)	Carried Forward/ Newly Identified	Status at End of Quarter	Prior Grade (if change in classification)	For G3SEI Leaks			Notes/Explanations		
	Street Number and Name	Town/City							Designation Date	Leak Extent or Barhole Reading	Method Used [Leak Extent/ Barhole]			
335126	79 KENWOOD AVE	NEWTON	3	7/2/2010		Carried Forw	Pending		3/4/2022	-	No CGI Reading			
336992	881 DEDHAM ST	NEWTON	3	9/1/2010		Carried Forw	Pending		2/17/2022	-	No CGI Reading			
337008	363 WAVERLY AVE	NEWTON	2	12/30/2021	1/10/2022	Carried Forw	Eliminated Otherwise			-		UPGRADE		
338128	193 BROOKLINE ST	NEWTON	3	10/2/2010	11/16/2022	Carried Forw	Eliminated O		7/25/2022	-	No CGI Reading	NO READS		
338429	30 ELLIS RD	NEWTON	3	10/13/2010		Carried Forw	Pending		3/2/2022	-	No CGI Reading			
338984	84 ERIE AVE	NEWTON	2	3/28/2022	10/17/2022	Carried Forw	Repaired	3	8/16/2022	-	No CGI Reading			
340420	167 NEHOIDEN RD	NEWTON	3	12/25/2010		Carried Forw	Pending		7/12/2022	-	No CGI Reading			
341239	21 WINTHROP ST	NEWTON	3	10/31/2010	5/10/2022	Carried Forw	Eliminated Otherwise		5/3/2022	-	No CGI Reading	WRONG ADDRESS		
341416	144 HANCOCK ST	NEWTON	3	1/28/2011		Carried Forw	Pending		2/24/2022	-	No CGI Reading			
341457	71 WEBSTER PIKE	NEWTON	3	1/28/2011		Carried Forw	Pending		6/7/2022	-	No CGI Reading			
343629	37 SHAW ST	NEWTON	3	2/15/2011		Carried Forw	Pending		2/18/2022	-	No CGI Reading			
349458	HIGHLAND ST	NEWTON	3	8/14/2011		Carried Forw	Pending		7/13/2022	-	No CGI Reading			
427378	692 COMMONWEALTH	NEWTON	3	10/7/2011		Carried Forw	Pending		2/23/2022	-	No CGI Reading			
693370	230 MOUNT VERNON S	NEWTON	3	12/23/2011		Carried Forw	Pending		7/14/2022	-	No CGI Reading			
839999	115 ELLIOT ST	NEWTON	3	3/23/2012		Carried Forw	Pending		3/1/2022	-	No CGI Reading			

Table L5 Newton Leak Report Dec 31, 2022														
Detailed Quarterly Information			QUARTER 4 - 2022		Name of Operator: <i>Boston Gas Company</i>									
Leak ID (if applicable)	Location		Grade [1, 2, 3]	Classification Date	Repair Dates (during quarter)	Carried Forward/ Newly Identified	Status at End of Quarter	Prior Grade (if change in classification)	For G3SEI Leaks			Notes/Explanations		
	Street Number and Name	Town/City							Designation Date	Leak Extent or Barhole Reading	Method Used [Leak Extent/ Barhole]			
949720	7 WOODCHESTER DR	NEWTON	3	8/1/2012	12/15/2022	Carried Forw	Eliminated by Replacemen	2/23/2022	-	No CGI Reading				
1018521	12 VINEYARD RD	NEWTON	3	10/12/2012		Carried Forw	Pending		3/1/2022	-	No CGI Reading			
1217725	28 MOUNTFORT RD	NEWTON	3	5/6/2013	3/31/2022	Carried Forw	Repaired		3/8/2022	-	No CGI Reading			
1217964	68 WYOMING RD	NEWTON	3	4/30/2013		Carried Forw	Pending		2/18/2022	-	No CGI Reading			
1229009	WALNUT ST	NEWTON	3	5/17/2013		Carried Forw	Pending		2/24/2022	-	No CGI Reading			
1230260	62 OLDEFIELD RD	NEWTON	3	5/7/2013		Carried Forw	Pending		2/18/2022	-	No CGI Reading			
1317702	91 PICKWICK RD	NEWTON	3	8/16/2013		Carried Forw	Pending		6/29/2022	-	No CGI Reading			
1336115	156 OAK ST	NEWTON	2	4/17/2020		Carried Forw	Pending		11/8/2022	-	No CGI Reading			
1338980	66 COMMONWEALTH P	NEWTON	3	8/29/2013		Carried Forw	Pending		11/8/2022	-	No CGI Reading			
1363562	102 MCCARTHY RD	NEWTON	3	9/18/2013		Carried Forw	Pending		2/18/2022	-	No CGI Reading			
1428283	191 GROVE ST	NEWTON	3	10/8/2013		Carried Forw	Pending		7/13/2022	-	No CGI Reading			
1594140	43 GRAY CLIFF RD	NEWTON	3	1/16/2014		Carried Forw	Pending		3/3/2022	-	No CGI Reading			
2349834	109 ALLERTON RD	NEWTON	3	12/26/2014		Carried Forw	Pending		2/22/2022	-	No CGI Reading			
2834656	25 BRIDGE ST	NEWTON	2	1/25/2022	3/21/2022	Carried Forw	Repaired	3	3/8/2022	-	No CGI Reading			
3023506	COMMONWEALTH AVE	NEWTON	3	11/6/2014		Carried Forw	Pending		4/12/2022	-	No CGI Reading			

Table L5 Newton Leak Report Dec 31, 2022														
Detailed Quarterly Information			QUARTER 4 - 2022		Name of Operator: <i>Boston Gas Company</i>									
Leak ID (if applicable)	Location		Grade [1, 2, 3]	Classification Date	Repair Dates (during quarter)	Carried Forward/ Newly Identified	Status at End of Quarter	Prior Grade (if change in classification)	For G3SEI Leaks			Notes/Explanations		
	Street Number and Name	Town/City							Designation Date	Leak Extent or Barhole Reading	Method Used [Leak Extent/ Barhole]			
3084346	361 PARKER ST	NEWTON	3	2/20/2015	9/12/2022	Carried Forw	Repaired		1/18/2022	-	No CGI Reading			
3190426	5 MARY ELLEN RD	NEWTON	3	5/5/2015		Carried Forw	Pending		7/11/2022	-	No CGI Reading			
3203837	404 WALTHAM ST	NEWTON	3	3/8/2015	7/14/2022	Carried Forw	Eliminated by Replacemen	6/7/2022		-	No CGI Reading			
3869246	877 CHESTNUT ST	NEWTON	3	4/7/2015		Carried Forw	Pending		7/11/2022	-	No CGI Reading			
4772518	787 WASHINGTON ST	NEWTON	3	10/9/2015	9/27/2022	Carried Forw	Eliminated Otherwise	7/15/2022		-	No CGI Reading	CALLED OFF BY SUPERVISOR		
4787400	300 ADAMS ST	NEWTON	3	7/7/2015		Carried Forw	Pending		4/25/2022	-	No CGI Reading			
4788081	299 WASHINGTON ST	NEWTON	2	7/6/2021	5/6/2022	Carried Forw	Repaired		5/11/2022	-	No CGI Reading			
5217418	499 WINCHESTER ST	NEWTON	3	6/16/2015		Carried Forw	Pending		9/15/2022	-	No CGI Reading			
5321355	124 WINCHESTER ST	NEWTON	3	6/23/2009		Carried Forw	Pending		8/25/2022	-	No CGI Reading			
5591542	1075 COMMONWEAL	NEWTON	3	8/19/2015	8/10/2022	Carried Forw	Eliminated by Replacemen	7/14/2022		-	No CGI Reading			
5620596	832 DEDHAM ST	NEWTON	3	8/27/2015		Carried Forw	Pending		4/28/2022	-	No CGI Reading			
5866391	HAMMOND ST	NEWTON	3	12/14/2015		Carried Forw	Pending		3/22/2022	-	No CGI Reading			
6117572	144 EDINBORO ST	NEWTON	3	9/18/2015	12/7/2022	Carried Forw	Eliminated Otherwise	7/11/2022		-	No CGI Reading	NO READS		
6722106	400 WARD ST	NEWTON	3	9/28/2015		Carried Forw	Pending		4/12/2022	-	No CGI Reading			

Table L5 Newton Leak Report Dec 31, 2022														
Detailed Quarterly Information			QUARTER 4 - 2022		Name of Operator: <i>Boston Gas Company</i>									
Leak ID (if applicable)	Location		Grade [1, 2, 3]	Classification Date	Repair Dates (during quarter)	Carried Forward/ Newly Identified	Status at End of Quarter	Prior Grade (if change in classification)	For G3SEI Leaks			Notes/Explanations		
	Street Number and Name	Town/City							Designation Date	Leak Extent or Barhole Reading	Method Used [Leak Extent/ Barhole]			
7320999	51 HAWTHORNE AVE	NEWTON	3	10/31/2015	8/23/2022	Carried Forw	Eliminated by Replacement			7/13/2022	-	No CGI Reading		
7322548	111 OAKDALE RD	NEWTON	3	12/9/2015	12/5/2022	Carried Forw	Eliminated Otherwise			7/11/2022	-	No CGI Reading	NO READS	
7323097	14 ROKEBY RD	NEWTON	3	1/14/2016		Carried Forw	Pending			3/29/2022	-	No CGI Reading		
7323736	35 BELLEVUE ST	NEWTON	3	2/2/2016		Carried Forw	Pending			4/25/2022	-	No CGI Reading		
7323783	38 PUTNAM ST	NEWTON	3	2/1/2016		Carried Forw	Pending			6/29/2022	-	No CGI Reading		
7324253	15 JACKSON ST	NEWTON	3	3/23/2016		Carried Forw	Pending			3/29/2022	-	No CGI Reading		
7325235	525 WALNUT ST	NEWTON	3	6/9/2016		Carried Forw	Pending			9/20/2022	-	No CGI Reading		
7325457	2088 BEACON ST	NEWTON	3	4/8/2016	6/28/2022	Carried Forw	Repaired			3/30/2022	-	No CGI Reading		
7325834	202 WINCHESTER ST	NEWTON	2	4/1/2022	10/21/2022	Carried Forw	Repaired		3	8/16/2022	-	No CGI Reading		
7325848	21 COLUMBUS PL	NEWTON	3	5/17/2016	7/15/2022	Carried Forw	Eliminated by Replacement			11/1/2021	-	No CGI Reading		
7326611	26 MAPLE ST	NEWTON	3	6/6/2016		Carried Forw	Pending			7/12/2022	-	No CGI Reading		
7326630	39 COURT ST	NEWTON	3	6/9/2016		Carried Forw	Pending			9/15/2022	-	No CGI Reading		
7326880	72 ANTHONY RD	NEWTON	3	6/14/2016	8/23/2022	Carried Forw	Eliminated Otherwise			12/1/2021	-	No CGI Reading	UPGRADE	
7326881	60 HAZELHURST AVE	NEWTON	3	6/14/2016	11/16/2022	Carried Forw	Eliminated Otherwise			9/15/2022	-	No CGI Reading	NO READS	
7326888	162 PINE RIDGE RD	NEWTON	3	6/20/2016	12/5/2022	Carried Forw	Eliminated Otherwise			10/10/2022	-	No CGI Reading	NO READS	

Table L5 Newton Leak Report Dec 31, 2022														
Detailed Quarterly Information			QUARTER 4 - 2022		Name of Operator: <i>Boston Gas Company</i>									
Leak ID (if applicable)	Location		Grade [1, 2, 3]	Classification Date	Repair Dates (during quarter)	Carried Forward/ Newly Identified	Status at End of Quarter	Prior Grade (if change in classification)	For G3SEI Leaks			Notes/Explanations		
	Street Number and Name	Town/City							Designation Date	Leak Extent or Barhole Reading	Method Used [Leak Extent/ Barhole]			
7326995	3 LANGLEY RD	NEWTON	3	6/15/2016		Carried Forw	Pending		7/12/2022	-	No CGI Reading			
7327015	90 CHERRY ST	NEWTON	3	6/26/2016	3/16/2022	Carried Forw	Repaired		3/18/2022	-	No CGI Reading			
7327024	118 MEADOWBROOK RD	NEWTON	3	6/22/2016		Carried Forw	Pending		11/14/2022	-	No CGI Reading			
7327564	367 ALBEMARLE RD	NEWTON	3	6/24/2016		Carried Forw	Pending		2/8/2022	-	No CGI Reading			
7327750	OAKLAND ST	NEWTON	3	6/2/2016		Carried Forw	Pending		9/15/2022	-	No CGI Reading			
7328146	124 NESHOBEE RD	NEWTON	3	8/10/2016	4/21/2022	Carried Forw	Repaired		3/22/2022	-	No CGI Reading			
7329155	BOYLSTON ST	NEWTON	3	9/25/2016	3/21/2022	Carried Forw	Eliminated Otherwise		2/16/2022	-	No CGI Reading	UPGRADE		
7329507	263 HAMMOND ST	NEWTON	3	11/7/2016		Carried Forw	Pending		7/13/2022	-	No CGI Reading			
7329908	44 LOMBARD ST	NEWTON	3	10/30/2016	8/23/2022	Carried Forw	Eliminated by Replacement		7/12/2022	-	No CGI Reading			
7330111	28 CONSIDINE RD	NEWTON	3	11/3/2016		Carried Forw	Pending		4/13/2022	-	No CGI Reading			
7330144	592 QUINOBECUIN RD	NEWTON	3	11/7/2016	8/31/2022	Carried Forw	Repaired		8/11/2022	-	No CGI Reading			
7331481	32 INDIAN RIDGE RD	NEWTON	3	1/11/2017	11/16/2022	Carried Forw	Eliminated Otherwise		7/13/2022	-	No CGI Reading	NO READS		
7332329	182 WEBSTER ST	NEWTON	2	4/11/2022	7/14/2022	Carried Forw	Repaired	3	4/11/2022	-	No CGI Reading			
7332931	COMMONWEALTH AVE	NEWTON	3	3/23/2017		Carried Forw	Pending		4/12/2022	-	No CGI Reading			
7335230	10 NILES RD	NEWTON	3	5/31/2017	11/28/2022	Carried Forw	Eliminated Otherwise		10/10/2022	-	No CGI Reading	NO READS		

Table L5 Newton Leak Report Dec 31, 2022													
Detailed Quarterly Information			QUARTER 4 - 2022		Name of Operator: <i>Boston Gas Company</i>								
Leak ID (if applicable)	Location		Grade [1, 2, 3]	Classification Date	Repair Dates (during quarter)	Carried Forward/ Newly Identified	Status at End of Quarter	Prior Grade (if change in classification)	For G3SEI Leaks			Notes/Explanations	
	Street Number and Name	Town/City							Designation Date	Leak Extent or Barhole Reading	Method Used [Leak Extent/ Barhole]		
7336298	867 DEDHAM ST	NEWTON	3	7/10/2017		Carried Forw	Pending		11/8/2022	-	No CGI Reading		
7336302	42 ANNawan RD	NEWTON	3	7/1/2017		Carried Forw	Pending		3/2/2022	-	No CGI Reading		
7336528	250 ALBEMARLE RD	NEWTON	2	2/2/2022	6/16/2022	Carried Forw	Repaired	3	5/10/2022	-	No CGI Reading		
7336759	451 WATERTOWN ST	NEWTON	2	3/28/2022	9/13/2022	Carried Forw	Eliminated Otherwise		8/16/2022	-	No CGI Reading	UPGRADE	
7336764	CENTRAL AVE	NEWTON	3	7/26/2017		Carried Forw	Pending		3/3/2022	-	No CGI Reading		
7337320	93 HOMER ST	NEWTON	3	8/10/2017	3/31/2022	Carried Forw	Eliminated Otherwise		3/31/2022	-	No CGI Reading	UPGRADE	
7338743	50 FORDHAM RD	NEWTON	3	9/26/2017		Carried Forw	Pending		7/14/2022	-	No CGI Reading		
7338876	47 FELLSMERE RD	NEWTON	3	9/27/2017		Carried Forw	Pending		6/29/2022	-	No CGI Reading		
7339363	4 EVERGREEN AVE	NEWTON	3	10/21/2017		Carried Forw	Pending		5/3/2022	-	No CGI Reading		
7339375	124 NAHANTON ST	NEWTON	2	4/15/2022	6/23/2022	Carried Forw	Repaired	3	4/15/2022	-	No CGI Reading		
7339900	57 WARREN RD	NEWTON	3	10/30/2017		Carried Forw	Pending		6/17/2022	-	No CGI Reading		
7340190	88 PINE RIDGE RD	NEWTON	3	11/24/2017	8/23/2022	Carried Forw	Eliminated by Replacement		7/18/2022	-	No CGI Reading		
7340358	246 BEACON ST	NEWTON	3	12/12/2017		Carried Forw	Pending		7/18/2022	-	No CGI Reading		
7340361	62 HARVARD ST	NEWTON	2	7/18/2022	8/24/2022	Carried Forw	Repaired	3	7/18/2022	-	No CGI Reading		
7341526	224 JACKSON ST	NEWTON	3	2/27/2018		Carried Forw	Pending		7/27/2022	-	No CGI Reading		

Table L5 Newton Leak Report Dec 31, 2022														
Detailed Quarterly Information			QUARTER 4 - 2022		Name of Operator: <i>Boston Gas Company</i>									
Leak ID (if applicable)	Location		Grade [1, 2, 3]	Classification Date	Repair Dates (during quarter)	Carried Forward/ Newly Identified	Status at End of Quarter	Prior Grade (if change in classification)	For G3SEI Leaks			Notes/Explanations		
	Street Number and Name	Town/City							Designation Date	Leak Extent or Barhole Reading	Method Used [Leak Extent/ Barhole]			
7342004	189 NEHOIDEN RD	NEWTON	3	2/22/2018	8/17/2022	Carried Forw	Eliminated by Replacement			7/27/2022	-	No CGI Reading		
7342810	926 WALNUT ST	NEWTON	2	1/19/2022	3/2/2022	Carried Forw	Repaired	3	3/1/2022	-	No CGI Reading			
7345014	7 CURTIS ST	NEWTON	3	11/29/2018		Carried Forw	Pending		5/26/2022	-	No CGI Reading			
7345325	1621 WASHINGTON ST	NEWTON	2	8/11/2021	6/30/2022	Carried Forw	Repaired			-				
7345352	44 JEFFERSON ST	NEWTON	3	7/1/2018	11/16/2022	Carried Forw	Eliminated Otherwise		7/14/2022	-	No CGI Reading	NO READS		
7345718	DEDHAM ST	NEWTON	3	7/13/2018		Carried Forw	Pending		7/25/2022	-	No CGI Reading			
7345940	CARVER RD	NEWTON	3	7/26/2018	8/19/2022	Carried Forw	Repaired		7/15/2022	-	No CGI Reading			
7346062	PARK ST	NEWTON	3	7/24/2018	12/5/2022	Carried Forw	Eliminated Otherwise		7/15/2022	-	No CGI Reading	NO READS		
7347327	105 WOODLAWN DR	NEWTON	3	9/14/2018	1/10/2022	Carried Forw	Eliminated b		8/27/2021	-	No CGI Reading			
7348856	140 STANLEY RD	NEWTON	3	7/13/2018		Carried Forw	Pending		7/15/2022	-	No CGI Reading			
7349547	885 WASHINGTON ST	NEWTON	3	12/4/2018	9/27/2022	Carried Forw	Eliminated Otherwise		6/17/2022	-	No CGI Reading	CALLED OFF BY SUPERVISOR		
7349892	194 PARKER ST	NEWTON	3	12/20/2018	9/8/2022	Carried Forw	Repaired		8/11/2022	-	No CGI Reading			
7350044	32 PRINCE ST	NEWTON	3	12/31/2018	11/28/2022	Carried Forw	Eliminated Otherwise		6/17/2022	-	No CGI Reading	NO READS		
7350045	400 WAVERLY AVE	NEWTON	3	12/26/2018		Carried Forw	Pending		6/21/2022	-	No CGI Reading			

Table L5 Newton Leak Report Dec 31, 2022															
Detailed Quarterly Information			QUARTER 4 - 2022		Name of Operator: <i>Boston Gas Company</i>										
Leak ID (if applicable)	Location		Grade [1, 2, 3]	Classification Date	Repair Dates (during quarter)	Carried Forward/ Newly Identified	Status at End of Quarter	Prior Grade (if change in classification)	For G3SEI Leaks			Notes/Explanations			
	Street Number and Name	Town/City							Designation Date	Leak Extent or Barhole Reading	Method Used [Leak Extent/ Barhole]				
7351671	765 DEDHAM ST	NEWTON	3	3/4/2019	11/16/2022	Carried Forw	Eliminated Otherwise		8/24/2022	-	No CGI Reading	NO READS			
7353074	70 WINDERMERE RD	NEWTON	3	5/13/2019		Carried Forw	Pending		2/18/2022	-	No CGI Reading				
7353085	22 AGAWAM RD	NEWTON	3	5/6/2019	9/27/2022	Carried Forw	Eliminated Otherwise		1/25/2022	-	No CGI Reading	NO READS			
7353112	249 WALNUT ST	NEWTON	2	11/14/2022	12/15/2022	Carried Forw	Eliminated O	3	11/14/2022	-	No CGI Reading	NO READS			
7353113	1233 WALNUT ST	NEWTON	2	2/8/2022	3/23/2022	Carried Forw	Repaired	3	3/9/2022	-	No CGI Reading				
7353577	73 DEDHAM ST	NEWTON	3	5/24/2019		Carried Forw	Pending		3/4/2022	-	No CGI Reading				
7353620	148 BELLEVUE ST	NEWTON	2	7/18/2022	8/23/2022	Carried Forw	Repaired	3	3/4/2022	-	No CGI Reading				
7353689	454 WALNUT ST	NEWTON	2	5/24/2022		Carried Forw	Pending	3	9/14/2022	-	No CGI Reading				
7354713	56 DEVONSHIRE RD	NEWTON	3	7/19/2019	10/17/2022	Carried Forw	Repaired		8/24/2022	-	No CGI Reading				
7354714	115 DORSET RD	NEWTON	3	7/17/2019	5/5/2022	Carried Forw	Repaired		4/7/2022	-	No CGI Reading				
7354722	326 RIVER ST	NEWTON	2	4/7/2022	6/22/2022	Carried Forw	Repaired	3	4/7/2022	-	No CGI Reading				
7354944	942 BEACON ST	NEWTON	3	9/27/2022		Carried Forw	Pending	2	8/25/2022	-	No CGI Reading				
7355234	189 CYPRESS ST	NEWTON	2	4/14/2022	12/1/2022	Carried Forw	Repaired	3	8/25/2022	-	No CGI Reading				
7355235	205 CYPRESS ST	NEWTON	2	4/14/2022	11/30/2022	Carried Forw	Repaired	3	8/25/2022	-	No CGI Reading				
7355674	188 DEDHAM ST	NEWTON	3	8/23/2019		Carried Forw	Pending		4/21/2022	-	No CGI Reading				

Table L5 Newton Leak Report Dec 31, 2022														
Detailed Quarterly Information			QUARTER 4 - 2022		Name of Operator: <i>Boston Gas Company</i>									
Leak ID (if applicable)	Location		Grade [1, 2, 3]	Classification Date	Repair Dates (during quarter)	Carried Forward/ Newly Identified	Status at End of Quarter	Prior Grade (if change in classification)	For G3SEI Leaks			Notes/Explanations		
	Street Number and Name	Town/City							Designation Date	Leak Extent or Barhole Reading	Method Used [Leak Extent/ Barhole]			
7355765	194 MILL ST	NEWTON	2	5/18/2021	5/3/2022	Carried Forw	Repaired		3/8/2022	-	No CGI Reading			
7356135	9 COLELLA RD	NEWTON	2	4/21/2022	7/14/2022	Carried Forw	Repaired	3	4/21/2022	-	No CGI Reading			
7356140	303 HARTMAN RD	NEWTON	3	9/3/2019	1/5/2022	Carried Forw	Eliminated Otherwise		8/30/2021	-	No CGI Reading	DUPLICATE LEAK		
7356207	36 WISWALL RD	NEWTON	3	9/5/2019		Carried Forw	Pending		4/22/2022	-	No CGI Reading			
7356368	36 BONTEMPO RD	NEWTON	3	9/25/2019		Carried Forw	Pending		6/7/2022	-	No CGI Reading			
7356370	47 BONTEMPO RD	NEWTON	3	9/25/2019		Carried Forw	Pending		6/7/2022	-	No CGI Reading			
7356413	27 BONTEMPO RD	NEWTON	3	9/26/2019		Carried Forw	Pending		6/17/2022	-	No CGI Reading			
7356439	727 SAWMILL BROOK P	NEWTON	2	1/19/2022	3/2/2022	Carried Forw	Eliminated Otherwise		2/15/2022	-	No CGI Reading	REPAIRED UNDER OTHER LEAK REPAIR		
7356450	10 SPIERS RD	NEWTON	3	9/27/2019		Carried Forw	Pending		6/29/2022	-	No CGI Reading			
7356514	25 TURNER TER	NEWTON	3	9/10/2019		Carried Forw	Pending		4/25/2022	-	No CGI Reading			
7356759	845 WASHINGTON ST	NEWTON	2	8/10/2021	6/29/2022	Carried Forw	Repaired		5/11/2022	-	No CGI Reading			
7357132	16 CHASKE AVE	NEWTON	2	4/7/2022	6/1/2022	Carried Forw	Repaired	3		-				
7357134	300 BOYLSTON ST	NEWTON	3	10/25/2019	3/14/2022	Carried Forw	Eliminated Otherwise		8/16/2021	-	No CGI Reading	UPGRADE		
7357139	48 LANTERN LN	NEWTON	3	10/25/2019		Carried Forw	Pending		7/27/2022	-	No CGI Reading			

Table L5 Newton Leak Report Dec 31, 2022														
Detailed Quarterly Information			QUARTER 4 - 2022		Name of Operator: <i>Boston Gas Company</i>									
Leak ID (if applicable)	Location		Grade [1, 2, 3]	Classification Date	Repair Dates (during quarter)	Carried Forward/ Newly Identified	Status at End of Quarter	Prior Grade (if change in classification)	For G3SEI Leaks			Notes/Explanations		
	Street Number and Name	Town/City							Designation Date	Leak Extent or Barhole Reading	Method Used [Leak Extent/ Barhole]			
7359897	26 COOK ST	NEWTON	3	3/30/2020		Carried Forw	Pending		11/14/2022	-	No CGI Reading			
7360337	44 MARY ELLEN RD	NEWTON	3	3/14/2020		Carried Forw	Pending		11/28/2022	-	No CGI Reading			
7362017	112 BEACON ST	NEWTON	2	10/17/2022	11/21/2022	Carried Forw	Repaired	3	10/17/2022	-	No CGI Reading			
7362457	741 BOYLSTON ST	NEWTON	2	9/7/2021	8/31/2022	Carried Forw	Repaired		8/16/2022	-	No CGI Reading			
7364297	2310 WASHINGTON ST	NEWTON	3	11/10/2020	4/7/2022	Carried Forw	Eliminated Otherwise	3	8/2022	-	No CGI Reading	UPGRADE		
7364450	60 FAIRLEE RD	NEWTON	3	8/26/2020		Carried Forw	Pending		7/13/2022	-	No CGI Reading			
7364832	274 AUBURNDALE AVE	NEWTON	3	8/14/2020		Carried Forw	Pending		6/21/2022	-	No CGI Reading			
7364913	300 HIGHLAND ST	NEWTON	2	7/15/2022	8/22/2022	Carried Forw	Repaired	3	7/15/2022	-	No CGI Reading			
7365082	35 WHITTIER RD	NEWTON	3	9/1/2020		Carried Forw	Pending		7/15/2022	-	No CGI Reading			
7365094	160 PARKER ST	NEWTON	3	10/15/2020		Carried Forw	Pending		8/11/2022	-	No CGI Reading			
7365118	10 LOCKE RD	NEWTON	3	9/24/2020		Carried Forw	Pending		7/27/2022	-	No CGI Reading			
7365408	NORTH ST	NEWTON	3	10/28/2020		Carried Forw	Pending		8/11/2022	-	No CGI Reading			
7365827	5 OLDEFIELD RD	NEWTON	2	1/19/2021		Carried Forw	Pending		8/12/2022	-	No CGI Reading			
7365932	374 HOMER ST	NEWTON	3	1/10/2021	10/20/2022	Carried Forw	Repaired		9/14/2022	-	No CGI Reading			
7365933	616 BOYLSTON ST	NEWTON	2	11/8/2021	1/18/2022	Carried Forw	Eliminated Otherwise	1	24/2022	-	No CGI Reading	UPGRADE		

Table L5 Newton Leak Report Dec 31, 2022														
Detailed Quarterly Information			QUARTER 4 - 2022		Name of Operator: <i>Boston Gas Company</i>									
Leak ID (if applicable)	Location		Grade [1, 2, 3]	Classification Date	Repair Dates (during quarter)	Carried Forward/ Newly Identified	Status at End of Quarter	Prior Grade (if change in classification)	For G3SEI Leaks			Notes/Explanations		
	Street Number and Name	Town/City							Designation Date	Leak Extent or Barhole Reading	Method Used [Leak Extent/ Barhole]			
7366850	176 BOYLSTON ST	NEWTON	1	3/24/2021		Carried Forw	Pending				-			
7368508	97 ATWOOD AVE	NEWTON	3	4/26/2021		Carried Forw	Pending		4/1/2022		-	No CGI Reading		
7369058	367 CALIFORNIA ST	NEWTON	2	6/4/2021	5/6/2022	Carried Forw	Repaired		5/11/2022		-	No CGI Reading		
7369059	415 LOWELL AVE	NEWTON	3	8/8/2021		Carried Forw	Pending		7/13/2022		-	No CGI Reading		
7369060	1229 CENTRE ST	NEWTON	2	3/17/2022	4/25/2022	Carried Forw	Repaired		3/17/2022		-	No CGI Reading		
7370429	25 WOODWARD ST	NEWTON	2	8/2/2021	6/10/2022	Carried Forw	Repaired		5/10/2022		-	No CGI Reading		
7370825	1776 WASHINGTON ST	NEWTON	2	4/26/2022	9/22/2022	Carried Forw	Eliminated Otherwise		8/30/2022		-	No CGI Reading		
7370881	WINDERMERE RD	NEWTON	3	9/14/2021	8/15/2022	Carried Forw	Eliminated Otherwise		8/3/2022		-	No CGI Reading		
7370883	389 CENTRAL ST	NEWTON	3	9/14/2021		Carried Forw	Pending		8/3/2022		-	No CGI Reading		
7370901	38 BARNSTABLE RD	NEWTON	3	9/24/2021		Carried Forw	Pending		8/12/2022		-	No CGI Reading		
7371019	109 RIVER ST	NEWTON	2	9/25/2021	9/26/2022	Carried Forw	Repaired		9/7/2022		-	No CGI Reading		
7371023	UPLAND RD	NEWTON	2	9/25/2021	9/8/2022	Carried Forw	Repaired		9/7/2022		-	No CGI Reading		
7371030	1669 CENTRE ST	NEWTON	2	9/17/2021	2/23/2022	Carried Forw	Eliminated O		2/15/2022		-	No CGI Reading		
7371044	178 PRINCE ST	NEWTON	3	9/27/2021		Carried Forw	Pending		8/12/2022		-	No CGI Reading		

REPAIRED
UNDER
OTHER
LEAK
REPAIR

Table L5 Newton Leak Report Dec 31, 2022														
Detailed Quarterly Information			QUARTER 4 - 2022		Name of Operator: <i>Boston Gas Company</i>									
Leak ID (if applicable)	Location		Grade [1, 2, 3]	Classification Date	Repair Dates (during quarter)	Carried Forward/ Newly Identified	Status at End of Quarter	Prior Grade (if change in classification)	For G3SEI Leaks			Notes/Explanations		
	Street Number and Name	Town/City							Designation Date	Leak Extent or Barhole Reading	Method Used [Leak Extent/ Barhole]			
7371857	26 PARK LN	NEWTON	3	11/21/2021		Carried Forw	Pending		9/14/2022	-	No CGI Reading			
7371858	1900 COMMONWEALTH	NEWTON	3	11/17/2021	9/22/2022	Carried Forw	Eliminated O		9/14/2022	-	No CGI Reading	UPGRADE		
7371860	303 HARTMAN RD	NEWTON	3	11/4/2021	1/5/2022	Carried Forw	Eliminated Otherwise			-		DUPLICATE LEAK		
7371861	330 CENTRAL ST	NEWTON	3	11/17/2021	1/5/2022	Carried Forw	Eliminated O			-		DUPLICATE LEAK		
7371867	74 ERIE AVE	NEWTON	3	11/9/2021	3/1/2022	Carried Forw	Repaired			-				
7372097	1516 WASHINGTON ST	NEWTON	2	10/24/2021	12/20/2022	Carried Forw	Repaired		9/7/2022	-	No CGI Reading			
7372098	904 CENTRE ST	NEWTON	2	10/29/2021	2/9/2022	Carried Forw	Repaired		2/8/2022	-	No CGI Reading			
7372266	410 LOWELL AVE	NEWTON	2	11/28/2021	3/16/2022	Carried Forw	Repaired		3/8/2022	-	No CGI Reading			
7372268	303 HARTMAN RD	NEWTON	2	12/7/2021	1/21/2022	Carried Forw	Repaired		1/20/2022	-	No CGI Reading			
7372269	211 GREENWOOD ST	NEWTON	2	11/30/2021	2/8/2022	Carried Forw	Repaired		2/8/2022	-	No CGI Reading			
7372395	374 WAVERLY AVE	NEWTON	1	1/6/2022	1/6/2022	Newly Identi	Repaired			-				
7372402	74 CUMMINGS RD	NEWTON	1	1/6/2022	1/6/2022	Newly Identi	Repaired			-				
7372411	59 LAKEWOOD RD	NEWTON	2	12/10/2021	2/1/2022	Carried Forw	Repaired		2/23/2022	-	No CGI Reading			
7372412	18 ALDEN ST	NEWTON	2	12/22/2021	1/26/2022	Carried Forw	Repaired		1/20/2022	-	No CGI Reading			
7372454	961 WALNUT ST	NEWTON	1	1/11/2022	1/12/2022	Newly Identi	Repaired			-				
7372501	11 DALBY ST	NEWTON	1	1/14/2022	1/21/2022	Newly Identi	Repaired			-				
7372511	38 WOODBINE ST	NEWTON	1	1/16/2022	1/16/2022	Newly Identi	Repaired			-				
7372516	622 BOYLSTON ST	NEWTON	1	1/17/2022	1/18/2022	Newly Identi	Repaired			-				

Table L5 Newton Leak Report Dec 31, 2022														
Detailed Quarterly Information			QUARTER 4 - 2022		Name of Operator: <i>Boston Gas Company</i>									
Leak ID (if applicable)	Location		Grade [1, 2, 3]	Classification Date	Repair Dates (during quarter)	Carried Forward/ Newly Identified	Status at End of Quarter	Prior Grade (if change in classification)	For G3SEI Leaks			Notes/Explanations		
	Street Number and Name	Town/City							Designation Date	Leak Extent or Barhole Reading	Method Used [Leak Extent/ Barhole]			
7372526	1669 CENTRE ST	NEWTON	1	1/18/2022	1/18/2022	Newly Identified	Repaired				-			
7372535	103 FESSENDEN ST	NEWTON	1	1/18/2022	1/18/2022	Newly Identified	Repaired				-			
7372550	1156 BOYLSTON ST	NEWTON	1	1/19/2022	1/24/2022	Newly Identified	Repaired				-			
7372598	5 GREEN PIKE	NEWTON	2	10/7/2022	11/18/2022	Carried Forward	Repaired	3	10/7/2022		-	No CGI Reading		
7372620	10 PILLION CT	NEWTON	1	1/21/2022	1/21/2022	Newly Identified	Repaired				-			
7372648	616 BOYLSTON ST	NEWTON	1	1/24/2022	1/27/2022	Newly Identified	Repaired				-			
7372680	3 MEIGH RD	NEWTON	1	1/25/2022	1/25/2022	Newly Identified	Repaired				-			
7372693	30 SOLON ST	NEWTON	1	1/26/2022	1/26/2022	Newly Identified	Repaired				-			
7372705	622 BOYLSTON ST	NEWTON	1	1/26/2022	1/27/2022	Newly Identified	Repaired				-			
7372716	138 VALENTINE ST	NEWTON	1	1/26/2022	1/28/2022	Newly Identified	Repaired				-			
7372734	902 BOYLSTON ST	NEWTON	1	1/27/2022	1/27/2022	Newly Identified	Repaired				-			
7372741	628 BOYLSTON ST	NEWTON	1	1/28/2022	2/2/2022	Newly Identified	Repaired				-			
7372765	37 CORNELL ST	NEWTON	1	1/29/2022	1/29/2022	Newly Identified	Repaired				-			
7372838	74 ELLIOT ST	NEWTON	1	2/2/2022	2/3/2022	Newly Identified	Repaired				-			
7372844	1207 BOYLSTON ST	NEWTON	1	2/2/2022	2/3/2022	Newly Identified	Repaired				-			
7372863	126 ALGONQUIN RD	NEWTON	1	2/2/2022	2/3/2022	Newly Identified	Repaired				-			
7372870	797 WASHINGTON ST	NEWTON	2	1/14/2022	3/3/2022	Newly Identified	Eliminated Open		2/18/2022		-	No CGI Reading		
7372880	222 PARKER ST	NEWTON	1	2/3/2022	2/5/2022	Newly Identified	Repaired				-			
7372927	253 WINCHESTER ST	NEWTON	1	2/4/2022	2/5/2022	Newly Identified	Repaired				-			
7372961	392 BOYLSTON ST	NEWTON	1	2/7/2022	2/10/2022	Newly Identified	Repaired				-			
7372973	249 WINCHESTER ST	NEWTON	1	2/7/2022	2/9/2022	Newly Identified	Repaired				-			
7372987	112 PEARL ST	NEWTON	1	2/8/2022	2/8/2022	Newly Identified	Repaired				-			
7372997	1173 BOYLSTON ST	NEWTON	1	2/8/2022	2/11/2022	Newly Identified	Repaired				-			
7372998	60 ELLIOT ST	NEWTON	1	2/8/2022	2/9/2022	Newly Identified	Repaired				-			
7373004	1130 BOYLSTON ST	NEWTON	1	2/8/2022	2/9/2022	Newly Identified	Repaired				-			

Table L5 Newton Leak Report Dec 31, 2022														
Detailed Quarterly Information			QUARTER 4 - 2022		Name of Operator: <i>Boston Gas Company</i>									
Leak ID (if applicable)	Location		Grade [1, 2, 3]	Classification Date	Repair Dates (during quarter)	Carried Forward/ Newly Identified	Status at End of Quarter	Prior Grade (if change in classification)	For G3SEI Leaks			Notes/Explanations		
	Street Number and Name	Town/City							Designation Date	Leak Extent or Barhole Reading	Method Used [Leak Extent/ Barhole]			
7373006	904 CENTRE ST	NEWTON	1	2/8/2022	2/9/2022	Newly Identified	Eliminated	O		-		REPAIRED UNDER OTHER LEAK REPAIR		
7373007	212 GREENWOOD ST	NEWTON	1	2/8/2022	2/9/2022	Newly Identified	Eliminated	O		-		REPAIRED UNDER OTHER LEAK REPAIR		
7373021	797 WASHINGTON ST	NEWTON	1	2/9/2022	2/9/2022	Newly Identified	Repaired			-				
7373027	57 CUMMINGS RD	NEWTON	1	2/9/2022	2/9/2022	Newly Identified	Repaired			-				
7373035	55 HILLSIDE AVE	NEWTON	1	2/9/2022	2/10/2022	Newly Identified	Repaired			-				
7373045	95 DALBY ST	NEWTON	1	2/10/2022	2/10/2022	Newly Identified	Repaired			-				
7373054	712 BOYLSTON ST	NEWTON	2	2/7/2022	3/21/2022	Newly Identified	Eliminated	Otherwise	3/1/2022	-	No CGI Reading	UPGRADE		
7373057	11 THORNTON ST	NEWTON	2	2/8/2022	3/15/2022	Newly Identified	Repaired		3/9/2022	-	No CGI Reading			
7373060	1005 BOYLSTON ST	NEWTON	2	2/8/2022	8/10/2022	Newly Identified	Eliminated	O	5/10/2022	-	No CGI Reading	NO READS		
7373061	867 WASHINGTON ST	NEWTON	2	1/21/2022	12/21/2022	Newly Identified	Eliminated	O	9/20/2022	-	No CGI Reading	NO READS		
7373076	71 SHARPE RD	NEWTON	1	2/11/2022	2/11/2022	Newly Identified	Repaired			-				
7373077	189 WINDSOR RD	NEWTON	2	1/22/2022	3/2/2022	Newly Identified	Repaired		2/16/2022	-	No CGI Reading			
7373089	57 CUMMINGS RD	NEWTON	1	2/11/2022	2/11/2022	Newly Identified	Repaired			-				
7373094	333 LEXINGTON ST	NEWTON	1	2/11/2022	2/11/2022	Newly Identified	Repaired			-				
7373102	1218 BOYLSTON ST	NEWTON	1	2/12/2022	2/12/2022	Newly Identified	Repaired			-				
7373148	14 STERLING ST	NEWTON	1	2/15/2022	2/15/2022	Newly Identified	Repaired			-				
7373163	66 PELHAM ST	NEWTON	1	2/16/2022	2/16/2022	Newly Identified	Repaired			-				

Table L5 Newton Leak Report Dec 31, 2022													
Detailed Quarterly Information			QUARTER 4 - 2022		Name of Operator: <i>Boston Gas Company</i>								
Leak ID (if applicable)	Location		Grade [1, 2, 3]	Classification Date	Repair Dates (during quarter)	Carried Forward/ Newly Identified	Status at End of Quarter	Prior Grade (if change in classification)	For G3SEI Leaks			Notes/Explanations	
	Street Number and Name	Town/City							Designation Date	Leak Extent or Barhole Reading	Method Used [Leak Extent/ Barhole]		
7373176	720 BOYLSTON ST	NEWTON	1	2/16/2022	2/23/2022	Newly Identified	Repaired				-		
7373188	45 ELLIOT ST	NEWTON	1	2/17/2022	2/18/2022	Newly Identified	Repaired				-		
7373195	132 HIGH ST	NEWTON	1	2/17/2022	2/22/2022	Newly Identified	Repaired				-		
7373210	177 PARK ST	NEWTON	1	2/17/2022	2/18/2022	Newly Identified	Repaired				-		
7373217	100 CHRISTINA ST	NEWTON	1	2/17/2022	2/17/2022	Newly Identified	Repaired				-		
7373239	196 WINDSOR RD	NEWTON	2	2/7/2022	3/7/2022	Newly Identified	Repaired		3/1/2022		-	No CGI Reading	
7373240	1615 BEACON ST	NEWTON	3	3/9/2022	3/16/2022	Newly Identified	Repaired		2	3/9/2022		No CGI Reading	
7373256	60 MIDDLESEX RD	NEWTON	1	2/22/2022	2/22/2022	Newly Identified	Repaired						
7373278	19 ELMORE ST	NEWTON	1	2/23/2022	2/23/2022	Newly Identified	Repaired						
7373285	26 AUBURN ST	NEWTON	1	2/23/2022	2/23/2022	Newly Identified	Repaired						
7373289	214 HAMMOND ST	NEWTON	1	2/23/2022	2/23/2022	Newly Identified	Repaired						
7373294	1750 COMMONWEALTH	NEWTON	1	2/23/2022	2/24/2022	Newly Identified	Repaired						
7373352	242 WINCHESTER ST	NEWTON	1	2/26/2022	3/1/2022	Newly Identified	Repaired						
7373371	11 HIGHLAND AVE	NEWTON	3	2/28/2022	2/28/2022	Newly Identified	Repaired						
7373374	AUSTIN ST	NEWTON	2	3/19/2022	5/19/2022	Newly Identified	Repaired		3				
7373390	672 BOYLSTON ST	NEWTON	1	3/2/2022	3/4/2022	Newly Identified	Repaired						
7373449	49 LEXINGTON ST	NEWTON	1	3/4/2022	3/4/2022	Newly Identified	Repaired						
7373456	20 STONELEIGH RD	NEWTON	1	3/4/2022	3/5/2022	Newly Identified	Repaired						
7373463	14 BERKSHIRE RD	NEWTON	1	3/5/2022	3/5/2022	Newly Identified	Repaired						
7373464	10 ANNAWAN RD	NEWTON	1	3/5/2022	3/9/2022	Newly Identified	Repaired						
7373492	18 BOWDOIN ST	NEWTON	1	3/7/2022	3/7/2022	Newly Identified	Repaired						
7373504	258 HAMMOND ST	NEWTON	1	3/8/2022	3/8/2022	Newly Identified	Repaired						
7373522	81 OXFORD RD	NEWTON	1	3/8/2022	3/9/2022	Newly Identified	Repaired						
7373524	1081 BOYLSTON ST	NEWTON	1	3/9/2022	3/10/2022	Newly Identified	Repaired						
7373526	30 JANE RD	NEWTON	2	2/26/2022	3/22/2022	Newly Identified	Repaired						
7373528	200 LEXINGTON ST	NEWTON	2	3/4/2022	4/28/2022	Newly Identified	Repaired						

Table L5 Newton Leak Report Dec 31, 2022														
Detailed Quarterly Information			QUARTER 4 - 2022		Name of Operator: <i>Boston Gas Company</i>									
Leak ID (if applicable)	Location		Grade [1, 2, 3]	Classification Date	Repair Dates (during quarter)	Carried Forward/ Newly Identified	Status at End of Quarter	Prior Grade (if change in classification)	For G3SEI Leaks			Notes/Explanations		
	Street Number and Name	Town/City							Designation Date	Leak Extent or Barhole Reading	Method Used [Leak Extent/ Barhole]			
7373531	289 RIVER ST	NEWTON	2	3/4/2022	3/14/2022	Newly Identified	Eliminated Other			-		UPGRADE		
7373537	624 DEDHAM ST	NEWTON	2	2/22/2022	4/29/2022	Newly Identified	Repaired		5/10/2022	-	No CGI Reading			
7373539	23 ELLIOT ST	NEWTON	2	2/16/2022	5/11/2022	Newly Identified	Repaired		5/10/2022	-	No CGI Reading			
7373540	5 LARCH RD	NEWTON	2	2/28/2022	3/23/2022	Newly Identified	Repaired			-				
7373541	300 BOYLSTON ST	NEWTON	1	3/9/2022	3/11/2022	Newly Identified	Repaired			-				
7373543	POLE 8 NAHANTON ST	NEWTON	2	2/18/2022	5/19/2022	Newly Identified	Repaired		5/10/2022	-	No CGI Reading			
7373582	232 CALIFORNIA ST	NEWTON	1	3/11/2022	3/11/2022	Newly Identified	Repaired			-				
7373583	286 RIVER ST	NEWTON	1	3/11/2022	3/12/2022	Newly Identified	Repaired			-				
7373588	286 RIVER ST	NEWTON	1	3/12/2022	3/12/2022	Newly Identified	Repaired			-				
7373595	ALBEMARLE RD	NEWTON	3	3/14/2022	3/15/2022	Newly Identified	Repaired			-				
7373613	17 CHAMPA ST	NEWTON	1	3/14/2022	3/14/2022	Newly Identified	Repaired			-				
7373712	325 BEACON ST	NEWTON	1	3/22/2022	3/29/2022	Newly Identified	Repaired			-				
7373717	65 CHARLEMONT ST	NEWTON	2	3/2/2022	4/7/2022	Newly Identified	Repaired			-				
7373718	142 ISLINGTON RD	NEWTON	2	3/14/2022	4/12/2022	Newly Identified	Eliminated Other			-				
7373838	93 HOMER ST	NEWTON	1	3/31/2022	3/31/2022	Newly Identified	Repaired			-				
7373851	HAMMOND ST	NEWTON	1	4/1/2022	4/1/2022	Newly Identified	Repaired			-				
7373867	76 WASHINGTON ST	NEWTON	2	3/31/2022	4/5/2022	Newly Identified	Eliminated Other			-		SYSTEM ISSUE		
7373868	2344 WASHINGTON ST	NEWTON	3	3/31/2022	4/5/2022	Newly Identified	Repaired			-				
7373877	58 EVERETT ST	NEWTON	1	4/4/2022	4/4/2022	Newly Identified	Repaired			-				
7373905	540 GROVE ST	NEWTON	1	4/5/2022	4/13/2022	Newly Identified	Repaired			-				
7373924	2310 WASHINGTON ST	NEWTON	1	4/6/2022	4/7/2022	Newly Identified	Repaired			-				
7373966	420 LOWELL AVE	NEWTON	1	4/8/2022	4/9/2022	Newly Identified	Repaired			-				
7373984	173 GRANT AVE	NEWTON	1	4/11/2022	4/11/2022	Newly Identified	Repaired			-				

Table L5 Newton Leak Report Dec 31, 2022														
Detailed Quarterly Information			QUARTER 4 - 2022		Name of Operator: <i>Boston Gas Company</i>									
Leak ID (if applicable)	Location		Grade [1, 2, 3]	Classification Date	Repair Dates (during quarter)	Carried Forward/ Newly Identified	Status at End of Quarter	Prior Grade (if change in classification)	For G3SEI Leaks			Notes/Explanations		
	Street Number and Name	Town/City							Designation Date	Leak Extent or Barhole Reading	Method Used [Leak Extent/ Barhole]			
7373988	911 WASHINGTON ST	NEWTON	1	4/11/2022	4/12/2022	Newly Identified	Eliminated Otherwise				-	DOWNGRADE		
7373991	45 DEVON RD	NEWTON	1	4/11/2022	4/11/2022	Newly Identified	Repaired				-			
7374009	910 BOYLSTON ST	NEWTON	2	2/24/2022	12/14/2022	Newly Identified	Eliminated Otherwise		9/7/2022		-	No CGI Reading UPGRADE		
7374025	235 NEEDHAM ST	NEWTON	1	4/13/2022	4/14/2022	Newly Identified	Repaired				-			
7374096	687 WATERTOWN ST	NEWTON	1	4/19/2022	4/19/2022	Newly Identified	Repaired				-			
7374116	25 CREHORE DR	NEWTON	2	4/5/2022	5/23/2022	Newly Identified	Repaired				-			
7374117	262 BEACON ST	NEWTON	2	3/26/2022	5/13/2022	Newly Identified	Repaired				-			
7374118	211 GREENWOOD ST	NEWTON	2	3/29/2022	6/14/2022	Newly Identified	Repaired				-			
7374132	1001 BOYLSTON ST	NEWTON	1	4/21/2022	4/22/2022	Newly Identified	Repaired				-			
7374154	62 HARTFORD ST	NEWTON	1	4/22/2022	4/22/2022	Newly Identified	Repaired				-			
7374192	1028 BOYLSTON ST	NEWTON	1	4/25/2022	4/26/2022	Newly Identified	Repaired				-			
7374235	HAMMOND POND PKY	NEWTON	1	4/27/2022	4/28/2022	Newly Identified	Repaired				-			
7374266	LOWELL AVE	NEWTON	3	4/28/2022	6/27/2022	Newly Identified	Repaired				-			
7374282	638 COMMONWEALTH	NEWTON	1	4/30/2022	5/2/2022	Newly Identified	Repaired				-			
7374305	12 FAIRFAX ST	NEWTON	1	5/2/2022	5/2/2022	Newly Identified	Repaired				-			
7374349	57 DICKERMAN RD	NEWTON	2	4/22/2022	7/15/2022	Newly Identified	Repaired				-			
7374365	1900 WASHINGTON ST	NEWTON	1	5/5/2022	5/7/2022	Newly Identified	Repaired				-			
7374401	45 BELMORE PIKE	NEWTON	2	4/21/2022	6/2/2022	Newly Identified	Eliminated Otherwise				-	NO READS		
7374403	963 BOYLSTON ST	NEWTON	2	4/22/2022		Newly Identified	Pending		8/29/2022		-	No CGI Reading		
7374406	77 CREHORE DR	NEWTON	2	4/22/2022	6/2/2022	Newly Identified	Repaired				-			
7374407	83 DICKERMAN RD	NEWTON	2	4/22/2022	5/31/2022	Newly Identified	Repaired				-			
7374408	251 ISLINGTON RD	NEWTON	2	4/20/2022	5/25/2022	Newly Identified	Repaired				-			
7374416	17 CHAPIN RD	NEWTON	1	5/9/2022	5/10/2022	Newly Identified	Repaired				-			
7374433	1471 BEACON ST	NEWTON	1	5/10/2022	5/10/2022	Newly Identified	Repaired				-			
7374462	14 BACON ST	NEWTON	1	5/11/2022	5/12/2022	Newly Identified	Repaired				-			

Table L5 Newton Leak Report Dec 31, 2022														
Detailed Quarterly Information			QUARTER 4 - 2022		Name of Operator: <i>Boston Gas Company</i>									
Leak ID (if applicable)	Location		Grade [1, 2, 3]	Classification Date	Repair Dates (during quarter)	Carried Forward/ Newly Identified	Status at End of Quarter	Prior Grade (if change in classification)	For G3SEI Leaks			Notes/Explanations		
	Street Number and Name	Town/City							Designation Date	Leak Extent or Barhole Reading	Method Used [Leak Extent/ Barhole]			
7374469	40 JANE RD	NEWTON	1	5/11/2022	5/11/2022	Newly Identified	Repaired				-			
7374527	420 LOWELL AVE	NEWTON	1	5/6/2022	5/14/2022	Newly Identified	Repaired				-			
7374567	1105 WASHINGTON ST	NEWTON	1	5/16/2022	5/17/2022	Newly Identified	Repaired				-			
7374681	CHESTNUT ST	NEWTON	3	5/18/2022	5/19/2022	Newly Identified	Repaired				-			
7374765	14 DEFOREST RD	NEWTON	1	5/24/2022	5/24/2022	Newly Identified	Repaired				-			
7374796	55 COLELLA RD	NEWTON	1	5/26/2022	5/26/2022	Newly Identified	Repaired				-			
7374797	1675 WASHINGTON ST	NEWTON	2	5/10/2022		Newly Identified	Pending		9/7/2022		-	No CGI Reading		
7374799	1730 WASHINGTON ST	NEWTON	2	5/11/2022		Newly Identified	Pending		9/20/2022		-	No CGI Reading		
7374814	5 BRAE BURN RD	NEWTON	2	5/12/2022	6/16/2022	Newly Identified	Repaired				-			
7374815	211 HIGHLAND AVE	NEWTON	2	5/12/2022		Newly Identified	Pending		9/20/2022		-	No CGI Reading		
7374816	951 WALNUT ST	NEWTON	2	4/2/2022		Newly Identified	Pending		8/16/2022		-	No CGI Reading		
7374817	1241 WALNUT ST	NEWTON	2	4/26/2022	6/14/2022	Newly Identified	Repaired				-			
7374818	22 RIVER AVE	NEWTON	2	5/6/2022	6/13/2022	Newly Identified	Repaired				-			
7374823	CIRCUIT AVE	NEWTON	2	5/27/2022	5/24/2022	Newly Identified	Repaired				-			
7374832	366 ELLIOT ST	NEWTON	3	5/6/2022		Newly Identified	Pending		5/6/2022		-	No CGI Reading		
7374843	1994 BEACON ST	NEWTON	3	5/29/2022		Newly Identified	Pending		5/29/2022		-	No CGI Reading		
7374845	2055 WASHINGTON ST	NEWTON	3	4/27/2022		Newly Identified	Pending		4/27/2022		-	No CGI Reading		
7374854	5 ANGIER CIR	NEWTON	3	5/11/2022		Newly Identified	Pending		5/11/2022		-	No CGI Reading		
7374879	95 COUNTRY CLUB RD	NEWTON	1	5/31/2022	6/1/2022	Newly Identified	Repaired				-			
7374893	115 RUMFORD AVE	NEWTON	1	6/1/2022	6/2/2022	Newly Identified	Repaired				-			
7374920	322 KENRICK ST	NEWTON	1	6/2/2022	6/3/2022	Newly Identified	Repaired				-			

Table L5 Newton Leak Report Dec 31, 2022														
Detailed Quarterly Information			QUARTER 4 - 2022		Name of Operator: <i>Boston Gas Company</i>									
Leak ID (if applicable)	Location		Grade [1, 2, 3]	Classification Date	Repair Dates (during quarter)	Carried Forward/ Newly Identified	Status at End of Quarter	Prior Grade (if change in classification)	For G3SEI Leaks			Notes/Explanations		
	Street Number and Name	Town/City							Designation Date	Leak Extent or Barhole Reading	Method Used [Leak Extent/ Barhole]			
7375069	71 FORDHAM RD	NEWTON	1	6/10/2022	6/11/2022	Newly Identified	Repaired			-				
7375091	21 CHANDLER PL	NEWTON	2	6/10/2022		Newly Identified	Pending		10/17/2022	-	No CGI Reading			
7375092	88 ESSEX RD	NEWTON	2	5/12/2022		Newly Identified	Pending		9/20/2022	-	No CGI Reading			
7375093	983 DEDHAM ST	NEWTON	2	5/12/2022	9/22/2022	Newly Identified	Eliminated Otherwise		9/13/2022	-	No CGI Reading	UPGRADE		
7375098	1149 WASHINGTON ST	NEWTON	2	5/16/2022		Newly Identified	Pending		9/14/2022	-	No CGI Reading			
7375099	750 COMMONWEALTH	NEWTON	3	4/26/2022		Newly Identified	Pending		4/26/2022	-	No CGI Reading			
7375128	222 WINSLOW RD	NEWTON	2	4/30/2022	6/30/2022	Newly Identified	Repaired			-				
7375132	82 ALBEMARLE RD	NEWTON	3	5/19/2022	11/29/2022	Newly Identified	Repaired		5/19/2022	-	No CGI Reading			
7375201	149 WINCHESTER ST	NEWTON	2	3/4/2022	10/18/2022	Newly Identified	Repaired		7/27/2022	-	No CGI Reading			
7375202	695 DEDHAM ST	NEWTON	2	6/1/2022	10/19/2022	Newly Identified	Repaired		10/7/2022	-	No CGI Reading			
7375298	503 AUBURN ST	NEWTON	1	6/22/2022	6/22/2022	Newly Identified	Repaired			-				
7375333	88 ESSEX RD	NEWTON	1	6/23/2022	6/23/2022	Newly Identified	Repaired			-				
7375345	200 HARTMAN RD	NEWTON	2	6/2/2022	7/8/2022	Newly Identified	Repaired			-				
7375360	24 CHAPEL ST	NEWTON	2	6/14/2022	8/16/2022	Newly Identified	Repaired			-				
7375363	174 WINCHESTER ST	NEWTON	2	6/16/2022	10/19/2022	Newly Identified	Repaired		10/17/2022	-	No CGI Reading			
7375384	WINCHESTER ST	NEWTON	1	6/24/2022	6/24/2022	Newly Identified	Repaired			-				
7375470	15 HOWARD ST	NEWTON	1	6/29/2022	6/29/2022	Newly Identified	Repaired			-				
7375472	15 HOWARD ST	NEWTON	1	6/29/2022	6/29/2022	Newly Identified	Repaired			-				
7375486	1919 COMMONWEALTH	NEWTON	2	6/29/2022	7/8/2022	Newly Identified	Repaired			-				
7375559	284 WEBSTER ST	NEWTON	1	7/5/2022	7/5/2022	Newly Identified	Repaired			-				

Table L5 Newton Leak Report Dec 31, 2022														
Detailed Quarterly Information			QUARTER 4 - 2022		Name of Operator: <i>Boston Gas Company</i>									
Leak ID (if applicable)	Location		Grade [1, 2, 3]	Classification Date	Repair Dates (during quarter)	Carried Forward/ Newly Identified	Status at End of Quarter	Prior Grade (if change in classification)	For G3SEI Leaks			Notes/Explanations		
	Street Number and Name	Town/City							Designation Date	Leak Extent or Barhole Reading	Method Used [Leak Extent/ Barhole]			
7375666	ABERDEEN ST	NEWTON	1	7/11/2022	7/19/2022	Newly Identified	Repaired				-			
7375698	130 WALNUT ST	NEWTON	1	7/12/2022	8/10/2022	Newly Identified	Repaired				-			
7375721	100 BOYLSTON ST	NEWTON	2	6/2/2022		Newly Identified	Pending		10/10/2022		-	No CGI Reading		
7375724	46 GARDNER ST	NEWTON	1	7/14/2022	7/14/2022	Newly Identified	Repaired				-			
7375735	5 ALLERTON RD	NEWTON	2	6/6/2022	8/2/2022	Newly Identified	Repaired				-			
7375736	238 TREMONT ST	NEWTON	2	6/13/2022	8/4/2022	Newly Identified	Repaired				-			
7375738	19 COMMONWEALTH AVE	NEWTON	2	6/7/2022	9/8/2022	Newly Identified	Repaired				-			
7375741	1607 CENTRE ST	NEWTON	2	6/8/2022	8/16/2022	Newly Identified	Repaired				-			
7375743	390 NEWTONVILLE AVE	NEWTON	2	6/27/2022	10/17/2022	Newly Identified	Repaired				-			
7375788	985 BEACON ST	NEWTON	1	7/19/2022	7/20/2022	Newly Identified	Repaired				-			
7375850	175 NEWTONVILLE AVE	NEWTON	1	7/20/2022	7/20/2022	Newly Identified	Repaired				-			
7375965	73 LEXINGTON ST	NEWTON	1	7/27/2022	7/28/2022	Newly Identified	Repaired				-			
7375988	146 INTERVALE RD	NEWTON	3	6/16/2022		Newly Identified	Pending		6/16/2022		-	No CGI Reading		
7375991	621 WASHINGTON ST	NEWTON	3	6/30/2022	9/29/2022	Newly Identified	Repaired		6/30/2022		-	No CGI Reading		
7375993	926 BOYLSTON ST	NEWTON	3	7/12/2022	9/14/2022	Newly Identified	Repaired		8/10/2022		-	No CGI Reading		
7376015	53 DUDLEY RD	NEWTON	1	7/28/2022	7/28/2022	Newly Identified	Repaired				-			
7376043	737 DEDHAM ST	NEWTON	2	5/23/2022		Newly Identified	Pending		9/14/2022		-	No CGI Reading		
7376044	66 PELHAM ST	NEWTON	3	5/28/2022	8/4/2022	Newly Identified	Eliminated Otherwise				-	DUPLICATE LEAK		
7376045	146 INTERVALE RD	NEWTON	3	6/16/2022	8/8/2022	Newly Identified	Eliminated Otherwise				-	DUPLICATE LEAK		
7376048	38 VERNDALE RD	NEWTON	3	6/17/2022	8/4/2022	Newly Identified	Eliminated Otherwise				-	DUPLICATE LEAK		

Table L5 Newton Leak Report Dec 31, 2022														
Detailed Quarterly Information			QUARTER 4 - 2022		Name of Operator: <i>Boston Gas Company</i>									
Leak ID (if applicable)	Location		Grade [1, 2, 3]	Classification Date	Repair Dates (during quarter)	Carried Forward/ Newly Identified	Status at End of Quarter	Prior Grade (if change in classification)	For G3SEI Leaks			Notes/Explanations		
	Street Number and Name	Town/City							Designation Date	Leak Extent or Barhole Reading	Method Used [Leak Extent/ Barhole]			
7376053	8 CLEARWATER RD	NEWTON	3	6/20/2022	8/4/2022	Newly Identified	Eliminated Otherwise			-		DUPLICATE LEAK		
7376054	621 WASHINGTON ST	NEWTON	3	6/30/2022	8/4/2022	Newly Identified	Eliminated Otherwise			-		DUPLICATE LEAK		
7376056	130 RIVER ST	NEWTON	2	7/11/2022	10/21/2022	Newly Identified	Repaired		10/17/2022	-	No CGI Reading			
7376060	970 COMMONWEALTH	NEWTON	1	8/1/2022	8/3/2022	Newly Identified	Repaired			-				
7376136	WINDERMERE RD	NEWTON	1	8/3/2022	8/4/2022	Newly Identified	Repaired			-				
7376170	29 SYLVAN AVE	NEWTON	1	8/5/2022	8/5/2022	Newly Identified	Repaired			-				
7376195	334 AUBURNDALE AVE	NEWTON	1	8/8/2022	8/9/2022	Newly Identified	Repaired			-				
7376237	BEACON ST	NEWTON	1	8/10/2022	8/11/2022	Newly Identified	Repaired			-				
7376246	172 WASHINGTON ST	NEWTON	1	8/11/2022	8/12/2022	Newly Identified	Repaired			-				
7376315	1013 BEACON ST	NEWTON	3	7/18/2022		Newly Identified	Pending			-				
7376318	39 BILLINGS PIKE	NEWTON	3	8/3/2022		Newly Identified	Pending			-				
7376320	CARLTON RD	NEWTON	3	8/2/2022		Newly Identified	Pending			-				
7376321	137 GARLAND RD	NEWTON	3	7/29/2022		Newly Identified	Pending			-				
7376323	4 GRAY CLIFF RD	NEWTON	3	7/24/2022		Newly Identified	Pending			-				
7376326	1583 WASHINGTON ST	NEWTON	3	7/28/2022	9/29/2022	Newly Identified	Repaired			-				
7376327	1243 CENTRE ST	NEWTON	1	8/16/2022	8/17/2022	Newly Identified	Repaired			-				
7376329	1595 WASHINGTON ST	NEWTON	3	7/28/2022		Newly Identified	Pending			-				
7376369	427 LEXINGTON ST	NEWTON	1	8/17/2022	8/18/2022	Newly Identified	Repaired			-				
7376372	220 AUBURN ST	NEWTON	1	8/17/2022	8/18/2022	Newly Identified	Repaired			-				
7376399	ABERDEEN ST	NEWTON	3	8/18/2022	8/18/2022	Newly Identified	Repaired			-				
7376438	281 HOMER ST	NEWTON	2	7/29/2022		Newly Identified	Pending		12/8/2022	-	No CGI Reading			
7376439	46 LANGLEY RD	NEWTON	2	7/26/2022	8/31/2022	Newly Identified	Repaired			-				
7376440	156 OAK ST	NEWTON	2	7/26/2022	8/29/2022	Newly Identified	Repaired			-				

Table L5 Newton Leak Report Dec 31, 2022													
Detailed Quarterly Information			QUARTER 4 - 2022		Name of Operator: <i>Boston Gas Company</i>								
Leak ID (if applicable)	Location		Grade [1, 2, 3]	Classification Date	Repair Dates (during quarter)	Carried Forward/ Newly Identified	Status at End of Quarter	Prior Grade (if change in classification)	For G3SEI Leaks			Notes/Explanations	
	Street Number and Name	Town/City							Designation Date	Leak Extent or Barhole Reading	Method Used [Leak Extent/ Barhole]		
7376441	1650 WASHINGTON ST	NEWTON	2	7/28/2022		Newly Identified	Pending		12/8/2022	-	No CGI Reading		
7376470	105 TOLMAN ST	NEWTON	1	8/24/2022	8/24/2022	Newly Identified	Repaired			-			
7376521	42 CHAPIN RD	NEWTON	1	8/26/2022	8/27/2022	Newly Identified	Repaired			-			
7376545	1784 WASHINGTON ST	NEWTON	1	8/29/2022	8/30/2022	Newly Identified	Repaired			-			
7376565	290 DERBY ST	NEWTON	2	8/24/2022		Newly Identified	Pending			-			
7376579	106 FALMOUTH RD	NEWTON	2	8/24/2022	10/5/2022	Newly Identified	Repaired			-			
7376580	248 HOMER ST	NEWTON	2	8/26/2022	10/17/2022	Newly Identified	Eliminated Otherwise			-		UPGRADE	
7376582	245 RIVER ST	NEWTON	2	8/19/2022		Newly Identified	Pending			-			
7376598	69 CROSS HILL RD	NEWTON	1	8/31/2022	8/31/2022	Newly Identified	Repaired			-			
7376631	224 ADAMS AVE	NEWTON	3	8/22/2022		Newly Identified	Pending			-			
7376632	227 CHERRY ST	NEWTON	3	8/25/2022		Newly Identified	Pending			-			
7376642	42 SUMMIT ST	NEWTON	1	9/1/2022	9/1/2022	Newly Identified	Repaired			-			
7376707	200 DERBY ST	NEWTON	3	8/24/2022		Newly Identified	Pending			-			
7376721	1960 WASHINGTON ST	NEWTON	3	9/6/2022	9/13/2022	Newly Identified	Repaired			-			
7376761	926 BOYLSTON ST	NEWTON	3	9/8/2022	9/16/2022	Newly Identified	Eliminated Otherwise			-		DUPLICATE LEAK	
7376771	60 MIDDLESEX RD	NEWTON	2	8/10/2022	10/3/2022	Newly Identified	Repaired			-			
7376774	232 DERBY ST	NEWTON	3	8/24/2022		Newly Identified	Pending			-			
7376790	429 CRAFTS ST	NEWTON	1	9/9/2022	9/10/2022	Newly Identified	Repaired			-			
7376811	195 MORTON ST	NEWTON	3	8/26/2022		Newly Identified	Pending			-			
7376812	36 NEWELL RD	NEWTON	3	8/19/2022		Newly Identified	Pending			-			
7376813	32 NOBLE ST	NEWTON	3	8/24/2022		Newly Identified	Pending			-			
7376814	222 PLEASANT ST	NEWTON	3	8/25/2022		Newly Identified	Pending			-			
7376815	267 RIVER ST	NEWTON	3	8/19/2022	9/12/2022	Newly Identified	Eliminated Otherwise			-		DUPLICATE LEAK	
7376816	45 SHERIDAN ST	NEWTON	3	8/18/2022		Newly Identified	Pending			-			
7376817	115 SHERIDAN ST	NEWTON	3	8/18/2022		Newly Identified	Pending			-			

Table L5 Newton Leak Report Dec 31, 2022													
Detailed Quarterly Information			QUARTER 4 - 2022		Name of Operator: <i>Boston Gas Company</i>								
Leak ID (if applicable)	Location		Grade [1, 2, 3]	Classification Date	Repair Dates (during quarter)	Carried Forward/ Newly Identified	Status at End of Quarter	Prior Grade (if change in classification)	For G3SEI Leaks			Notes/Explanations	
	Street Number and Name	Town/City							Designation Date	Leak Extent or Barhole Reading	Method Used [Leak Extent/ Barhole]		
7376820	96 WESTLAND AVE	NEWTON	3	8/19/2022		Newly Identified	Pending				-		
7376826	12 COPELY ST	NEWTON	3	4/15/2022		Newly Identified	Pending				-		
7376827	120 CORNELL ST	NEWTON	3	4/5/2022		Newly Identified	Pending				-		
7376828	216 PLEASANT ST	NEWTON	3	4/3/2022		Newly Identified	Pending				-		
7376829	126 EASTBOURNE RD	NEWTON	3	4/12/2022		Newly Identified	Pending				-		
7376840	50 MORSELAND AVE	NEWTON	1	9/12/2022	9/12/2022	Newly Identified	Repaired				-		
7376848	983 DEDHAM ST	NEWTON	1	9/13/2022	9/14/2022	Newly Identified	Repaired				-		
7376865	11 NEWBURY TER	NEWTON	1	9/13/2022	9/14/2022	Newly Identified	Repaired				-		
7376871	46 GARDNER ST	NEWTON	1	9/14/2022	9/15/2022	Newly Identified	Repaired				-		
7376895	1900 COMMONWEALTH	NEWTON	1	9/14/2022	9/14/2022	Newly Identified	Repaired				-		
7376988	88 ESSEX RD	NEWTON	1	9/20/2022	9/20/2022	Newly Identified	Repaired				-		
7377058	249 CYPRESS ST	NEWTON	2	8/30/2022	12/5/2022	Newly Identified	Repaired				-		
7377059	85 DARTMOUTH ST	NEWTON	2	9/1/2022	10/18/2022	Newly Identified	Repaired				-		
7377060	214 DERBY ST	NEWTON	2	8/24/2022	12/1/2022	Newly Identified	Repaired				-		
7377061	31 NEWBROOK CIR	NEWTON	2	9/1/2022	10/17/2022	Newly Identified	Repaired				-		
7377129	1207 CENTRE ST	NEWTON	1	9/27/2022	9/28/2022	Newly Identified	Repaired				-		
7377143	248 HOMER ST	NEWTON	1	9/27/2022	9/28/2022	Newly Identified	Repaired				-		
7377232	85 ESSEX RD	NEWTON	1	10/1/2022	10/11/2022	Newly Identified	Repaired				-		
7377314	249 DERBY ST	NEWTON	2	9/2/2022		Newly Identified	Pending				-		
7377316	787 WASHINGTON ST	NEWTON	2	9/16/2022		Newly Identified	Pending				-		
7377317	159 PRINCE ST	NEWTON	2	9/7/2022	10/20/2022	Newly Identified	Repaired				-		
7377318	129 VALENTINE ST	NEWTON	2	9/7/2022	10/27/2022	Newly Identified	Repaired				-		
7377376	16 MOUNT ALVERNIA RD	NEWTON	1	10/10/2022	10/11/2022	Newly Identified	Repaired				-		
7377380	36 COLLEGE RD	NEWTON	1	10/10/2022	11/1/2022	Newly Identified	Eliminated Otherwise				-	NO READS	
7377399	512 WINCHESTER ST	NEWTON	1	10/11/2022	10/18/2022	Newly Identified	Repaired				-		
7377480	683 BOYLSTON ST	NEWTON	1	10/15/2022	10/15/2022	Newly Identified	Repaired				-		
7377543	581 SAWMILL BROOK PL	NEWTON	1	10/19/2022	10/19/2022	Newly Identified	Repaired				-		

Table L5 Newton Leak Report Dec 31, 2022														
Detailed Quarterly Information			QUARTER 4 - 2022		Name of Operator: <i>Boston Gas Company</i>									
Leak ID (if applicable)	Location		Grade [1, 2, 3]	Classification Date	Repair Dates (during quarter)	Carried Forward/ Newly Identified	Status at End of Quarter	Prior Grade (if change in classification)	For G3SEI Leaks			Notes/Explanations		
	Street Number and Name	Town/City							Designation Date	Leak Extent or Barhole Reading	Method Used [Leak Extent/ Barhole]			
7377600	31 BOTSFORD RD	NEWTON	1	10/21/2022	10/21/2022	Newly Identified	Repaired				-			
7377627	12 FERN CROFT RD	NEWTON	3	10/7/2022		Newly Identified	Pending				-			
7377628	23 LONGMEADOW RD	NEWTON	3	9/28/2022		Newly Identified	Pending				-			
7377629	39 MASON RD	NEWTON	3	9/13/2022		Newly Identified	Pending				-			
7377630	545 PARKER ST	NEWTON	2	10/7/2022		Newly Identified	Pending				-			
7377631	364 WOODWARD ST	NEWTON	3	9/12/2022		Newly Identified	Pending				-			
7377644	21 ROLAND ST	NEWTON	1	10/24/2022	10/24/2022	Newly Identified	Repaired				-			
7377649	26 KENSINGTON ST	NEWTON	1	10/25/2022	10/26/2022	Newly Identified	Eliminated Otherwise				-	NOT UNDERGROUND LEAK		
7377693	80 ALDERWOOD RD	NEWTON	1	10/26/2022	10/26/2022	Newly Identified	Repaired				-			
7377722	16 WALNUT HILL RD	NEWTON	1	10/27/2022	11/16/2022	Newly Identified	Repaired				-			
7377780	472 LOWELL AVE	NEWTON	1	10/31/2022	11/1/2022	Newly Identified	Repaired				-			
7377815	2096 WASHINGTON ST	NEWTON	3	8/13/2022		Newly Identified	Pending				-			
7377817	21 IVANHOE ST	NEWTON	3	9/2/2022		Newly Identified	Pending				-			
7377830	37 GLENWOOD AVE	NEWTON	3	8/30/2022		Newly Identified	Pending				-			
7377831	155 WOODWARD ST	NEWTON	3	8/1/2022		Newly Identified	Pending				-			
7377832	1224 BOYLSTON ST	NEWTON	1	11/1/2022	11/18/2022	Newly Identified	Repaired				-			
7377838	7 WOODCHESTER DR	NEWTON	1	11/2/2022	11/2/2022	Newly Identified	Repaired				-			
7377839	57 DEVONSHIRE RD	NEWTON	1	11/2/2022	11/2/2022	Newly Identified	Repaired				-			
7377997	216 LOWELL AVE	NEWTON	3	10/3/2022		Newly Identified	Pending				-			
7378036	367 CALIFORNIA ST	NEWTON	2	10/31/2022	12/1/2022	Newly Identified	Repaired				-			
7378039	50 HIGHLAND AVE	NEWTON	1	11/9/2022	11/9/2022	Newly Identified	Repaired				-			
7378055	340 RIVER ST	NEWTON	1	11/10/2022	11/11/2022	Newly Identified	Repaired				-			
7378073	540 DUDLEY RD	NEWTON	1	11/14/2022	11/14/2022	Newly Identified	Repaired				-			
7378110	599 COMMONWEALTH	NEWTON	2	10/28/2022		Newly Identified	Pending				-			
7378112	614 DEDHAM ST	NEWTON	2	10/31/2022	12/2/2022	Newly Identified	Repaired				-			
7378134	8 EARLY PATH	NEWTON	1	11/15/2022	11/15/2022	Newly Identified	Repaired				-			

Table L5 Newton Leak Report Dec 31, 2022														
Detailed Quarterly Information			QUARTER 4 - 2022		Name of Operator: <i>Boston Gas Company</i>									
Leak ID (if applicable)	Location		Grade [1, 2, 3]	Classification Date	Repair Dates (during quarter)	Carried Forward/ Newly Identified	Status at End of Quarter	Prior Grade (if change in classification)	For G3SEI Leaks			Notes/Explanations		
	Street Number and Name	Town/City							Designation Date	Leak Extent or Barhole Reading	Method Used [Leak Extent/ Barhole]			
7378159	640 BOYLSTON ST	NEWTON	2	11/8/2022		Newly Identified	Pending				-			
7378160	180 CALIFORNIA ST	NEWTON	2	11/7/2022	11/29/2022	Newly Identified	Repaired				-			
7378161	59 LAKEWOOD RD	NEWTON	2	11/4/2022	11/29/2022	Newly Identified	Repaired				-			
7378162	33 WINCHESTER ST	NEWTON	2	11/8/2022	11/29/2022	Newly Identified	Repaired				-			
7378163	371 WASHINGTON ST	NEWTON	2	11/8/2022		Newly Identified	Pending				-			
7378190	250 ALBEMARLE RD	NEWTON	2	11/9/2022		Newly Identified	Pending				-			
7378191	2054 BEACON ST	NEWTON	2	11/10/2022	12/1/2022	Newly Identified	Repaired				-			
7378192	955 CENTRE ST	NEWTON	2	11/8/2022	11/29/2022	Newly Identified	Repaired				-			
7378193	4 JUDITH RD	NEWTON	2	11/8/2022		Newly Identified	Pending				-			
7378202	904 BOYLSTON ST	NEWTON	3	11/16/2022		Newly Identified	Pending				-			
7378242	49 FARLOW RD	NEWTON	1	11/21/2022	11/21/2022	Newly Identified	Repaired				-			
7378315	10 MAGNOLIA AVE	NEWTON	1	11/22/2022	11/22/2022	Newly Identified	Repaired				-			
7378444	26 WETHERELL ST	NEWTON	3	12/1/2022	12/1/2022	Newly Identified	Repaired				-			
7378464	25 HAMMONDSWOOD	NEWTON	2	10/17/2022	12/9/2022	Newly Identified	Repaired				-			
7378467	316 CENTRAL ST	NEWTON	3	10/24/2022		Newly Identified	Pending				-			
7378477	LOWELL AVE	NEWTON	3	12/1/2022		Newly Identified	Pending				-			
7378483	15 SHERIDAN ST	NEWTON	3	11/4/2022		Newly Identified	Pending				-			
7378518	66 DALBY ST	NEWTON	1	12/5/2022	12/5/2022	Newly Identified	Repaired				-			
7378581	HAGAR ST	NEWTON	3	11/4/2022		Newly Identified	Pending				-			
7378586	8 EARLY PATH	NEWTON	3	11/15/2022		Newly Identified	Pending				-			
7378587	8 EARLY PATH	NEWTON	3	11/15/2022		Newly Identified	Pending				-			
7378589	242 LEXINGTON ST	NEWTON	3	11/23/2022		Newly Identified	Pending				-			
7378641	315 CHERRY ST	NEWTON	1	12/13/2022	12/13/2022	Newly Identified	Repaired				-			
7378647	33 NONANTUM PL	NEWTON	1	12/13/2022	12/14/2022	Newly Identified	Repaired				-			
7378649	53 VAN ROOSEN RD	NEWTON	3	11/9/2022		Newly Identified	Pending				-			
7378650	NONANTUM RD	NEWTON	3	11/7/2022		Newly Identified	Pending				-			
7378677	138 LEXINGTON ST	NEWTON	3	11/8/2022		Newly Identified	Pending				-			

Table L5 Newton Leak Report Dec 31, 2022														
Detailed Quarterly Information			QUARTER 4 - 2022		Name of Operator: <i>Boston Gas Company</i>									
Leak ID (if applicable)	Location		Grade [1, 2, 3]	Classification Date	Repair Dates (during quarter)	Carried Forward/ Newly Identified	Status at End of Quarter	Prior Grade (if change in classification)	For G3SEI Leaks			Notes/Explanations		
	Street Number and Name	Town/City							Designation Date	Leak Extent or Barhole Reading	Method Used [Leak Extent/ Barhole]			
7378750	116 LEXINGTON ST	NEWTON	3	11/8/2022		Newly Identified	Pending				-			
7378751	2 KINGSTON RD	NEWTON	3	11/7/2022		Newly Identified	Pending				-			
7378752	271 CYPRESS ST	NEWTON	3	11/9/2022		Newly Identified	Pending				-			
7378794	1370 WALNUT ST	NEWTON	3	11/10/2022		Newly Identified	Pending				-			
7378796	960 WALNUT ST	NEWTON	3	11/10/2022		Newly Identified	Pending				-			
7378797	114 BEETHOVEN AVE	NEWTON	1	12/22/2022	12/22/2022	Newly Identified	Repaired				-			
7378798	126 NONANTUM RD	NEWTON	3	10/19/2022		Newly Identified	Pending				-			
7378808	10 MOODY ST	NEWTON	1	12/22/2022	12/22/2022	Newly Identified	Repaired				-			
7378811	1756 BEACON ST	NEWTON	1	12/22/2022	12/23/2022	Newly Identified	Repaired				-			
7378832	246 PEARL ST	NEWTON	1	12/26/2022	12/26/2022	Newly Identified	Repaired				-			
7378839	HILLSIDE AVE	NEWTON	1	12/27/2022	12/27/2022	Newly Identified	Repaired				-			
7378840	201 LANGLEY RD	NEWTON	1	12/27/2022	12/28/2022	Newly Identified	Repaired				-			
7378852	118 LANGLEY RD	NEWTON	1	12/28/2022	12/28/2022	Newly Identified	Repaired				-			
7378909	34 ESTY FARM RD	NEWTON	1	12/30/2022	12/31/2022	Newly Identified	Repaired				-			
7378999	1 OAK AVE	NEWTON	3	11/3/2022		Newly Identified	Pending				-			
7379000	BEACON ST	NEWTON	3	12/17/2022		Newly Identified	Pending				-			
7379010	315 HIGHLAND AVE	NEWTON	2	12/27/2022		Newly Identified	Pending				-			
7379021	9 FOREST ST	NEWTON	3	8/9/2022		Newly Identified	Pending				-			
7379022	1499 WASHINGTON ST	NEWTON	3	12/13/2022		Newly Identified	Pending				-			
7379023	HIGHLAND ST	NEWTON	3	12/18/2022		Newly Identified	Pending				-			

Table L6 Newton Leak Report Dec 31, 2023											
Detailed Quarterly Information			QUARTER 4 - 2023		Name of Operator: <i>Boston Gas Company</i>						
Leak ID (if applicable)	Location	Town/City	Grade [1, 2, 3]	Classification Date	Repair Dates (during quarter)	Carried Forward/ Newly Identified	Status at End of Quarter	Prior Grade (if change in classification)	For G3SEI Leaks		
									Survey Designation Date	Leak Extent or Barhole Reading	Method Used [Leak Extent/ Barhole]
5866391	HAMMOND ST & COLLEGE RD	NEWTON	3	12/14/2015		Carried Forward	Pending		12/5/2023	25,000	Leak Extent
7374847	1880 BEACON ST	NEWTON	3	5/2/2022	3/10/2023	Carried Forward	Repaired		5/2/2022	13,120	Leak Extent
270315	144 ELLIOT ST	NEWTON	3	9/29/2003	1/10/2023	Carried Forward	Repaired		3/25/2022	13,000	Leak Extent
7374844	1974 WASHINGTON ST	NEWTON	3	4/27/2022		Carried Forward	Pending		12/19/2023	11,016	Leak Extent
305353	312 KENDRICK ST	NEWTON	3	8/29/2007	2/8/2023	Carried Forward	Repaired		8/3/2022	9,750	Leak Extent
1065939	53 CHARLESBANK RD	NEWTON	3	8/30/2012		Carried Forward	Pending		8/31/2023	7,500	Leak Extent
7355567	7 SUNSET RD	NEWTON	3	8/19/2019	2/22/2023	Carried Forward	Repaired		4/15/2022	6,710	Leak Extent
7369309	129 DORSET RD	NEWTON	3	6/11/2021		Carried Forward	Pending		3/16/2023	6,500	Leak Extent
7326636	NORTH ST & ALBEMARLE RD	NEWTON	3	6/13/2016		Carried Forward	Pending		7/18/2023	6,400	Leak Extent
7379000	BEACON ST & OWAISA RD	NEWTON	3	12/17/2022		Carried Forward	Pending		9/26/2023	6,400	Leak Extent
7364133	121 WINDSOR RD	NEWTON	3	7/30/2020	2/14/2023	Carried Forward	Repaired		6/14/2022	6,000	Leak Extent
7375166	20 RUTHVEN RD	NEWTON	3	6/1/2022	3/1/2023	Carried Forward	Repaired		6/1/2022	5,640	Leak Extent
7354710	103 COLLINS RD	NEWTON	3	7/19/2019	3/9/2023	Carried Forward	Repaired		3/1/2023	5,280	Leak Extent
7325822	25 CORNELL ST	NEWTON	3	4/28/2016	2/9/2023	Carried Forward	Repaired		3/30/2022	5,123	Leak Extent
6592025	142 GORDON RD	NEWTON	3	9/8/2015		Carried Forward	Pending		11/7/2023	5,040	Leak Extent
270389	128 WOODWARD ST	NEWTON	3	4/27/2004		Carried Forward	Pending		7/18/2023	4,830	Leak Extent
270681	131 COUNTRY CLUB RD	NEWTON	3	8/3/2004		Carried Forward	Pending		12/5/2023	4,560	Leak Extent
5620596	832 DEDHAM ST	NEWTON	3	8/27/2015		Carried Forward	Pending		12/19/2023	4,550	Leak Extent
7364122	STONELEIGH RD & DAVIS AVE	NEWTON	3	6/29/2020	2/16/2023	Carried Forward	Repaired		4/15/2022	4,503	Leak Extent
7375100	7 AMHERST RD	NEWTON	3	4/5/2022	2/8/2023	Carried Forward	Repaired		4/5/2022	4,454	Leak Extent
7355582	284 WOODWARD ST	NEWTON	3	8/19/2019		Carried Forward	Pending		3/9/2023	4,400	Leak Extent
7356220	27 EVELYN RD	NEWTON	3	9/4/2019		Carried Forward	Pending		3/10/2023	4,200	Leak Extent
7375169	78 FARLOW RD	NEWTON	3	6/1/2022	2/7/2023	Carried Forward	Repaired		6/1/2022	4,160	Leak Extent
7383029	140 WINDERMERE RD	NEWTON	3	7/24/2023		Newly Identified	Pending		7/24/2023	4,050	Leak Extent
7337028	100 CONCORD ST	NEWTON	3	8/1/2017		Carried Forward	Pending		11/14/2023	4,025	Leak Extent
7380677	324 WINCHESTER ST	NEWTON	3	2/22/2023		Newly Identified	Pending		11/16/2023	3,875	Leak Extent
7383027	26 PARKER ST	NEWTON	3	8/2/2023		Newly Identified	Pending		8/2/2023	3,750	Leak Extent
7383508	HIGH ST & ELLIOT ST	NEWTON	3	8/14/2023		Newly Identified	Pending		8/14/2023	3,640	Leak Extent
7360536	34 BEACON ST	NEWTON	3	5/29/2020	2/21/2023	Carried Forward	Repaired		4/11/2022	3,600	Leak Extent

Table L6 Newton Leak Report Dec 31, 2023												
Detailed Quarterly Information			QUARTER 4 - 2023			Name of Operator: <i>Boston Gas Company</i>						
Leak ID (if applicable)	Location	Town/City	Grade [1, 2, 3]	Classification Date	Repair Dates (during quarter)	Carried Forward/ Newly Identified	Status at End of Quarter	Prior Grade (if change in classification)	For G3SEI Leaks			Notes/Explanations
									Survey Designation Date	Leak Extent or Barhole Reading	Method Used [Leak Extent/ Barhole]	
1363546	295 DUDLEY RD	NEWTON	3	9/19/2013		Carried Forward	Pending		12/19/2023	3,510	Leak Extent	
339664	33 TERRACE AVE	NEWTON	3	10/13/2015	11/13/2023	Carried Forward	Initiated Otherwise		11/17/2023	3,456	Leak Extent	REPAIRED UNDER OTHER LEAK REPAIR
7326197	145 HIGHLAND ST	NEWTON	3	5/11/2016		Carried Forward	Pending		6/23/2023	3,420	Leak Extent	
7374855	23 FOREST AVE	NEWTON	3	5/12/2022	2/25/2023	Carried Forward	Repaired		5/12/2022	3,420	Leak Extent	
7326619	26 PARKER ST	NEWTON	3	6/10/2016	7/18/2023	Carried Forward	Initiated Otherwise		7/18/2023	3,400	Leak Extent	NO READS
337228	DORSET RD & METACOMET R	NEWTON	3	8/19/2010		Carried Forward	Pending		11/16/2023	3,360	Leak Extent	
329877	39 HOLMAN RD	NEWTON	3	11/5/2009	2/9/2023	Carried Forward	Repaired		3/28/2022	3,201	Leak Extent	
7353513	23 HIGH ST	NEWTON	3	5/23/2019	3/9/2023	Carried Forward	Repaired		2/15/2023	3,168	Leak Extent	
7374850	145 WOODLAND RD	NEWTON	3	5/9/2022	2/10/2023	Carried Forward	Repaired		5/9/2022	3,150	Leak Extent	
7365084	DAVIS ST & HIGHLAND ST	NEWTON	3	9/23/2020	2/16/2023	Carried Forward	Repaired		7/27/2022	3,105	Leak Extent	
1282579	239 WOODLAND RD	NEWTON	3	6/28/2013		Carried Forward	Pending		3/9/2023	3,000	Leak Extent	
7374854	5 ANGIER CIR	NEWTON	3	5/11/2022		Carried Forward	Pending		12/20/2023	3,000	Leak Extent	
7378581	HAGAR ST & CONCORD ST	NEWTON	3	11/4/2022		Carried Forward	Pending		9/12/2023	2,750	Leak Extent	
7339371	110 AUSTIN ST	NEWTON	3	10/17/2017	2/15/2023	Carried Forward	Repaired		4/25/2022	2,700	Leak Extent	
7376707	200 DERBY ST	NEWTON	3	8/24/2022		Carried Forward	Pending		6/23/2023	2,550	Leak Extent	
7371382	212 CHESTNUT ST	NEWTON	3	10/9/2021		Carried Forward	Pending		6/23/2023	2,500	Leak Extent	
7375168	410 LEXINGTON ST	NEWTON	3	6/3/2022	9/28/2023	Carried Forward	Repaired		3/21/2023	2,500	Leak Extent	
7355432	65 SUFFOLK RD	NEWTON	3	7/24/2019	2/15/2023	Carried Forward	Repaired		1/22/2023	2,485	Leak Extent	
7375992	8 CLEARWATER RD	NEWTON	3	6/20/2022	2/7/2023	Carried Forward	Repaired		6/20/2022	2,420	Leak Extent	
7356438	741 SAWMILL BROOK PKY	NEWTON	3	9/26/2019		Carried Forward	Pending		4/25/2023	2,400	Leak Extent	
7375165	49 GROVE ST	NEWTON	3	5/27/2022		Carried Forward	Pending		3/21/2023	2,400	Leak Extent	
5338221	WABAN AVE & ANNawan RD	NEWTON	3	7/10/2015	2/15/2023	Carried Forward	Repaired		4/21/2022	2,250	Leak Extent	
1593092	1629 BEACON ST	NEWTON	3	2/19/2014		Carried Forward	Pending		12/19/2023	2,200	Leak Extent	
7356517	6 RESERVOIR AVE	NEWTON	3	9/12/2019	2/22/2023	Carried Forward	Repaired		4/28/2022	2,184	Leak Extent	
338429	30 ELLIS RD	NEWTON	3	10/13/2010		Carried Forward	Pending		11/17/2023	2,132	Leak Extent	
7327564	367 ALBEMARLE RD	NEWTON	3	6/24/2016	3/3/2023	Carried Forward	Initiated by Replacement		1/18/2023	2,100	Leak Extent	
7375163	303 HARTMAN RD	NEWTON	3	5/25/2022	3/6/2023	Carried Forward	Repaired		5/25/2022	2,058	Leak Extent	
7364131	28 WADE ST	NEWTON	3	7/16/2020	2/21/2023	Carried Forward	Repaired		4/21/2022	2,040	Leak Extent	

Table L6 Newton Leak Report Dec 31, 2023											
Detailed Quarterly Information			QUARTER 4 - 2023			Name of Operator: <i>Boston Gas Company</i>					
Leak ID (if applicable)	Location	Town/City	Grade [1, 2, 3]	Classification Date	Repair Dates (during quarter)	Carried Forward/ Newly Identified	Status at End of Quarter	Prior Grade (if change in classification)	For G3SEI Leaks		Notes/Explanations
									Survey Designation Date	Leak Extent or Barhole Reading	
7379849	249 CYPRESS ST	NEWTON	3	2/16/2023	Newly Identified	Pending			11/13/2023	2,025	Leak Extent
4339243	130 BEACON ST	NEWTON	3	6/4/2015	Carried Forward	Pending			12/19/2023	2,016	Leak Extent
7323097	14 ROKEBY RD	NEWTON	3	1/14/2016	Carried Forward	Pending			11/13/2023	2,000	Leak Extent
7343321	15 G ROADWAY	NEWTON	3	4/6/2018	Carried Forward	Pending			6/23/2023	2,000	Leak Extent
7325803	640 GROVE ST	NEWTON	3	4/22/2016	Carried Forward	Pending			11/14/2023	1,922	Leak Extent
7380675	MASSACHUSETTS TPKE & LOV	NEWTON	3	3/18/2023	Newly Identified	Pending			12/20/2023	1,840	Leak Extent
7354944	942 BEACON ST	NEWTON	3	9/27/2022	12/5/2023	Carried Forward	Initiated Otherwise		7/19/2023	1,820	Leak Extent
303664	12 WOODBINE ST	NEWTON	3	4/18/2014	2/15/2023	Carried Forward	Repaired		2/14/2023	1,800	Leak Extent
7336297	327 DEDHAM ST	NEWTON	3	7/12/2017	Carried Forward	Pending			11/17/2023	1,800	Leak Extent
7371042	305 COMMONWEALTH AVE	NEWTON	3	10/6/2021	Carried Forward	Pending			6/23/2023	1,800	Leak Extent
7324470	22 PURITAN RD	NEWTON	3	3/30/2016	Carried Forward	Pending			11/13/2023	1,750	Leak Extent
7374848	299 WOODLAND RD	NEWTON	3	5/6/2022	12/4/2023	Carried Forward	Repaired		3/17/2023	1,750	Leak Extent
1363304	321 HAMMOND ST	NEWTON	3	9/9/2013	Carried Forward	Pending			11/16/2023	1,739	Leak Extent
7355561	117 NORTH ST	NEWTON	3	8/19/2019	Carried Forward	Pending			12/13/2023	1,725	Leak Extent
7375162	33 OAK HILL ST	NEWTON	3	5/19/2022	Carried Forward	Pending			3/20/2023	1,680	Leak Extent
329373	320 NEEDHAM ST	NEWTON	3	10/11/2009	Carried Forward	Pending			7/18/2023	1,600	Leak Extent
7355556	205 MILL ST	NEWTON	3	8/22/2019	Carried Forward	Pending			12/13/2023	1,600	Leak Extent
7370879	983 CENTRE ST	NEWTON	3	9/8/2021	12/4/2023	Carried Forward	Repaired		6/1/2023	1,600	Leak Extent
7365115	1364 WALNUT ST	NEWTON	3	10/9/2020	Carried Forward	Pending			6/20/2023	1,584	Leak Extent
3900011	18 ALDEN ST	NEWTON	3	4/24/2015	Carried Forward	Pending			11/16/2023	1,530	Leak Extent
7378477	LOWELL AVE & WASHINGTON	NEWTON	3	12/1/2022	Carried Forward	Pending			9/15/2023	1,520	Leak Extent
7338745	67 OAKCLIFF RD	NEWTON	3	9/27/2017	Carried Forward	Pending			12/12/2023	1,500	Leak Extent
7354547	443 WOLCOTT ST	NEWTON	3	7/9/2019	Carried Forward	Pending			11/16/2023	1,500	Leak Extent
7356154	104 VINE ST	NEWTON	3	9/4/2019	12/6/2023	Carried Forward	Initiated Otherwise		3/10/2023	1,500	Leak Extent
7383021	146 ALBEMARLE RD	NEWTON	3	8/4/2023	Newly Identified	Pending			8/4/2023	1,500	Leak Extent
7325491	604 WALNUT ST	NEWTON	3	4/19/2016	Carried Forward	Pending			11/14/2023	1,452	Leak Extent
6722106	400 WARD ST	NEWTON	3	9/28/2015	6/27/2023	Carried Forward	Initiated Otherwise		2/15/2023	1,440	Leak Extent
7356372	569 SAWMILL BROOK PKY	NEWTON	3	9/25/2019	Carried Forward	Pending			4/24/2023	1,428	Leak Extent

Table L6 Newton Leak Report Dec 31, 2023											
Detailed Quarterly Information			QUARTER 4 - 2023			Name of Operator: <i>Boston Gas Company</i>					
Leak ID (if applicable)	Location	Town/City	Grade [1, 2, 3]	Classification Date	Repair Dates (during quarter)	Carried Forward/ Newly Identified	Status at End of Quarter	Prior Grade (if change in classification)	For G3SEI Leaks		
									Survey Designation Date	Leak Extent or Barhole Reading	Method Used [Leak Extent/ Barhole]
796835	11 VIRGINIA RD	NEWTON	3	2/6/2012		Carried Forward	Pending		12/19/2023	1,426	Leak Extent
7356134	105 OSBORNE PATH	NEWTON	3	9/3/2019		Carried Forward	Pending		3/9/2023	1,400	Leak Extent
332435	30 K ROADWAY	NEWTON	3	4/13/2010		Carried Forward	Pending		11/17/2023	1,395	Leak Extent
6980988	83 CARVER RD	NEWTON	3	5/28/2019		Carried Forward	Pending		11/7/2023	1,392	Leak Extent
1362684	131 WINDSOR RD	NEWTON	3	9/30/2013		Carried Forward	Pending		11/17/2023	1,363	Leak Extent
7356347	40 JANE RD	NEWTON	3	9/25/2019		Carried Forward	Pending		12/20/2023	1,360	Leak Extent
7375160	64 HILLSIDE AVE	NEWTON	3	5/17/2022		Carried Forward	Pending		3/20/2023	1,350	Leak Extent
1337088	4 GAY ST	NEWTON	3	8/20/2013		Carried Forward	Pending		11/17/2023	1,326	Leak Extent
7365119	110 WOODWARD ST	NEWTON	3	9/24/2020	3/7/2023	Carried Forward	Repaired		7/27/2022	1,232	Leak Extent
7376774	232 DERBY ST	NEWTON	3	8/24/2022		Carried Forward	Pending		6/23/2023	1,225	Leak Extent
7364130	109 CABOT ST	NEWTON	3	7/15/2020		Carried Forward	Pending		12/13/2023	1,200	Leak Extent
7365477	8 BACON RD	NEWTON	3	11/9/2020		Carried Forward	Pending		6/28/2023	1,200	Leak Extent
7325705	79 CHARLEMONT ST	NEWTON	3	4/15/2016	5/16/2023	Carried Forward	Terminated Otherwise		2/21/2023	1,188	Leak Extent
7354551	30 BERWICK RD	NEWTON	3	7/9/2019	3/6/2023	Carried Forward	Repaired		3/3/2023	1,178	Leak Extent
1337305	108 WINDSOR RD	NEWTON	3	8/21/2013		Carried Forward	Pending		4/24/2023	1,140	Leak Extent
7379850	54 DUXBURY RD	NEWTON	3	2/7/2023		Newly Identified	Pending		11/17/2023	1,140	Leak Extent
7376321	137 GARLAND RD	NEWTON	3	7/29/2022		Carried Forward	Pending		5/24/2023	1,104	Leak Extent
7375135	341 CABOT ST	NEWTON	3	5/23/2022		Carried Forward	Pending		3/20/2023	1,092	Leak Extent
7327750	OAKLAND ST & CHURCH ST	NEWTON	3	6/2/2016		Carried Forward	Pending		7/18/2023	1,073	Leak Extent
307752	176 WABAN AVE	NEWTON	3	11/7/2007		Carried Forward	Pending		7/19/2023	1,064	Leak Extent
270598	16-25 BROADLAWN DR	NEWTON	3	7/27/2004		Carried Forward	Pending		9/13/2023	1,050	Leak Extent
338734	6 SUN HILL LN	NEWTON	3	10/21/2010		Carried Forward	Pending		3/9/2023	1,050	Leak Extent
7345014	7 CURTIS ST	NEWTON	3	11/29/2018		Carried Forward	Pending		3/20/2023	1,050	Leak Extent
7375161	262 OTIS ST	NEWTON	3	5/18/2022		Carried Forward	Pending		3/20/2023	1,050	Leak Extent
7325813	32 MELVILLE AVE	NEWTON	3	4/29/2016		Carried Forward	Pending		11/14/2023	1,000	Leak Extent
7326889	89 WALTHAM ST	NEWTON	3	6/15/2016		Carried Forward	Pending		7/18/2023	1,000	Leak Extent
7365118	10 LOCKE RD	NEWTON	3	9/24/2020		Carried Forward	Pending		5/12/2023	1,000	Leak Extent
7379883	228 HIGHLAND AVE	NEWTON	3	2/28/2023		Newly Identified	Pending		11/17/2023	1,000	Leak Extent
7383501	34 BROOKSIDE AVE	NEWTON	3	8/17/2023		Newly Identified	Pending		8/17/2023	957	Leak Extent

Table L6 Newton Leak Report Dec 31, 2023											
Detailed Quarterly Information			QUARTER 4 - 2023			Name of Operator: <i>Boston Gas Company</i>					
Leak ID (if applicable)	Location	Town/City	Grade [1, 2, 3]	Classification Date	Repair Dates (during quarter)	Carried Forward/ Newly Identified	Status at End of Quarter	Prior Grade (if change in classification)	For G3SEI Leaks		
									Survey Designation Date	Leak Extent or Barhole Reading	Method Used [Leak Extent/ Barhole]
1338973	5 CHANNING RD	NEWTON	3	8/30/2013		Carried Forward	Pending		12/19/2023	945	Leak Extent
304745	4 JANET RD	NEWTON	3	8/23/2007		Carried Forward	Pending		12/13/2023	900	Leak Extent
7324254	70 OAKDALE RD	NEWTON	3	3/27/2016		Carried Forward	Pending		11/13/2023	900	Leak Extent
7336460	1746 BEACON ST	NEWTON	3	7/19/2017		Carried Forward	Pending		11/6/2023	900	Leak Extent
7376812	36 NEWELL RD	NEWTON	3	8/19/2022		Carried Forward	Pending		6/23/2023	900	Leak Extent
7379880	31 FOX HILL RD	NEWTON	3	2/18/2023		Newly Identified	Pending		11/13/2023	900	Leak Extent
7326621	116 OXFORD RD	NEWTON	3	6/10/2016		Carried Forward	Pending		7/19/2023	884	Leak Extent
7335500	35 LLEWELLYN RD	NEWTON	3	6/13/2017		Carried Forward	Pending		11/14/2023	860	Leak Extent
7353517	26 LINDEN ST	NEWTON	3	5/29/2019	2/22/2023	Carried Forward	Repaired		2/14/2023	840	Leak Extent
7379274	1607 CENTRE ST	NEWTON	3	12/28/2022		Carried Forward	Pending		9/26/2023	832	Leak Extent
7379917	1010 BOYLSTON ST	NEWTON	3	2/15/2023		Newly Identified	Pending		11/28/2023	825	Leak Extent
427378	692 COMMONWEALTH AVE	NEWTON	3	10/7/2011		Carried Forward	Pending		11/16/2023	816	Leak Extent
7327022	74 HOMESTEAD ST	NEWTON	3	6/27/2016		Carried Forward	Pending		5/15/2023	800	Leak Extent
7365406	48 PRINCE ST	NEWTON	3	12/19/2020		Carried Forward	Pending		6/28/2023	800	Leak Extent
7371859	214 BEACON ST	NEWTON	3	11/10/2021		Carried Forward	Pending		7/18/2023	800	Leak Extent
7375167	275 WAVERLY AVE	NEWTON	3	6/2/2022	9/28/2023	Carried Forward by Replacement	Pending		3/21/2023	800	Leak Extent
7376041	14 HOMESTEAD ST	NEWTON	3	7/13/2022		Carried Forward	Pending		5/16/2023	800	Leak Extent
270745	WALNUT ST & BACON RD	NEWTON	3	8/6/2004		Carried Forward	Pending		11/6/2023	750	Leak Extent
304327	ALBEMARLE RD & WATERTOW	NEWTON	3	8/15/2007		Carried Forward	Pending		9/13/2023	750	Leak Extent
839499	220 WOODWARD ST	NEWTON	3	6/29/2016		Carried Forward	Pending		11/14/2023	750	Leak Extent
7353121	95 PINE GROVE AVE	NEWTON	3	5/8/2019		Carried Forward	Pending		11/16/2023	750	Leak Extent
7355549	200 COTTON ST	NEWTON	3	8/22/2019		Carried Forward	Pending		12/13/2023	750	Leak Extent
7379082	9 NARDELL RD	NEWTON	3	1/5/2023		Newly Identified	Pending		11/7/2023	750	Leak Extent
7379847	1818 BEACON ST	NEWTON	3	2/13/2023		Newly Identified	Pending		11/8/2023	750	Leak Extent
7354555	11 OWAISA RD	NEWTON	3	6/10/2019		Carried Forward	Pending		11/14/2023	738	Leak Extent
7373593	BOYLSTON ST (POLE 61) & HU	NEWTON	3	2/22/2022		Carried Forward	Pending		11/28/2023	720	Leak Extent
596669	90 ROWENA RD	NEWTON	3	11/28/2011	6/20/2023	Carried Forward by Replacement	Pending		1/18/2023	700	Leak Extent
6625370	27 CAMDEN RD	NEWTON	3	9/22/2015		Carried Forward	Pending		11/14/2023	700	Leak Extent
7327021	20 HOLDEN RD	NEWTON	3	6/28/2016		Carried Forward	Pending		9/13/2023	700	Leak Extent

Table L6 Newton Leak Report Dec 31, 2023											
Detailed Quarterly Information			QUARTER 4 - 2023			Name of Operator: <i>Boston Gas Company</i>					
Leak ID (if applicable)	Location	Town/City	Grade [1, 2, 3]	Classification Date	Repair Dates (during quarter)	Carried Forward/ Newly Identified	Status at End of Quarter	Prior Grade (if change in classification)	For G3SEI Leaks		
									Survey Designation Date	Leak Extent or Barhole Reading	Method Used [Leak Extent/ Barhole]
7354554	81 CHURCH ST	NEWTON	3	7/9/2019		Carried Forward	Pending		11/9/2023	700	Leak Extent
7335226	26 PAGE RD	NEWTON	3	5/31/2017	7/18/2023	Carried Forward by Replacement	Pending		10/7/2022	680	Leak Extent
7349163	CYPRESS ST & PARKER ST	NEWTON	3	11/15/2018		Carried Forward	Pending		4/24/2023	672	Leak Extent
7353118	207 AUBURN ST	NEWTON	3	5/17/2019		Carried Forward	Pending		11/16/2023	660	Leak Extent
7375099	750 COMMONWEALTH AVE	NEWTON	3	4/26/2022		Carried Forward	Pending		3/13/2023	640	Leak Extent
230055	1046 CHESTNUT ST	NEWTON	3	10/24/2017		Carried Forward	Pending		12/19/2023	630	Leak Extent
7354890	33 THE LEDGES RD	NEWTON	3	7/24/2019		Carried Forward	Pending		11/9/2023	625	Leak Extent
284375	59 WACHUSSETT RD	NEWTON	3	1/25/2006		Carried Forward	Pending		11/8/2023	600	Leak Extent
1286057	26 HOLMAN RD	NEWTON	3	6/12/2013		Carried Forward	Pending		11/7/2023	600	Leak Extent
7347782	2044 BEACON ST	NEWTON	3	9/23/2018		Carried Forward	Pending		5/12/2023	600	Leak Extent
7353084	3 AUSTIN ST	NEWTON	3	5/15/2019		Carried Forward	Pending		11/6/2023	600	Leak Extent
7354697	72 ALGONQUIN RD	NEWTON	3	7/16/2019	10/17/2023	Carried Forward	Repaired		3/3/2023	600	Leak Extent
7355431	1928 COMMONWEALTH AVE	NEWTON	3	8/5/2019		Carried Forward	Pending		12/13/2023	600	Leak Extent
7355559	96 NORTH ST	NEWTON	3	8/19/2019		Carried Forward	Pending		12/13/2023	600	Leak Extent
7355977	173 HIGHLAND ST	NEWTON	3	12/8/2020		Carried Forward	Pending		6/28/2023	600	Leak Extent
7356426	5 NIGHTINGALE PATH	NEWTON	3	9/26/2019	11/30/2023	Carried Forward	Repaired		4/25/2023	600	Leak Extent
7364831	5 PHILBRICK RD	NEWTON	3	8/17/2020		Carried Forward	Pending		5/4/2023	600	Leak Extent
7378589	242 LEXINGTON ST	NEWTON	3	11/23/2022		Carried Forward	Pending		10/17/2023	600	Leak Extent
7326638	89 WINDSOR RD	NEWTON	3	6/10/2016		Carried Forward	Pending		7/19/2023	580	Leak Extent
7356355	146 HAMMOND ST	NEWTON	3	9/25/2019		Carried Forward	Pending		3/20/2023	570	Leak Extent
7353516	43 HIGH ST	NEWTON	3	5/23/2019	3/16/2023	Carried Forward	Repaired		2/15/2023	560	Leak Extent
7356225	105 HANSON RD	NEWTON	3	9/5/2019		Carried Forward	Pending		12/19/2023	528	Leak Extent
304719	94 MARY ELLEN RD	NEWTON	3	8/29/2007	5/1/2023	Carried Forward by Replacement	Pending		7/26/2022	525	Leak Extent
7379918	1088 BOYLSTON ST	NEWTON	3	2/15/2023		Newly Identified	Pending		11/28/2023	525	Leak Extent
155801	KENDALL RD & WALNUT HILL	NEWTON	3	7/23/1999		Carried Forward	Pending		11/8/2023	500	Leak Extent
258065	122 WARD ST	NEWTON	3	1/22/2004		Carried Forward	Pending		11/14/2023	500	Leak Extent
307615	24 CENTRAL AVE	NEWTON	3	9/10/2007		Carried Forward	Pending		11/13/2023	500	Leak Extent
329823	41 BERKELEY ST	NEWTON	3	12/4/2009		Carried Forward	Pending		9/12/2023	500	Leak Extent
1283461	21 WALNUT ST	NEWTON	3	9/29/2014		Carried Forward	Pending		9/13/2023	500	Leak Extent

Table L6 Newton Leak Report Dec 31, 2023											
Detailed Quarterly Information			QUARTER 4 - 2023			Name of Operator: <i>Boston Gas Company</i>					
Leak ID (if applicable)	Location	Town/City	Grade [1, 2, 3]	Classification Date	Repair Dates (during quarter)	Carried Forward/ Newly Identified	Status at End of Quarter	Prior Grade (if change in classification)	For G3SEI Leaks		
									Survey Designation Date	Leak Extent or Barhole Reading	Method Used [Leak Extent/ Barhole]
1338980	66 COMMONWEALTH PIKE W	NEWTON	3	8/29/2013		Carried Forward	Pending		9/12/2023	500	Leak Extent
7332282	NONANTUM RD & CHARLESB	NEWTON	3	2/1/2017		Carried Forward	Pending		5/12/2023	500	Leak Extent
7336456	12 BERTRAND RD	NEWTON	3	7/18/2017		Carried Forward	Pending		11/6/2023	500	Leak Extent
7337016	214 CONCORD ST	NEWTON	3	8/1/2017		Carried Forward	Pending		11/14/2023	500	Leak Extent
7341653	457 WASHINGTON ST	NEWTON	3	1/28/2018		Carried Forward	Pending		5/12/2023	500	Leak Extent
7342376	3 DANIEL ST	NEWTON	3	3/6/2018		Carried Forward	Pending		6/7/2023	500	Leak Extent
7345717	85 COMMONWEALTH AVE	NEWTON	3	7/14/2018		Carried Forward	Pending		5/11/2023	500	Leak Extent
7353522	8 WETHERELL ST	NEWTON	3	5/5/2019		Carried Forward	Pending		9/12/2023	500	Leak Extent
7354542	190 TEMPLE ST	NEWTON	3	7/11/2019		Carried Forward	Pending		11/17/2023	500	Leak Extent
7354716	16 KENYON ST	NEWTON	3	7/19/2019		Carried Forward	Pending		11/16/2023	500	Leak Extent
7356420	24 OROURKE PATH	NEWTON	3	9/26/2019		Carried Forward	Pending		5/11/2023	500	Leak Extent
7371044	178 PRINCE ST	NEWTON	3	9/27/2021		Carried Forward	Pending		7/11/2023	500	Leak Extent
7376315	1013 BEACON ST	NEWTON	3	7/18/2022		Carried Forward	Pending		5/11/2023	500	Leak Extent
7376813	32 NOBLE ST	NEWTON	3	8/24/2022		Carried Forward	Pending		6/26/2023	500	Leak Extent
7379545	105 ANNAWAN RD	NEWTON	3	1/19/2023		Newly Identified	Pending		11/13/2023	500	Leak Extent
304662	19 FENWICK RD	NEWTON	3	9/12/2007		Carried Forward	Pending		11/16/2023	480	Leak Extent
7326329	121 DICKERMAN RD	NEWTON	3	6/1/2016		Carried Forward	Pending		7/19/2023	480	Leak Extent
7355236	98 LEXINGTON ST	NEWTON	3	8/5/2019	3/9/2023	Carried Forward	Repaired		3/7/2023	480	Leak Extent
42571	1418 COMMONWEALTH AV	NEWTON	3	7/7/1995		Carried Forward	Pending		3/9/2023	450	Leak Extent
263170	207 WALTHAM ST	NEWTON	3	10/13/2004		Carried Forward	Pending		3/10/2023	450	Leak Extent
271180	63 AVONDALE RD	NEWTON	3	2/1/2005		Carried Forward	Pending		11/8/2023	450	Leak Extent
1206963	41 BRUSH HILL RD	NEWTON	3	4/25/2013		Carried Forward	Pending		11/13/2023	450	Leak Extent
7326999	169 FULLER ST	NEWTON	3	6/23/2016		Carried Forward	Pending		7/31/2023	450	Leak Extent
7335809	1319 CENTRE ST	NEWTON	3	6/23/2017		Carried Forward	Pending		11/6/2023	450	Leak Extent
7353115	150 WOODLAND RD	NEWTON	3	5/8/2019		Carried Forward	Pending		11/16/2023	450	Leak Extent
7356361	52 G ROADWAY	NEWTON	3	9/25/2019		Carried Forward	Pending		3/21/2023	450	Leak Extent
7378586	8 EARLY PATH	NEWTON	3	11/15/2022		Carried Forward	Pending		10/17/2023	450	Leak Extent
7379271	255 BOYLSTON ST	NEWTON	3	1/6/2023		Newly Identified	Pending		11/9/2023	450	Leak Extent
4788513	22 AUBURN ST	NEWTON	3	7/9/2015		Carried Forward	Pending		7/18/2023	435	Leak Extent

Table L6 Newton Leak Report Dec 31, 2023											
Detailed Quarterly Information			QUARTER 4 - 2023			Name of Operator: <i>Boston Gas Company</i>					
Leak ID (if applicable)	Location	Town/City	Grade [1, 2, 3]	Classification Date	Repair Dates (during quarter)	Carried Forward/ Newly Identified	Status at End of Quarter	Prior Grade (if change in classification)	For G3SEI Leaks		
									Survey Designation Date	Leak Extent or Barhole Reading	Method Used [Leak Extent/ Barhole]
7379022	1499 WASHINGTON ST	NEWTON	3	12/13/2022		Carried Forward	Pending		9/26/2023	420	Leak Extent
839999	115 ELLIOT ST	NEWTON	3	3/23/2012		Carried Forward	Pending		11/17/2023	410	Leak Extent
338427	65 ELINOR RD	NEWTON	3	10/9/2010		Carried Forward	Pending		12/19/2023	407	Leak Extent
42479	52 SEWALL ST	NEWTON	3	10/22/1990		Carried Forward	Pending		11/6/2023	400	Leak Extent
303660	43 WALNUT ST	NEWTON	3	11/18/2014		Carried Forward	Pending		11/8/2023	400	Leak Extent
304766	6 SUMNER ST	NEWTON	3	8/28/2007		Carried Forward	Pending		11/16/2023	400	Leak Extent
337057	327 CHERRY ST	NEWTON	3	12/2/2020		Carried Forward	Pending		6/26/2023	400	Leak Extent
854114	712 SAWMILL BROOK PKY	NEWTON	3	4/24/2012		Carried Forward	Pending		11/13/2023	400	Leak Extent
1217681	206 CONCORD ST	NEWTON	3	5/6/2013		Carried Forward	Pending		11/13/2023	400	Leak Extent
1338964	15 PHEASANT RD	NEWTON	3	9/3/2013	2/10/2023	Carried Forward	Repaired		1/27/2023	400	Leak Extent
1363313	110 CEDAR ST	NEWTON	3	9/10/2013		Carried Forward	Pending		12/12/2023	400	Leak Extent
7324469	16 SOMERSET RD	NEWTON	3	4/1/2016		Carried Forward	Pending		11/13/2023	400	Leak Extent
7327002	1395 COMMONWEALTH AVE	NEWTON	3	6/23/2016		Carried Forward	Pending		7/31/2023	400	Leak Extent
7336530	6 SAMOSET RD	NEWTON	3	7/21/2017		Carried Forward	Pending		11/16/2023	400	Leak Extent
7353088	238 DORSET RD	NEWTON	3	5/6/2019		Carried Forward	Pending		11/13/2023	400	Leak Extent
7354553	7 BUSWELL PIKE	NEWTON	3	7/9/2019		Carried Forward	Pending		11/9/2023	400	Leak Extent
7354698	559 CENTRE ST	NEWTON	3	7/16/2019		Carried Forward	Pending		11/17/2023	400	Leak Extent
7356850	HIGHLAND ST & DAVIS ST	NEWTON	3	10/15/2019		Carried Forward	Pending		5/16/2023	400	Leak Extent
7364115	33 WARREN RD	NEWTON	3	5/24/2020		Carried Forward	Pending		11/17/2023	400	Leak Extent
7371866	1292 WALNUT ST	NEWTON	3	11/9/2021		Carried Forward	Pending		7/12/2023	400	Leak Extent
7376811	195 MORTON ST	NEWTON	3	8/26/2022		Carried Forward	Pending		6/28/2023	400	Leak Extent
7376816	45 SHERIDAN ST	NEWTON	3	8/18/2022		Carried Forward	Pending		6/22/2023	400	Leak Extent
7379290	25 OLD ENGLAND RD	NEWTON	3	1/4/2023		Newly Identified	Pending		11/7/2023	400	Leak Extent
270388	50 DORSET RD	NEWTON	3	4/29/2004		Carried Forward	Pending		11/13/2023	375	Leak Extent
302760	60 WHITE OAK RD	NEWTON	3	7/13/2007		Carried Forward	Pending		7/31/2023	375	Leak Extent
7341496	COMMONWEALTH AVE & AVE A	NEWTON	3	1/12/2018		Carried Forward	Pending		5/12/2023	375	Leak Extent
7348312	393 LOWELL AVE	NEWTON	3	10/13/2018		Carried Forward	Pending		5/11/2023	375	Leak Extent
7348728	283 MELROSE ST	NEWTON	3	6/29/2018		Carried Forward	Pending		5/11/2023	375	Leak Extent
7365082	35 WHITTIER RD	NEWTON	3	9/1/2020		Carried Forward	Pending		5/11/2023	375	Leak Extent

Table L6 Newton Leak Report Dec 31, 2023											
Detailed Quarterly Information			QUARTER 4 - 2023			Name of Operator: <i>Boston Gas Company</i>					
Leak ID (if applicable)	Location	Town/City	Grade [1, 2, 3]	Classification Date	Repair Dates (during quarter)	Carried Forward/ Newly Identified	Status at End of Quarter	Prior Grade (if change in classification)	For G3SEI Leaks		
									Survey Designation Date	Leak Extent or Barhole Reading	Method Used [Leak Extent/ Barhole]
7368736	1330 BOYLSTON ST	NEWTON	3	5/15/2021		Carried Forward	Pending		12/12/2023	375	Leak Extent
7377629	39 MASON RD	NEWTON	3	9/13/2022	10/5/2023	Carried Forward	Completed Otherwise		7/12/2023	375	Leak Extent
7378202	904 BOYLSTON ST	NEWTON	3	11/16/2022		Carried Forward	Pending		9/15/2023	375	Leak Extent
7378650	NONANTUM RD & MAPLE ST	NEWTON	3	11/7/2022		Carried Forward	Pending		10/17/2023	375	Leak Extent
7379461	184 WINDSOR RD	NEWTON	3	1/10/2023		Newly Identified	Pending		11/7/2023	375	Leak Extent
230386	LANGDON ST & BELLEVUE ST	NEWTON	3	2/26/2002		Carried Forward	Pending		11/8/2023	312	Leak Extent
294276	64 PUTNAM ST	NEWTON	3	9/25/2006		Carried Forward	Pending		11/7/2023	300	Leak Extent
296483	10 LANGLEY RD	NEWTON	3	12/7/2006		Carried Forward	Pending		11/6/2023	300	Leak Extent
303110	40 CENTRAL TER	NEWTON	3	7/3/2007		Carried Forward	Pending		6/26/2023	300	Leak Extent
303666	78 WOODBINE ST	NEWTON	3	8/1/2007		Carried Forward	Pending		11/8/2023	300	Leak Extent
305519	50 CHESTNUT HILL RD	NEWTON	3	8/23/2007		Carried Forward	Pending		11/16/2023	300	Leak Extent
307614	499 CRAFTS ST	NEWTON	3	9/4/2007		Carried Forward	Pending		11/9/2023	300	Leak Extent
329984	216 WINSLOW RD	NEWTON	3	11/30/2009		Carried Forward	Pending		3/20/2023	300	Leak Extent
949724	8 HAMMOND ST	NEWTON	3	8/1/2012		Carried Forward	Pending		11/13/2023	300	Leak Extent
1230002	WALNUT ST & LAKWOOD RD	NEWTON	3	5/17/2013		Carried Forward	Pending		3/21/2023	300	Leak Extent
1338217	102 RIDGE AVE	NEWTON	3	8/20/2013		Carried Forward	Pending		3/9/2023	300	Leak Extent
1362600	45 PARK LN	NEWTON	3	9/25/2013		Carried Forward	Pending		5/4/2023	300	Leak Extent
7324253	15 JACKSON ST	NEWTON	3	3/23/2016		Carried Forward	Pending		11/13/2023	300	Leak Extent
7325718	8 WHITE OAK RD	NEWTON	3	5/10/2016		Carried Forward	Pending		6/7/2023	300	Leak Extent
7336302	42 ANNAWAN RD	NEWTON	3	7/1/2017		Carried Forward	Pending		11/6/2023	300	Leak Extent
7348310	95 DORSET RD	NEWTON	3	10/11/2018		Carried Forward	Pending		5/11/2023	300	Leak Extent
7354147	9 HIGH ST	NEWTON	3	6/27/2019		Carried Forward	Pending		11/16/2023	300	Leak Extent
7354252	2 KINGSTON RD	NEWTON	3	6/27/2019		Carried Forward	Pending		11/16/2023	300	Leak Extent
7354537	10 DAY ST	NEWTON	3	7/15/2019		Carried Forward	Pending		11/17/2023	300	Leak Extent
7355545	11 ANTONELLIS CIR	NEWTON	3	8/22/2019		Carried Forward	Pending		12/13/2023	300	Leak Extent
7355564	51 SHERBROOKE RD	NEWTON	3	8/21/2019		Carried Forward	Pending		12/13/2023	300	Leak Extent
7356211	84 RACHEL RD	NEWTON	3	9/5/2019		Carried Forward	Pending		3/20/2023	300	Leak Extent
7356212	500 DEDHAM ST	NEWTON	3	9/5/2019		Carried Forward	Pending		3/10/2023	300	Leak Extent

Table L6 Newton Leak Report Dec 31, 2023											
Detailed Quarterly Information			QUARTER 4 - 2023		Name of Operator: <i>Boston Gas Company</i>						
Leak ID (if applicable)	Location	Town/City	Grade [1, 2, 3]	Classification Date	Repair Dates (during quarter)	Carried Forward/ Newly Identified	Status at End of Quarter	Prior Grade (if change in classification)	For G3SEI Leaks		
									Survey Designation Date	Leak Extent or Barhole Reading	Method Used [Leak Extent/ Barhole]
7356428	37 TRUMAN RD	NEWTON	3	9/26/2019	Carried Forward	Pending			4/25/2023	300	Leak Extent
7358412	LOS ANGELES ST & CALIFORNIA ST	NEWTON	3	12/26/2019	Carried Forward	Pending			6/1/2023	300	Leak Extent
7364120	43 SHERBROOKE RD	NEWTON	3	6/15/2020	Carried Forward	Pending			11/17/2023	300	Leak Extent
7364450	60 FAIRLEE RD	NEWTON	3	8/26/2020	Carried Forward	Pending			5/16/2023	300	Leak Extent
7365526	36 METACOMET RD	NEWTON	3	11/20/2020	Carried Forward	Pending			6/28/2023	300	Leak Extent
7369056	935 WASHINGTON ST	NEWTON	3	9/8/2021	Carried Forward	Pending			6/1/2023	300	Leak Extent
7369059	415 LOWELL AVE	NEWTON	3	8/8/2021	Carried Forward	Pending			5/16/2023	300	Leak Extent
7371864	465 CENTRE ST	NEWTON	3	10/23/2021	Carried Forward	Pending			7/11/2023	300	Leak Extent
7371865	4 RANDOLPH ST	NEWTON	3	11/9/2021	Carried Forward	Pending			7/12/2023	300	Leak Extent
7375136	15 ELMWOOD PIKE	NEWTON	3	5/24/2022	Carried Forward	Pending			3/20/2023	300	Leak Extent
7375986	11 EDGE HILL RD	NEWTON	3	5/23/2022	Carried Forward	Pending			3/20/2023	300	Leak Extent
7376632	227 CHERRY ST	NEWTON	3	8/25/2022	Carried Forward	Pending			6/28/2023	300	Leak Extent
7378750	116 LEXINGTON ST	NEWTON	3	11/8/2022	Carried Forward	Pending			9/12/2023	300	Leak Extent
7379295	416 NEWTONVILLE AVE	NEWTON	3	1/9/2023	Newly Identified	Pending			11/7/2023	300	Leak Extent
7383022	74 BRIDGE ST	NEWTON	3	8/3/2023	Newly Identified	Pending			8/3/2023	300	Leak Extent
7370900	11 CLOVELLY RD	NEWTON	3	9/20/2021	Carried Forward	Pending			6/20/2023	264	Leak Extent
303659	470 CALIFORNIA ST	NEWTON	3	8/3/2007	Carried Forward	Pending			3/10/2023	250	Leak Extent
304862	30 PEARL ST	NEWTON	3	8/14/2007	Carried Forward	Pending			11/13/2023	250	Leak Extent
4497451	60 HIGHLAND AVE	NEWTON	3	3/4/2015	Carried Forward	Pending			12/12/2023	250	Leak Extent
7325992	269 JACKSON ST	NEWTON	3	5/12/2016	Carried Forward	Pending			6/22/2023	250	Leak Extent
7325996	1 NONANTUM ST	NEWTON	3	5/10/2016	Carried Forward	Pending			7/11/2023	250	Leak Extent
7326997	21 LAUDHOLM RD	NEWTON	3	6/17/2016	Carried Forward	Pending			7/31/2023	250	Leak Extent
7348100	63 OAKDALE RD	NEWTON	3	10/12/2018	Carried Forward	Pending			5/11/2023	250	Leak Extent
7353089	65 GROVE ST	NEWTON	3	5/8/2019	Carried Forward	Pending			11/13/2023	250	Leak Extent
7354263	1932 COMMONWEALTH AVE	NEWTON	3	6/24/2019	Carried Forward	Pending			11/16/2023	250	Leak Extent
7354709	20 CLAREMONT ST	NEWTON	3	7/16/2019	Carried Forward	Pending			11/17/2023	250	Leak Extent
7354711	86 COMMONWEALTH AVE	NEWTON	3	7/16/2019	Carried Forward	Pending			11/17/2023	250	Leak Extent
7355422	1466 COMMONWEALTH AVE	NEWTON	3	7/24/2019	Carried Forward	Pending			11/16/2023	250	Leak Extent
7356362	29 F ROADWAY	NEWTON	3	9/25/2019	Carried Forward	Pending			3/21/2023	250	Leak Extent

Table L6 Newton Leak Report Dec 31, 2023											
Detailed Quarterly Information			QUARTER 4 - 2023			Name of Operator: <i>Boston Gas Company</i>					
Leak ID (if applicable)	Location	Town/City	Grade [1, 2, 3]	Classification Date	Repair Dates (during quarter)	Carried Forward/ Newly Identified	Status at End of Quarter	Prior Grade (if change in classification)	For G3SEI Leaks		
									Survey Designation Date	Leak Extent or Barhole Reading	Method Used [Leak Extent/ Barhole]
7356450	10 SPIERS RD	NEWTON	3	9/27/2019		Carried Forward	Pending		5/4/2023	250	Leak Extent
7356852	WATERTOWN ST & CRAFTS ST	NEWTON	3	10/15/2019		Carried Forward	Pending		6/28/2023	250	Leak Extent
7376814	222 PLEASANT ST	NEWTON	3	8/25/2022		Carried Forward	Pending		6/29/2023	250	Leak Extent
7377631	364 WOODWARD ST	NEWTON	3	9/12/2022		Carried Forward	Pending		7/12/2023	250	Leak Extent
7379240	494 WATERTOWN ST	NEWTON	3	1/4/2023		Newly Identified	Pending		11/7/2023	250	Leak Extent
7379277	234 CENTRAL ST	NEWTON	3	1/9/2023		Newly Identified	Pending		11/7/2023	250	Leak Extent
7379456	34 WARE RD	NEWTON	3	2/1/2023		Newly Identified	Pending		11/16/2023	250	Leak Extent
7381198	899 WALNUT ST	NEWTON	3	11/14/2023		Newly Identified	Pending	2	11/14/2023	250	Leak Extent
335508	15 ROTHERWOOD RD	NEWTON	3	7/10/2010		Carried Forward	Pending		7/18/2023	225	Leak Extent
7355430	32 SMITH AVE	NEWTON	3	7/25/2019		Carried Forward	Pending		12/12/2023	225	Leak Extent
7355668	34 BROADLAWN DR	NEWTON	3	8/23/2019		Carried Forward	Pending		12/14/2023	225	Leak Extent
7373592	11 ASHCROFT RD	NEWTON	3	2/22/2022		Carried Forward	Pending		11/15/2023	225	Leak Extent
7374857	265 OTIS ST	NEWTON	3	5/15/2022		Carried Forward	Pending		12/20/2023	220	Leak Extent
121969	CRAFTS ST & FESSENDEN RD	NEWTON	3	4/8/1998		Carried Forward	Pending		11/16/2023	200	Leak Extent
270655	100 SUFFOLK RD	NEWTON	3	8/19/2004		Carried Forward	Pending		5/12/2023	200	Leak Extent
278687	HAMMOND ST & MIDDLESEX	NEWTON	3	8/8/2005		Carried Forward	Pending		11/8/2023	200	Leak Extent
305355	36 MAGNOLIA AVE	NEWTON	3	8/29/2007		Carried Forward	Pending		11/7/2023	200	Leak Extent
329904	25 MORSE RD	NEWTON	3	12/8/2009		Carried Forward	Pending		11/15/2023	200	Leak Extent
336992	881 DEDHAM ST	NEWTON	3	9/1/2010		Carried Forward	Pending		11/13/2023	200	Leak Extent
343469	PARKER ST & BOYLSTON ST	NEWTON	3	2/1/2011		Carried Forward	Pending		6/1/2023	200	Leak Extent
1230260	62 OLDEFIELD RD	NEWTON	3	5/7/2013		Carried Forward	Pending		11/14/2023	200	Leak Extent
1363357	647 COMMONWEALTH AVE	NEWTON	3	9/12/2013		Carried Forward	Pending		9/12/2023	200	Leak Extent
4788254	8 CENTRAL AVE	NEWTON	3	7/10/2015		Carried Forward	Pending		5/11/2023	200	Leak Extent
6591350	22 OLDEFIELD RD	NEWTON	3	9/12/2015		Carried Forward	Pending		11/28/2023	200	Leak Extent
6624524	14 SAMOSET RD	NEWTON	3	9/21/2015		Carried Forward	Pending		5/15/2023	200	Leak Extent
7325430	9 KIRKSTALL RD	NEWTON	3	4/20/2016		Carried Forward	Pending		11/13/2023	200	Leak Extent
7325711	5 AGAWAM RD	NEWTON	3	5/10/2016		Carried Forward	Pending		12/12/2023	200	Leak Extent
7327326	91 ARNOLD RD	NEWTON	3	7/8/2016	11/8/2023	Carried Forward	Inated Otherwise		1/27/2023	200	Leak Extent
											REPAIRED UNDER OTHER LEAK REPAIR

Table L6 Newton Leak Report Dec 31, 2023											
Detailed Quarterly Information			QUARTER 4 - 2023			Name of Operator: <i>Boston Gas Company</i>					
Leak ID (if applicable)	Location	Town/City	Grade [1, 2, 3]	Classification Date	Repair Dates (during quarter)	Carried Forward/ Newly Identified	Status at End of Quarter	Prior Grade (if change in classification)	For G3SEI Leaks		
									Survey Designation Date	Leak Extent or Barhole Reading	Method Used [Leak Extent/ Barhole]
7327702	111 HOBART RD	NEWTON	3	7/7/2016	Carried Forward	Pending			11/6/2023	200	Leak Extent
7353086	43 CENTRAL ST	NEWTON	3	5/8/2019	Carried Forward	Pending			11/13/2023	200	Leak Extent
7353577	73 DEDHAM ST	NEWTON	3	5/24/2019	Carried Forward	Pending			11/8/2023	200	Leak Extent
7354712	31 DEVONSHIRE RD	NEWTON	3	7/19/2019	Carried Forward	Pending			11/17/2023	200	Leak Extent
7361466	109 PRINCE ST	NEWTON	3	6/9/2020	Carried Forward	Pending			11/9/2023	200	Leak Extent
7365408	NORTH ST & ALBEMARLE RD	NEWTON	3	10/28/2020	Carried Forward	Pending			6/20/2023	200	Leak Extent
7370901	38 BARNSTABLE RD	NEWTON	3	9/24/2021	Carried Forward	Pending			6/22/2023	200	Leak Extent
7372371	28 MOODY ST	NEWTON	3	12/3/2021	Carried Forward	Pending			7/31/2023	200	Leak Extent
7374831	75 ELMHURST RD	NEWTON	3	4/5/2022	Carried Forward	Pending			11/17/2023	200	Leak Extent
7376827	120 CORNELL ST	NEWTON	3	4/5/2022	Carried Forward	Pending			11/17/2023	200	Leak Extent
7378677	138 LEXINGTON ST	NEWTON	3	11/8/2022	Carried Forward	Pending			9/12/2023	200	Leak Extent
7379906	35 KELVEDEN RD	NEWTON	3	3/1/2023	Newly Identified	Pending			11/9/2023	200	Leak Extent
7379276	10 MOODY ST	NEWTON	3	12/22/2022	Carried Forward	Pending			9/26/2023	192	Leak Extent
7339913	58 AUBURN ST	NEWTON	3	11/15/2017	Carried Forward	Pending			12/20/2023	180	Leak Extent
6722656	69 PRINCE ST	NEWTON	3	9/29/2015	Carried Forward	Pending			11/13/2023	170	Leak Extent
1237078	94 DEVONSHIRE RD	NEWTON	3	10/9/2015	Carried Forward	Pending			3/16/2023	168	Leak Extent
7338634	6 VAUGHAN AVE	NEWTON	3	9/9/2017	Carried Forward	Pending			4/24/2023	160	Leak Extent
7354257	254 WEBSTER ST	NEWTON	3	12/31/2019	Carried Forward	Pending			6/20/2023	160	Leak Extent
7375133	46 BEMIS ST	NEWTON	3	5/17/2022	Carried Forward	Pending			12/20/2023	160	Leak Extent
7375988	146 INTERVALE RD	NEWTON	3	6/16/2022	Carried Forward	Pending			4/24/2023	160	Leak Extent
230384	41 LAKEVIEW AV	NEWTON	3	8/7/2000	Carried Forward	Pending			5/15/2023	150	Leak Extent
258085	WABAN AV & VARICK RD	NEWTON	3	2/24/2004	Carried Forward	Pending			11/8/2023	150	Leak Extent
270381	55 WINDSOR RD	NEWTON	3	4/29/2004	Carried Forward	Pending			11/8/2023	150	Leak Extent
303661	315 CRAFTS ST	NEWTON	3	8/6/2007	Carried Forward	Pending			11/16/2023	150	Leak Extent
2349834	109 ALLERTON RD	NEWTON	3	12/26/2014	Carried Forward	Pending			11/15/2023	150	Leak Extent
3093950	43 SEWALL ST	NEWTON	3	2/9/2015	Carried Forward	Pending			5/16/2023	150	Leak Extent
7322014	83 DEVONSHIRE RD	NEWTON	3	12/8/2015	Carried Forward	Pending			11/9/2023	150	Leak Extent
7330385	75 SUMNER ST	NEWTON	3	11/16/2016	Carried Forward	Pending			5/15/2023	150	Leak Extent
7340358	246 BEACON ST	NEWTON	3	12/12/2017	Carried Forward	Pending			5/11/2023	150	Leak Extent

Table L6 Newton Leak Report Dec 31, 2023											
Detailed Quarterly Information			QUARTER 4 - 2023			Name of Operator: <i>Boston Gas Company</i>					
Leak ID (if applicable)	Location	Town/City	Grade [1, 2, 3]	Classification Date	Repair Dates (during quarter)	Carried Forward/ Newly Identified	Status at End of Quarter	Prior Grade (if change in classification)	For G3SEI Leaks		Notes/Explanations
									Survey Designation Date	Leak Extent or Barhole Reading	
7350513	15 OAK ST	NEWTON	3	2/1/2019	Carried Forward	Pending			6/1/2023	150	Leak Extent
7353083	1830 COMMONWEALTH AVE	NEWTON	3	5/13/2019	Carried Forward	Pending			11/14/2023	150	Leak Extent
7355552	8 EXMOOR RD	NEWTON	3	8/21/2019	Carried Forward	Pending			12/13/2023	150	Leak Extent
7356210	15 LEEWOOD RD	NEWTON	3	9/5/2019	Carried Forward	Pending			12/20/2023	150	Leak Extent
7356357	12 WACHUSSETT RD	NEWTON	3	9/25/2019	Carried Forward	Pending			3/21/2023	150	Leak Extent
7357654	143 RIVER ST	NEWTON	3	10/16/2019	Carried Forward	Pending			5/16/2023	150	Leak Extent
7375989	38 VERNDALE RD	NEWTON	3	6/17/2022	Carried Forward	Pending			4/25/2023	150	Leak Extent
7376323	4 GRAY CLIFF RD	NEWTON	3	7/24/2022	Carried Forward	Pending			5/12/2023	150	Leak Extent
7376829	126 EASTBOURNE RD	NEWTON	3	4/12/2022	Carried Forward	Pending			12/12/2023	150	Leak Extent
7379278	280 CENTRAL ST	NEWTON	3	1/9/2023	Newly Identified	Pending			11/7/2023	150	Leak Extent
347021	160 COMMONWEALTH AVE	NEWTON	3	5/25/2011	Carried Forward	Pending			3/16/2023	144	Leak Extent
871400	23 FREDANA RD	NEWTON	3	5/4/2012	Carried Forward	Pending			11/17/2023	140	Leak Extent
7326625	129 PARKER ST	NEWTON	3	6/10/2016	Carried Forward	Pending			7/19/2023	136	Leak Extent
7355359	41 ORCHARD AVE	NEWTON	3	8/12/2019	Carried Forward	Pending			12/12/2023	125	Leak Extent
332258	30 ROLAND ST	NEWTON	3	4/8/2010	Carried Forward	Pending			12/14/2023	120	Leak Extent
5337636	330 CENTRAL ST	NEWTON	3	7/6/2015	Carried Forward	Pending			7/19/2023	120	Leak Extent
7355547	85 BROOKSIDE AVE	NEWTON	3	8/20/2019	Carried Forward	Pending			4/24/2023	120	Leak Extent
275900	544 QUINOBÉQUIN RD	NEWTON	3	6/8/2005	Carried Forward	Pending			11/7/2023	100	Leak Extent
303702	9 T ROADWAY	NEWTON	3	8/6/2007	Carried Forward	Pending			5/15/2023	100	Leak Extent
304860	167 PARKER ST	NEWTON	3	8/14/2007	Carried Forward	Pending			11/15/2023	100	Leak Extent
316528	64 FULLER ST	NEWTON	3	9/8/2008	Carried Forward	Pending			11/15/2023	100	Leak Extent
332674	15 HARTMAN RD	NEWTON	3	12/20/2010	Carried Forward	Pending			11/16/2023	100	Leak Extent
343629	37 SHAW ST	NEWTON	3	2/15/2011	Carried Forward	Pending			11/14/2023	100	Leak Extent
693516	1 QUINOBÉQUIN RD	NEWTON	3	12/15/2011	Carried Forward	Pending			11/14/2023	100	Leak Extent
1217964	68 WYOMING RD	NEWTON	3	4/30/2013	Carried Forward	Pending			11/14/2023	100	Leak Extent
1229009	WALNUT ST & HOMER ST	NEWTON	3	5/17/2013	Carried Forward	Pending			11/16/2023	100	Leak Extent
5321355	124 WINCHESTER ST	NEWTON	3	6/23/2009	11/8/2023	Carried Forward	Iniated Otherwise		6/28/2023	100	Leak Extent
7321944	120 FARWELL ST	NEWTON	3	12/4/2015	Carried Forward	Pending			7/19/2023	100	Leak Extent

REPAIRED UNDER OTHER LEAK REPAIR

Table L6 Newton Leak Report Dec 31, 2023											
Detailed Quarterly Information			QUARTER 4 - 2023			Name of Operator: <i>Boston Gas Company</i>					
Leak ID (if applicable)	Location	Town/City	Grade [1, 2, 3]	Classification Date	Repair Dates (during quarter)	Carried Forward/ Newly Identified	Status at End of Quarter	Prior Grade (if change in classification)	For G3SEI Leaks		
									Survey Designation Date	Leak Extent or Barhole Reading	Method Used [Leak Extent/ Barhole]
7323096	11 RIDGEWAY TER	NEWTON	3	1/21/2016		Carried Forward	Pending		11/13/2023	100	Leak Extent
7325806	4 PEMBROKE ST	NEWTON	3	4/22/2016		Carried Forward	Pending		11/14/2023	100	Leak Extent
7326186	1267 CENTRE ST	NEWTON	3	5/20/2016	3/1/2023	Carried Forward	Initiated Otherwise		8/30/2022	100	Leak Extent
7326630	39 COURT ST	NEWTON	3	6/9/2016		Carried Forward	Pending		7/18/2023	100	Leak Extent
7341526	224 JACKSON ST	NEWTON	3	2/27/2018		Carried Forward	Pending		5/12/2023	100	Leak Extent
7347783	69 EVELYN RD	NEWTON	3	9/16/2018		Carried Forward	Pending		5/12/2023	100	Leak Extent
7347784	12 NONANTUM ST	NEWTON	3	9/15/2018		Carried Forward	Pending		5/12/2023	100	Leak Extent
7353079	1870 COMMONWEALTH AVE	NEWTON	3	5/13/2019		Carried Forward	Pending		11/14/2023	100	Leak Extent
7354021	25 HAYNES RD	NEWTON	3	6/4/2019		Carried Forward	Pending		11/13/2023	100	Leak Extent
7354041	66 NEEDHAM ST	NEWTON	3	10/20/2021		Carried Forward	Pending		6/28/2023	100	Leak Extent
7355351	57 COOK ST	NEWTON	3	8/12/2019		Carried Forward	Pending		12/12/2023	100	Leak Extent
7355555	68 LITTLEFIELD RD	NEWTON	3	8/19/2019		Carried Forward	Pending		12/13/2023	100	Leak Extent
7355569	300 WARD ST	NEWTON	3	8/21/2019	10/3/2023	Carried Forward	Initiated by Replacement		3/8/2023	100	Leak Extent
7356133	151 VALENTINE ST	NEWTON	3	8/6/2019		Carried Forward	Pending		12/13/2023	100	Leak Extent
7356371	80 HANSON RD	NEWTON	3	9/25/2019		Carried Forward	Pending		4/24/2023	100	Leak Extent
7364409	170 OTIS ST	NEWTON	3	7/15/2020		Carried Forward	Pending		3/8/2023	100	Leak Extent
7365113	110 ADELINE RD	NEWTON	3	10/9/2020		Carried Forward	Pending		6/1/2023	100	Leak Extent
7365478	50 MANEMET RD	NEWTON	3	11/14/2020		Carried Forward	Pending		6/28/2023	100	Leak Extent
7367241	46 CEDAR ST	NEWTON	3	3/1/2021		Carried Forward	Pending		7/31/2023	100	Leak Extent
7368505	87 ATWOOD AVE	NEWTON	3	5/4/2021		Carried Forward	Pending		11/17/2023	100	Leak Extent
7371048	212 TEMPLE ST	NEWTON	3	9/27/2021	11/29/2023	Carried Forward	Repaired		7/11/2023	100	Leak Extent
7374830	21 MARSHFIELD RD	NEWTON	3	3/15/2022		Carried Forward	Pending		11/8/2023	100	Leak Extent
7374843	1994 BEACON ST	NEWTON	3	5/29/2022		Carried Forward	Pending		3/21/2023	100	Leak Extent
7374856	1750 COMMONWEALTH AVE	NEWTON	3	5/14/2022		Carried Forward	Pending		3/17/2023	100	Leak Extent
7378794	1370 WALNUT ST	NEWTON	3	11/10/2022		Carried Forward	Pending		9/13/2023	100	Leak Extent
7379021	9 FOREST ST	NEWTON	3	8/9/2022		Carried Forward	Pending		6/7/2023	100	Leak Extent
7379023	HIGHLAND ST & DAVIS ST	NEWTON	3	12/18/2022		Carried Forward	Pending		9/26/2023	100	Leak Extent
7379298	64 PROSPECT AVE	NEWTON	3	1/10/2023		Newly Identified	Pending		11/7/2023	100	Leak Extent
7379909	152 UPLAND RD	NEWTON	3	2/1/2023		Newly Identified	Pending		11/15/2023	100	Leak Extent

Table L6 Newton Leak Report Dec 31, 2023												
Detailed Quarterly Information			QUARTER 4 - 2023			Name of Operator: <i>Boston Gas Company</i>						
Leak ID (if applicable)	Location	Town/City	Grade [1, 2, 3]	Classification Date	Repair Dates (during quarter)	Carried Forward/ Newly Identified	Status at End of Quarter	Prior Grade (if change in classification)	For G3SEI Leaks			Notes/Explanations
									Survey Designation Date	Leak Extent or Barhole Reading	Method Used [Leak Extent/ Barhole]	
7376046	11 EDGEFIELD RD	NEWTON	3	6/23/2022	2/23/2023	Carried Forward	Iniated Otherwise		6/23/2022	90	Leak Extent	DUPLICATE LEAK
1337093	40 WINDSOR RD	NEWTON	3	8/19/2013		Carried Forward	Pending		11/13/2023	80	Leak Extent	
305109	32 WESSEX RD	NEWTON	3	8/28/2007		Carried Forward	Pending		11/13/2023	75	Leak Extent	
2725982	BEACON ST & RESERVOIR AVE	NEWTON	3	12/4/2014		Carried Forward	Pending		3/20/2023	75	Leak Extent	
7356142	26 HARWICH RD	NEWTON	3	9/4/2019		Carried Forward	Pending		3/10/2023	75	Leak Extent	
7335811	78 NONANTUM ST	NEWTON	3	6/10/2017		Carried Forward	Pending		7/19/2023	72	Leak Extent	
303390	167 MELROSE ST	NEWTON	3	7/31/2007		Carried Forward	Pending		11/7/2023	64	Leak Extent	
304763	8 LANCASTER RD	NEWTON	3	6/21/2016		Carried Forward	Pending		11/7/2023	64	Leak Extent	
7377628	23 LONGMEADOW RD	NEWTON	3	9/28/2022		Carried Forward	Pending		7/19/2023	64	Leak Extent	
7380691	43 KING ST	NEWTON	3	11/8/2023	11/29/2023	Newly Identified	Repaired	2	11/8/2023	64	Leak Extent	
7325492	135 BIGELOW RD	NEWTON	3	4/21/2016		Carried Forward	Pending		11/13/2023	50	Leak Extent	
7379279	1438 COMMONWEALTH AVE	NEWTON	3	1/11/2023		Newly Identified	Pending		11/8/2023	50	Leak Extent	
7375134	380 WINCHESTER ST	NEWTON	3	5/16/2022		Carried Forward	Pending		12/20/2023	49	Leak Extent	
7383497	2084 BEACON ST	NEWTON	3	8/27/2023		Newly Identified	Pending		8/27/2023	48	Leak Extent	
7349893	240 VALENTINE ST	NEWTON	3	12/17/2018		Carried Forward	Pending		4/24/2023	45	Leak Extent	
42522	3 COLUMBUS ST	NEWTON	3	5/21/1993		Carried Forward	Pending		11/13/2023	25	Leak Extent	
42649	CLAREMONT ST & LOMBARD	NEWTON	3	3/3/1993	12/5/2023	Carried Forward	Iniated Otherwise		11/8/2023	25	Leak Extent	NO READS
270390	PLYMOUTH RD & WOODWARD	NEWTON	3	4/27/2004		Carried Forward	Pending		11/8/2023	25	Leak Extent	
270413	1812 COMMONWEALTH AV	NEWTON	3	5/18/2004		Carried Forward	Pending		11/8/2023	25	Leak Extent	
270538	522 COMMONWEALTH AV	NEWTON	3	6/29/2004		Carried Forward	Pending		4/25/2023	25	Leak Extent	
270653	HAMMOND ST & RESERVOIR	NEWTON	3	8/20/2004		Carried Forward	Pending		11/14/2023	25	Leak Extent	
303097	82 CONCORD ST	NEWTON	3	7/3/2007	12/5/2023	Carried Forward	Iniated Otherwise		11/8/2023	25	Leak Extent	NO READS
335126	79 KENWOOD AVE	NEWTON	3	7/2/2010	12/5/2023	Carried Forward	Carried by Replacement		11/7/2023	25	Leak Extent	
338426	61 CENTRAL ST	NEWTON	3	9/17/2015		Carried Forward	Pending		11/8/2023	25	Leak Extent	
340420	167 NEHOIDEN RD	NEWTON	3	12/25/2010		Carried Forward	Pending		5/15/2023	25	Leak Extent	
1246024	242 WABAN AVE	NEWTON	3	7/31/2017		Carried Forward	Pending		11/13/2023	25	Leak Extent	
1363562	102 MCCARTHY RD	NEWTON	3	9/18/2013	12/18/2023	Carried Forward	Iniated Otherwise		11/14/2023	25	Leak Extent	NO READS
2720300	61 SHARPE RD	NEWTON	3	1/23/2015		Carried Forward	Pending		11/13/2023	25	Leak Extent	
2834933	2401 COMMONWEALTH AVE	NEWTON	3	11/7/2014		Carried Forward	Pending		11/16/2023	25	Leak Extent	

Table L6 Newton Leak Report Dec 31, 2023											
Detailed Quarterly Information			QUARTER 4 - 2023		Name of Operator: <i>Boston Gas Company</i>						
Leak ID (if applicable)	Location	Town/City	Grade [1, 2, 3]	Classification Date	Repair Dates (during quarter)	Carried Forward/ Newly Identified	Status at End of Quarter	Prior Grade (if change in classification)	For G3SEI Leaks		
									Survey Designation Date	Leak Extent or Barhole Reading	Method Used [Leak Extent/ Barhole]
3205205	60 HIGHLAND ST	NEWTON	3	3/4/2015		Carried Forward	Pending		12/12/2023	25	Leak Extent
4787400	300 ADAMS ST	NEWTON	3	7/7/2015		Carried Forward	Pending		3/10/2023	25	Leak Extent
6722810	75 GROVE HILL AVE	NEWTON	3	9/29/2015		Carried Forward	Pending		11/13/2023	25	Leak Extent
7325494	4 MARLBORO ST	NEWTON	3	4/21/2016		Carried Forward	Pending		11/14/2023	25	Leak Extent
7327103	19 RICHARDSON RD	NEWTON	3	6/30/2016	10/3/2023	Carried Forward by Replacement	Pending		9/13/2023	25	Leak Extent
7327360	A ROADWAY & SPIERS RD	NEWTON	3	6/14/2017		Carried Forward	Pending		9/13/2023	25	Leak Extent
7329507	263 HAMMOND ST	NEWTON	3	11/7/2016		Carried Forward	Pending		5/16/2023	25	Leak Extent
7329882	BEACON ST & HAMMOND ST	NEWTON	3	10/28/2016		Carried Forward	Pending		11/16/2023	25	Leak Extent
7331474	71 COMMONWEALTH AVE	NEWTON	3	1/3/2017		Carried Forward	Pending		11/16/2023	25	Leak Extent
7331915	150 SPIERS RD	NEWTON	3	2/2/2017		Carried Forward	Pending		11/16/2023	25	Leak Extent
7332762	ISLINGTON RD & KINGSWOOD	NEWTON	3	3/21/2017		Carried Forward	Pending		12/12/2023	25	Leak Extent
7336232	566 SAWMILL BROOK PKY	NEWTON	3	7/14/2017		Carried Forward	Pending		11/6/2023	25	Leak Extent
7336365	23 DAVIS ST	NEWTON	3	7/15/2017		Carried Forward	Pending		11/17/2023	25	Leak Extent
7336764	CENTRAL AVE & WASHINGTON	NEWTON	3	7/26/2017		Carried Forward	Pending		11/9/2023	25	Leak Extent
7343320	30 E ROADWAY	NEWTON	3	4/6/2018		Carried Forward	Pending		6/23/2023	25	Leak Extent
7345915	COMMONWEALTH AVE & HO	NEWTON	3	2/4/2019	3/8/2023	Carried Forward	Repaired		8/3/2022	25	Leak Extent
7351646	20 SUN HILL LN	NEWTON	3	3/8/2019		Carried Forward	Pending		6/23/2023	25	Leak Extent
7353074	70 WINDERMERE RD	NEWTON	3	5/13/2019	12/18/2023	Carried Forward	Inated Otherwise		11/14/2023	25	Leak Extent
7353562	401 WINCHESTER ST	NEWTON	3	5/22/2019		Carried Forward	Pending		11/7/2023	25	Leak Extent
7354042	130 NEEDHAM ST	NEWTON	3	6/21/2019		Carried Forward	Pending		11/16/2023	25	Leak Extent
7354258	369 LEXINGTON ST	NEWTON	3	6/24/2019		Carried Forward	Pending		11/16/2023	25	Leak Extent
7354269	62 WALNUT PIKE	NEWTON	3	6/26/2019		Carried Forward	Pending		11/16/2023	25	Leak Extent
7355411	47 ESTY FARM RD	NEWTON	3	8/2/2019		Carried Forward	Pending		11/9/2023	25	Leak Extent
7357139	48 LANTERN LN	NEWTON	3	10/25/2019		Carried Forward	Pending		5/12/2023	25	Leak Extent
7364121	34 FENNO RD	NEWTON	3	6/17/2020		Carried Forward	Pending		12/12/2023	25	Leak Extent
7368124	650 CENTRE ST	NEWTON	3	4/22/2021		Carried Forward	Pending		11/16/2023	25	Leak Extent
7368508	97 ATWOOD AVE	NEWTON	3	4/26/2021		Carried Forward	Pending		11/16/2023	25	Leak Extent
7371043	34 EMERSON ST	NEWTON	3	10/7/2021		Carried Forward	Pending		6/23/2023	25	Leak Extent
7374842	6 LINCOLN ST	NEWTON	3	4/22/2022		Carried Forward	Pending		12/19/2023	25	Leak Extent

Table L6 Newton Leak Report Dec 31, 2023

Detailed Quarterly Information			QUARTER 4 - 2023			Name of Operator: <i>Boston Gas Company</i>						
Leak ID (if applicable)	Location Street Number and Name	Town/City	Grade [1, 2, 3]	Classification Date	Repair Dates (during quarter)	Carried Forward/ Newly Identified	Status at End of Quarter	Prior Grade (if change in classification)	For G3SEI Leaks			Notes/Explanations
									Survey Designation Date	Leak Extent or Barhole Reading	Method Used [Leak Extent/Barhole]	
7374845	2055 WASHINGTON ST	NEWTON	3	4/27/2022		Carried Forward	Pending		12/19/2023	25	Leak Extent	
7375164	8 BALDPEAK HILL RD	NEWTON	3	4/26/2022		Carried Forward	Pending		12/19/2023	25	Leak Extent	
7375985	66 PELHAM ST	NEWTON	3	5/28/2022		Carried Forward	Pending		3/21/2023	25	Leak Extent	
7376631	224 ADAMS AVE	NEWTON	3	8/22/2022		Carried Forward	Pending		6/23/2023	25	Leak Extent	
7376820	96 WESTLAND AVE	NEWTON	3	8/19/2022		Carried Forward	Pending		6/23/2023	25	Leak Extent	
7376828	216 PLEASANT ST	NEWTON	3	4/3/2022		Carried Forward	Pending		11/16/2023	25	Leak Extent	
7378752	271 CYPRESS ST	NEWTON	3	11/9/2022		Carried Forward	Pending		9/12/2023	25	Leak Extent	
7379280	17 FAYETTE ST	NEWTON	3	1/11/2023	12/5/2023	Newly Identified	Iniated Otherwise		11/8/2023	25	Leak Extent	NO READS
7379459	839 WASHINGTON ST	NEWTON	3	1/11/2023		Newly Identified	Pending		11/8/2023	25	Leak Extent	
345666	1234 COMMONWEALTH AVE	NEWTON	3	4/14/2011		Carried Forward	Pending		5/4/2023	16	Leak Extent	
7365094	160 PARKER ST	NEWTON	3	10/15/2020		Carried Forward	Pending		6/20/2023	9	Leak Extent	
270652	55 JEFFERSON ST	NEWTON	3	8/13/2004		Carried Forward	Pending		4/25/2023	4	Leak Extent	
1065965	32 RICHARDSON ST	NEWTON	3	11/29/2012		Carried Forward	Pending		4/25/2023	4	Leak Extent	
1428283	191 GROVE ST	NEWTON	3	10/8/2013		Carried Forward	Pending		5/16/2023	4	Leak Extent	
7325267	130 RACHEL RD	NEWTON	3	4/14/2016	3/16/2023	Carried Forward	Iniated Otherwise		7/12/2022	4	Leak Extent	UPGRADE
7347786	DEDHAM ST & MEADOWBROOK	NEWTON	3	9/29/2018		Carried Forward	Pending		5/16/2023	4	Leak Extent	
7368732	1304 BOYLSTON ST	NEWTON	3	5/30/2021	1/9/2023	Carried Forward	Repaired		4/20/2022	4	Leak Extent	
7375170	275 AUBURN ST	NEWTON	3	6/3/2022		Carried Forward	Pending		3/21/2023	4	Leak Extent	
7356214	471 DEDHAM ST	NEWTON	3	9/5/2019		Carried Forward	Pending		3/10/2023	1	Leak Extent	
7364116	1774 COMMONWEALTH AVE	NEWTON	3	6/29/2020	8/14/2023	Carried Forward	Iniated Otherwise		3/7/2023	1	Leak Extent	DUPLICATE LEAK
7374851	24 LESLIE RD	NEWTON	3	5/11/2022		Carried Forward	Pending		12/20/2023	1	Leak Extent	
232986	174 LEXINGTON ST	NEWTON	3	7/10/2002	3/3/2023	Carried Forward	Iniated Otherwise		2/15/2023	-	No CGI reading	SYSTEM ISSUE
258079	2004 BEACON ST	NEWTON	3	3/2/2004		Carried Forward	Pending		11/16/2023	-	No CGI reading	
270391	WOODWARD ST & UPLAND RD	NEWTON	3	4/22/2004	9/6/2023	Carried Forward	Repaired		7/31/2023	-	No CGI reading	
270497	WARD ST & ASHFORD RD	NEWTON	3	6/18/2004	12/5/2023	Carried Forward	Iniated Otherwise		11/8/2023	-	No CGI reading	NO READS

Table L6 Newton Leak Report Dec 31, 2023												
Detailed Quarterly Information			QUARTER 4 - 2023			Name of Operator: <i>Boston Gas Company</i>						
Leak ID (if applicable)	Location	Street Number and Name	Town/City	Grade [1, 2, 3]	Classification Date	Repair Dates (during quarter)	Carried Forward/ Newly Identified	Status at End of Quarter	Prior Grade (if change in classification)	For G3SEI Leaks		
										Survey Designation Date	Leak Extent or Barhole Reading	Method Used [Leak Extent/ Barhole]
270560	9 STRATFORD RD	NEWTON	3	7/1/2004		Carried Forward	Pending		11/16/2023	-	No CGI reading	
270590	35-45 MCCARTHY RD	NEWTON	3	7/22/2004		Carried Forward	Pending		11/6/2023	-	No CGI reading	
271927	NESHOBÉ RD & WASHINGTON	NEWTON	3	2/14/2005		Carried Forward	Pending		11/17/2023	-	No CGI reading	
284000	48 INDIANA TER	NEWTON	3	12/10/2005	11/8/2023	Carried Forward	Iniated Otherwise		11/6/2023	-	No CGI reading	REPAIRED UNDER OTHER LEAK REPAIR
290176	38 LOCKSLEY RD	NEWTON	3	12/6/2006		Carried Forward	Pending		7/12/2023	-	No CGI reading	
304740	275 MILL ST	NEWTON	3	8/31/2007	1/26/2023	Carried Forward	Repaired		8/23/2022	-	No CGI reading	
317344	116 RIDGE AVE	NEWTON	3	12/12/2008		Carried Forward	Pending		3/9/2023	-	No CGI reading	
321189	4 GARRISON ST	NEWTON	3	1/27/2009	7/27/2023	Carried Forward	Iniated Otherwise		5/15/2023	-	No CGI reading	NO READS
341416	144 HANCOCK ST	NEWTON	3	1/28/2011	11/27/2023	Carried Forward	Repaired		11/16/2023	-	No CGI reading	
341457	71 WEBSTER PIKE	NEWTON	3	1/28/2011	7/27/2023	Carried Forward	Iniated Otherwise		3/21/2023	-	No CGI reading	NO READS
349458	HIGHLAND ST & TEMPLE ST	NEWTON	3	8/14/2011	7/10/2023	Carried Forward	Iniated Otherwise		5/16/2023	-	No CGI reading	NO READS
693370	230 MOUNT VERNON ST	NEWTON	3	12/23/2011	7/10/2023	Carried Forward	Iniated Otherwise		5/16/2023	-	No CGI reading	NO READS
1018521	12 VINEYARD RD	NEWTON	3	10/12/2012		Carried Forward	Pending		11/17/2023	-	No CGI reading	
1150031	1957 BEACON ST	NEWTON	3	2/13/2013		Carried Forward	Pending		3/9/2023	-	No CGI reading	
1317702	91 PICKWICK RD	NEWTON	3	8/16/2013		Carried Forward	Pending		4/25/2023	-	No CGI reading	
1337372	229 CYPRESS ST	NEWTON	3	8/21/2013	11/29/2023	Carried Forward	Iniated Otherwise		11/9/2023	-	No CGI reading	NO READS

Table L6 Newton Leak Report Dec 31, 2023													
Detailed Quarterly Information			QUARTER 4 - 2023			Name of Operator: <i>Boston Gas Company</i>							
Leak ID (if applicable)	Location	Street Number and Name	Town/City	Grade [1, 2, 3]	Classification Date	Repair Dates (during quarter)	Carried Forward/ Newly Identified	Status at End of Quarter	Prior Grade (if change in classification)	For G3SEI Leaks			Notes/Explanations
										Survey Designation Date	Leak Extent or Barhole Reading	Method Used [Leak Extent/ Barhole]	
1363297	284 CHESTNUT ST	NEWTON	3	9/6/2013	3/24/2023	Carried Forward	Repaired		3/7/2023	-	No CGI reading		
1594140	43 GRAY CLIFF RD	NEWTON	3	1/16/2014	9/28/2023	Carried Forward	Repaired		2/10/2023	-	No CGI reading		
3023506	COMMONWEALTH AVE & CO	NEWTON	3	11/6/2014		Carried Forward	Pending		11/9/2023	-	No CGI reading		
3190426	5 MARY ELLEN RD	NEWTON	3	5/5/2015	5/1/2023	Carried Forward	Replaced by Replacement		5/4/2023	-	No CGI reading		
3869246	877 CHESTNUT ST	NEWTON	3	4/7/2015		Carried Forward	Pending		5/4/2023	-	No CGI reading		
3869342	212 GRANT AVE	NEWTON	3	4/9/2015		Carried Forward	Pending		11/16/2023	-	No CGI reading		
4105417	23 COLLEGE RD	NEWTON	3	3/22/2019	7/17/2023	Carried Forward	Initiated Otherwise		7/11/2023	-	No CGI reading	NO READS	
4118969	141 RANDLETT PIKE	NEWTON	3	3/15/2015	7/27/2023	Carried Forward	Initiated Otherwise		5/4/2023	-	No CGI reading	NO READS	
5217418	499 WINCHESTER ST	NEWTON	3	6/16/2015		Carried Forward	Pending		7/18/2023	-	No CGI reading		
5620468	121 PARKER AVE	NEWTON	3	8/27/2015		Carried Forward	Pending		11/13/2023	-	No CGI reading		
7322667	12 CHAMBERLAIN RD	NEWTON	3	1/12/2016	12/22/2023	Carried Forward	Initiated Otherwise		11/13/2023	-	No CGI reading	NO READS	
7322832	49 ASHMONT AVE	NEWTON	3	4/25/2016		Carried Forward	Pending		3/10/2023	-	No CGI reading		
7323095	21 TURNER TER	NEWTON	3	1/21/2016	12/22/2023	Carried Forward	Initiated Otherwise		11/13/2023	-	No CGI reading	NO READS	
7323736	35 BELLEVUE ST	NEWTON	3	2/2/2016		Carried Forward	Pending		3/10/2023	-	No CGI reading		
7323783	38 PUTNAM ST	NEWTON	3	2/1/2016		Carried Forward	Pending		4/25/2023	-	No CGI reading		
7325235	525 WALNUT ST	NEWTON	3	6/9/2016	5/1/2023	Carried Forward	Initiated Otherwise		9/20/2022	-	No CGI reading	REPAIRED UNDER OTHER LEAK REPAIR	

Table L6 Newton Leak Report Dec 31, 2023												
Detailed Quarterly Information			QUARTER 4 - 2023			Name of Operator: <i>Boston Gas Company</i>						
Leak ID (if applicable)	Location	Street Number and Name	Town/City	Grade [1, 2, 3]	Classification Date	Repair Dates (during quarter)	Carried Forward/ Newly Identified	Status at End of Quarter	Prior Grade (if change in classification)	For G3SEI Leaks		Notes/Explanations
										Survey Designation Date	Leak Extent or Barhole Reading	
7326611	26 MAPLE ST	NEWTON	3	6/6/2016		Carried Forward	Pending		5/15/2023	-	No CGI reading	
7326995	3 LANGLEY RD	NEWTON	3	6/15/2016	7/10/2023	Carried Forward	Terminated Otherwise		5/15/2023	-	No CGI reading	NO READS
7327024	118 MEADOWBROOK RD	NEWTON	3	6/22/2016	9/28/2023	Carried Forward	Terminated by Replacement		9/13/2023	-	No CGI reading	
7327405	DAVIS AVE & EDEN AVE	NEWTON	3	6/27/2016		Carried Forward	Pending		9/12/2023	-	No CGI reading	
7330111	28 CONSIDINE RD	NEWTON	3	11/3/2016		Carried Forward	Pending		12/12/2023	-	No CGI reading	
7331479	425 CENTRE ST	NEWTON	3	1/3/2017	12/28/2023	Carried Forward	Terminated Otherwise		11/17/2023	-	No CGI reading	REPAIRED UNDER OTHER LEAK REPAIR
7332931	COMMONWEALTH AVE & BEA	NEWTON	3	3/23/2017		Carried Forward	Pending		11/9/2023	-	No CGI reading	
7336298	867 DEDHAM ST	NEWTON	3	7/10/2017	9/28/2023	Carried Forward	Terminated by Replacement		9/12/2023	-	No CGI reading	
7338743	50 FORDHAM RD	NEWTON	3	9/26/2017	7/27/2023	Carried Forward	Terminated Otherwise		5/16/2023	-	No CGI reading	NO READS
7338876	47 FELLSMERE RD	NEWTON	3	9/27/2017	7/27/2023	Carried Forward	Terminated Otherwise		4/25/2023	-	No CGI reading	NO READS
7339363	4 EVERGREEN AVE	NEWTON	3	10/21/2017	7/6/2023	Carried Forward	Terminated Otherwise		3/16/2023	-	No CGI reading	NO READS
7339900	57 WARREN RD	NEWTON	3	10/30/2017	7/27/2023	Carried Forward	Terminated Otherwise		4/24/2023	-	No CGI reading	NO READS
7345718	DEDHAM ST & MEADOWBRO	NEWTON	3	7/13/2018		Carried Forward	Pending		5/12/2023	-	No CGI reading	
7348856	140 STANLEY RD	NEWTON	3	7/13/2018	7/27/2023	Carried Forward	Terminated Otherwise		5/11/2023	-	No CGI reading	NO READS
7350045	400 WAVERLY AVE	NEWTON	3	12/26/2018	7/27/2023	Carried Forward	Terminated Otherwise		4/25/2023	-	No CGI reading	NO READS
7352431	54 TEMPLE ST	NEWTON	3	3/28/2019		Carried Forward	Pending		7/18/2023	-	No CGI reading	

Table L6 Newton Leak Report Dec 31, 2023												
Detailed Quarterly Information			QUARTER 4 - 2023			Name of Operator: <i>Boston Gas Company</i>						
Leak ID (if applicable)	Location	Street Number and Name	Town/City	Grade [1, 2, 3]	Classification Date	Repair Dates (during quarter)	Carried Forward/ Newly Identified	Status at End of Quarter	Prior Grade (if change in classification)	For G3SEI Leaks		
										Survey Designation Date	Leak Extent or Barhole Reading	Method Used [Leak Extent/ Barhole]
7353512	47 CHANDLER PL	NEWTON	3	5/23/2019		Carried Forward	Pending		11/13/2023	-	No CGI reading	
7354715	6 EDGEWOOD RD	NEWTON	3	7/19/2019		Carried Forward	Pending		11/16/2023	-	No CGI reading	
7355415	7 FREDETTE RD	NEWTON	3	8/2/2019	12/5/2023	Carried Forward	Initiated Otherwise		11/9/2023	-	No CGI reading	NO READS
7355428	265 RIVER ST	NEWTON	3	7/25/2019	3/6/2023	Carried Forward	Repaired		3/3/2023	-	No CGI reading	
7355442	361 THORNTON ST	NEWTON	3	8/1/2019		Carried Forward	Pending		12/12/2023	-	No CGI reading	
7355674	188 DEDHAM ST	NEWTON	3	8/23/2019		Carried Forward	Pending		12/14/2023	-	No CGI reading	
7356139	344 BROOKLINE ST	NEWTON	3	9/3/2019		Carried Forward	Pending		3/9/2023	-	No CGI reading	
7356203	17 WAYNE RD	NEWTON	3	9/4/2019		Carried Forward	Pending		3/10/2023	-	No CGI reading	
7356207	36 WISWALL RD	NEWTON	3	9/5/2019		Carried Forward	Pending		3/10/2023	-	No CGI reading	
7356368	36 BONTEMPO RD	NEWTON	3	9/25/2019	7/6/2023	Carried Forward	Initiated Otherwise		4/24/2023	-	No CGI reading	NO READS
7356370	47 BONTEMPO RD	NEWTON	3	9/25/2019	9/28/2023	Carried Forward	Initiated by Replacement		4/24/2023	-	No CGI reading	
7356413	27 BONTEMPO RD	NEWTON	3	9/26/2019	7/6/2023	Carried Forward	Initiated Otherwise		4/24/2023	-	No CGI reading	NO READS
7356514	25 TURNER TER	NEWTON	3	9/10/2019	7/6/2023	Carried Forward	Initiated Otherwise		3/13/2023	-	No CGI reading	NO READS
7359597	8 WOODCHESTER DR	NEWTON	3	1/30/2020	1/11/2023	Carried Forward	Initiated Otherwise		12/9/2022	-	No CGI reading	NO READS
7359897	26 COOK ST	NEWTON	3	3/30/2020		Carried Forward	Pending		9/13/2023	-	No CGI reading	
7359968	33 COLLINS RD	NEWTON	3	8/18/2020	7/27/2023	Carried Forward	Initiated Otherwise		5/4/2023	-	No CGI reading	NO READS

Table L6 Newton Leak Report Dec 31, 2023													
Detailed Quarterly Information			QUARTER 4 - 2023			Name of Operator: <i>Boston Gas Company</i>							
Leak ID (if applicable)	Location	Street Number and Name	Town/City	Grade [1, 2, 3]	Classification Date	Repair Dates (during quarter)	Carried Forward/ Newly Identified	Status at End of Quarter	Prior Grade (if change in classification)	For G3SEI Leaks			Notes/Explanations
										Survey Designation Date	Leak Extent or Barhole Reading	Method Used [Leak Extent/ Barhole]	
7360337	44 MARY ELLEN RD	NEWTON	3	3/14/2020	5/1/2023	Carried Forward	Repaired by Replacement		11/28/2022	-	No CGI reading		
7364119	23 MAPLE ST	NEWTON	3	5/13/2020		Carried Forward	Pending		11/14/2023	-	No CGI reading		
7364449	20 STONEWOOD DR	NEWTON	3	8/9/2020	7/27/2023	Carried Forward	Repaired Otherwise		3/16/2023	-	No CGI reading	NO READS	
7364832	274 AUBURNDALE AVE	NEWTON	3	8/14/2020	7/6/2023	Carried Forward	Repaired Otherwise		4/25/2023	-	No CGI reading	NO READS	
7365409	64 OBER RD	NEWTON	3	12/21/2020	7/17/2023	Carried Forward	Repaired Otherwise		7/11/2023	-	No CGI reading	NO READS	
7368733	17 COCHITuate RD	NEWTON	3	5/19/2021		Carried Forward	Pending		12/13/2023	-	No CGI reading		
7370883	389 CENTRAL ST	NEWTON	3	9/14/2021	6/1/2023	Carried Forward	Repaired Otherwise		6/1/2023	-	No CGI reading	REPAIRED UNDER OTHER LEAK REPAIR	
7370889	375 AUBURN ST	NEWTON	3	9/19/2021		Carried Forward	Pending		6/20/2023	-	No CGI reading		
7371857	26 PARK LN	NEWTON	3	11/21/2021	7/17/2023	Carried Forward	Repaired Otherwise		7/12/2023	-	No CGI reading	NO READS	
7371862	26 VAN ROOSEN RD	NEWTON	3	11/8/2021	7/17/2023	Carried Forward	Repaired Otherwise		7/11/2023	-	No CGI reading	NO READS	
7373591	495 WATERTOWN ST	NEWTON	3	1/21/2022	9/13/2023	Carried Forward	Repaired Otherwise		9/12/2023	-	No CGI reading	REPAIRED UNDER OTHER LEAK REPAIR	
7374799	1730 WASHINGTON ST	NEWTON	3	4/5/2023		Carried Forward	Pending	2	2/13/2023	-	No CGI reading		
7374835	138 WARREN ST	NEWTON	3	4/8/2022	3/2/2023	Carried Forward	Repaired Otherwise		3/1/2023	-	No CGI reading	WRONG ADDRESS	
7374838	64 OAK ST	NEWTON	3	4/13/2022	11/29/2023	Carried Forward	Repaired		9/26/2023	-	No CGI reading		
7376318	39 BILLINGS PIKE	NEWTON	3	8/3/2022		Carried Forward	Pending		6/1/2023	-	No CGI reading		
7376320	CARLTON RD & WABAN AVE	NEWTON	3	8/2/2022	5/16/2023	Carried Forward	Repaired Otherwise			-		REPAIRED UNDER OTHER LEAK REPAIR	

Table L6 Newton Leak Report Dec 31, 2023												
Detailed Quarterly Information			QUARTER 4 - 2023			Name of Operator: <i>Boston Gas Company</i>						
Leak ID (if applicable)	Location	Street Number and Name	Town/City	Grade [1, 2, 3]	Classification Date	Repair Dates (during quarter)	Carried Forward/ Newly Identified	Status at End of Quarter	Prior Grade (if change in classification)	For G3SEI Leaks		Notes/Explanations
										Survey Designation Date	Leak Extent or Barhole Reading	
7376329	1595 WASHINGTON ST	NEWTON	3	7/28/2022		Carried Forward	Pending		9/15/2023	-	No CGI reading	
7376817	115 SHERIDAN ST	NEWTON	3	8/18/2022	8/3/2023	Carried Forward	Repaired		6/22/2023	-	No CGI reading	
7376826	12 COBLEY ST	NEWTON	3	4/15/2022		Carried Forward	Pending		3/8/2023	-	No CGI reading	
7377815	2096 WASHINGTON ST	NEWTON	3	8/13/2022		Carried Forward	Pending		6/22/2023	-	No CGI reading	
7377817	21 IVANHOE ST	NEWTON	3	9/2/2022	7/17/2023	Carried Forward	Iniated Otherwise		7/12/2023	-	No CGI reading	NO READS
7377831	155 WOODWARD ST	NEWTON	3	8/1/2022	11/27/2023	Carried Forward	Repaired		9/15/2023	-	No CGI reading	
7377997	216 LOWELL AVE	NEWTON	3	10/3/2022	7/21/2023	Carried Forward	Iniated Otherwise		7/19/2023	-	No CGI reading	REPAIRED UNDER OTHER LEAK REPAIR
7378483	15 SHERIDAN ST	NEWTON	3	11/4/2022	3/2/2023	Carried Forward	Iniated Otherwise		1/27/2023	-	No CGI reading	REPAIRED UNDER OTHER LEAK REPAIR
7378587	8 EARLY PATH	NEWTON	3	11/15/2022	2/23/2023	Carried Forward	Iniated Otherwise			-		DUPLICATE LEAK
7378751	2 KINGSTON RD	NEWTON	3	11/7/2022	2/23/2023	Carried Forward	Iniated Otherwise			-		DUPLICATE LEAK
7378796	960 WALNUT ST	NEWTON	3	11/10/2022	5/1/2023	Carried Forward	Iniated Otherwise			-		REPAIRED UNDER OTHER LEAK REPAIR
7378999	1 OAK AVE	NEWTON	3	11/3/2022	5/10/2023	Carried Forward	Iniated Otherwise		11/3/2022	-	No CGI reading	REPAIRED UNDER OTHER LEAK REPAIR
7379081	497 BOYLSTON ST	NEWTON	3	1/4/2023		Newly Identified	Pending		11/7/2023	-	No CGI reading	
7379116	151 WINCHESTER ST	NEWTON	3	1/4/2023	12/20/2023	Newly Identified	Repaired		11/7/2023	-	No CGI reading	
7379171	74 FAIRMONT AVE	NEWTON	3	6/13/2023		Newly Identified	Pending	2	5/15/2023	-	No CGI reading	
7379289	89 MONTROSE ST	NEWTON	3	12/21/2022	1/24/2023	Carried Forward	Repaired		1/26/2023	-	No CGI reading	
7379296	25 OLD ENGLAND RD	NEWTON	3	1/11/2023	2/23/2023	Newly Identified	Iniated Otherwise			-		DUPLICATE LEAK

Table L6 Newton Leak Report Dec 31, 2023											
Detailed Quarterly Information			QUARTER 4 - 2023			Name of Operator: <i>Boston Gas Company</i>					
Leak ID (if applicable)	Location	Town/City	Grade [1, 2, 3]	Classification Date	Repair Dates (during quarter)	Carried Forward/ Newly Identified	Status at End of Quarter	Prior Grade (if change in classification)	For G3SEI Leaks		
									Survey Designation Date	Leak Extent or Barhole Reading	Method Used [Leak Extent/ Barhole]
7379848	457 WAVERLY AVE	NEWTON	3	2/13/2023	12/5/2023	Newly Identified	Inated Otherwise	11/8/2023	-	No CGI reading	REPAIRED UNDER OTHER LEAK REPAIR
7379881	63 GARLAND RD	NEWTON	3	2/2/2023	12/18/2023	Newly Identified	Inated Otherwise	11/15/2023	-	No CGI reading	NO READS
7379907	85 MONTVALE RD	NEWTON	3	1/27/2023	6/29/2023	Newly Identified	Repaired		-		
7379908	100 OLDEFIELD RD	NEWTON	3	2/12/2023	8/9/2023	Newly Identified	Inated Otherwise		-		REPAIRED UNDER OTHER LEAK REPAIR
7379912	692 BOYLSTON ST	NEWTON	3	1/30/2023	6/27/2023	Newly Identified	Repaired		-		
7379914	750 BOYLSTON ST	NEWTON	3	2/25/2023		Newly Identified	Pending		12/5/2023	-	No CGI reading
7379915	760 BOYLSTON ST	NEWTON	3	1/30/2023		Newly Identified	Pending		11/7/2023	-	No CGI reading
7380668	10 ANNAWAN RD	NEWTON	3	3/27/2023		Newly Identified	Pending			-	Survey to be provided
7380669	1880 BEACON ST	NEWTON	3	3/27/2023		Newly Identified	Pending			-	Survey to be provided
7380670	122 CARVER RD	NEWTON	3	4/13/2023		Newly Identified	Pending			-	Survey to be provided
7380671	118 EVELYN RD	NEWTON	3	3/30/2023	5/1/2023	Newly Identified	Identified by Replacement			-	
7380672	31 GARDNER ST	NEWTON	3	3/23/2023		Newly Identified	Pending			-	Survey to be provided
7380673	205 HOMER ST	NEWTON	3	4/11/2023		Newly Identified	Pending			-	Survey to be provided
7380674	10 LOWELL AVE	NEWTON	3	2/24/2023		Newly Identified	Pending		11/16/2023	-	No CGI reading
7380676	923 WALNUT ST	NEWTON	3	4/6/2023		Newly Identified	Pending			-	Survey to be provided
7380678	183 WINCHESTER ST	NEWTON	3	3/31/2023	5/1/2023	Newly Identified	Inated Otherwise			-	DUPLICATE LEAK
7381364	376 HOMER ST	NEWTON	3	5/11/2023	9/15/2023	Newly Identified	Identified by Replacement			-	
7382267	78 FARLOW RD	NEWTON	3	6/21/2023		Newly Identified	Pending			-	Survey to be provided

Table L6 Newton Leak Report Dec 31, 2023												
Detailed Quarterly Information			QUARTER 4 - 2023			Name of Operator: <i>Boston Gas Company</i>						
Leak ID (if applicable)	Location	Street Number and Name	Town/City	Grade [1, 2, 3]	Classification Date	Repair Dates (during quarter)	Carried Forward/ Newly Identified	Status at End of Quarter	Prior Grade (if change in classification)	For G3SEI Leaks		
										Survey Designation Date	Leak Extent or Barhole Reading	Method Used [Leak Extent/ Barhole]
7382268	243 ISLINGTON RD	NEWTON	3	6/20/2023		Newly Identified	Pending			-	Survey to be provided	
7382270	53 HIGH ST	NEWTON	3	6/7/2023		Newly Identified	Pending			-	Survey to be provided	
7382271	2322 WASHINGTON ST	NEWTON	3	6/20/2023		Newly Identified	Pending			-	Survey to be provided	
7382336	24 PHILBRICK RD	NEWTON	3	6/26/2023		Newly Identified	Pending			-	Survey to be provided	
7382337	264 WINCHESTER ST	NEWTON	3	6/9/2023		Newly Identified	Pending			-	Survey to be provided	
7382533	43 COTTON ST	NEWTON	3	9/22/2023	10/10/2023	Newly Identified	Repaired	2		-		
7382778	45 WATERSTON RD	NEWTON	3	8/4/2023	8/4/2023	Newly Identified	Repaired			-		
7382898	160 BOYLSTON ST	NEWTON	3	7/1/2023		Newly Identified	Pending			-	Survey to be provided	
7382899	298 CYPRESS ST	NEWTON	3	7/8/2023		Newly Identified	Pending			-	Survey to be provided	
7382908	100 OLDEFIELD RD	NEWTON	3	7/14/2023		Newly Identified	Pending			-	Survey to be provided	
7383023	1261 CENTRE ST	NEWTON	3	8/4/2023		Newly Identified	Pending		8/4/2023	-	No CGI reading	
7383025	DAVIS ST & HIGHLAND ST	NEWTON	3	7/26/2023		Newly Identified	Pending			-	Survey to be provided	
7383298	20 STAR RD	NEWTON	3	9/1/2023	9/1/2023	Newly Identified	Repaired			-		
7383506	CALIFORNIA ST & BRIDGE ST	NEWTON	3	8/30/2023		Newly Identified	Pending		8/30/2023	-	No CGI reading	
7383509	118 LANGLEY RD	NEWTON	3	8/15/2023		Newly Identified	Pending		8/15/2023	-	No CGI reading	
7383510	43 PHILBRICK RD	NEWTON	3	9/5/2023		Newly Identified	Pending		9/5/2023	-	No CGI reading	
7383512	5 SHELDON RD	NEWTON	3	8/29/2023		Newly Identified	Pending		8/29/2023	-	No CGI reading	

Table L6 Newton Leak Report Dec 31, 2023													
Detailed Quarterly Information			QUARTER 4 - 2023			Name of Operator: <i>Boston Gas Company</i>							
Leak ID (if applicable)	Street Number and Name	Location	Town/City	Grade [1, 2, 3]	Classification Date	Repair Dates (during quarter)	Carried Forward/ Newly Identified	Status at End of Quarter	Prior Grade (if change in classification)	For G3SEI Leaks			Notes/Explanations
										Survey Designation Date	Leak Extent or Barhole Reading	Method Used [Leak Extent/ Barhole]	
7383831	250 ALBEMARLE RD	NEWTON	3	9/17/2023	Newly Identified	Pending				-	Survey to be provided		
7383832	59 PONTIAC RD	NEWTON	3	9/21/2023	Newly Identified	Pending				-	Survey to be provided		
7383833	WASHINGTON ST & CENTRE S	NEWTON	3	9/13/2023	Newly Identified	Pending				-	Survey to be provided		
7384346	45 HOLMAN RD	NEWTON	3	9/28/2023	Newly Identified	Pending				-	Survey to be provided		
7384348	38 MORELAND AVE	NEWTON	3	9/28/2023	Newly Identified	Pending				-	Survey to be provided		
7384585	22 BERWICK RD	NEWTON	3	10/15/2023	Newly Identified	Pending				-	Survey to be provided		
7384586	80 WOODCHESTER DR	NEWTON	3	10/12/2023	Newly Identified	Pending				-	Survey to be provided		
7384691	320 WASHINGTON ST	NEWTON	3	11/15/2023	Newly Identified	Pending				-	Survey to be provided		
7384931	BROOKSIDE AVE & ALBEMARL	NEWTON	3	11/10/2023	Newly Identified	Pending				-	Survey to be provided		
7385305	937 DEDHAM ST	NEWTON	3	12/9/2023	Newly Identified	Pending				-	Survey to be provided		
7385308	55 FOREST AVE	NEWTON	3	12/9/2023	Newly Identified	Pending				-	Survey to be provided		
7385309	20 GREENLAWN AVE	NEWTON	3	12/20/2023	Newly Identified	Pending				-	Survey to be provided		
7385311	23 DAVIS ST	NEWTON	3	12/19/2023	Newly Identified	Pending				-	Survey to be provided		
100193	9 CARTER ST	NEWTON	2	1/20/2023	2/9/2023	Carried Forward	Repaired						
293593	12 PLEASANT ST	NEWTON	2	2/13/2023	3/1/2023	Carried Forward	Repaired						
307227	210 COTTON ST	NEWTON	2	1/19/2023	2/2/2023	Carried Forward	Repaired						
333022	WASHBURN AVE & AUBURN RD	NEWTON	2	2/9/2023	3/20/2023	Carried Forward	Repaired						
591420	342 BEACON ST	NEWTON	2	2/22/2023	3/18/2023	Carried Forward	Repaired						

Table L6 Newton Leak Report Dec 31, 2023											
Detailed Quarterly Information			QUARTER 4 - 2023			Name of Operator: <i>Boston Gas Company</i>					
Leak ID (if applicable)	Location	Town/City	Grade [1, 2, 3]	Classification Date	Repair Dates (during quarter)	Carried Forward/ Newly Identified	Status at End of Quarter	Prior Grade (if change in classification)	For G3SEI Leaks		Notes/Explanations
									Survey Designation Date	Leak Extent or Barhole Reading	
1215753	52 ELLIOT ST	NEWTON	2	2/15/2023		Carried Forward	Pending				
1217730	10 OAK TER	NEWTON	2	5/12/2023	7/21/2023	Carried Forward	Repaired	3			
1286045	12 MURRAY RD	NEWTON	2	1/27/2023	2/9/2023	Carried Forward	Repaired				
1286053	LEXINGTON ST & SCRIBNER PI	NEWTON	2	1/27/2023	2/10/2023	Carried Forward	Repaired				
1336115	156 OAK ST	NEWTON	2	4/17/2020		Carried Forward	Pending				
1363327	36 ROSLYN RD	NEWTON	2	1/27/2023	2/9/2023	Carried Forward	Repaired				
2835044	1766 COMMONWEALTH AVE	NEWTON	2	7/21/2023	10/26/2023	Carried Forward	Iniated Other	3			REPAIRED UNDER OTHER LEAK REPAIR
7332283	76 WALDEN ST	NEWTON	2	9/12/2023	10/3/2023	Carried Forward	Repaired	3			
7336761	425 WATERTOWN ST	NEWTON	2	2/14/2023		Carried Forward	Pending				
7351330	34 COLLINS RD	NEWTON	2	6/23/2023	7/27/2023	Carried Forward	Iniated Other	3			NO READS
7353077	8 HOPE ST	NEWTON	2	9/30/2023	11/28/2023	Carried Forward	Repaired	3			
7353689	454 WALNUT ST	NEWTON	2	5/24/2022	2/15/2023	Carried Forward	Iniated Otherwise				UPGRADE
7353695	90 HIGHLAND AVE	NEWTON	2	6/1/2023	6/21/2023	Carried Forward	Iniated Other	3			NO READS
7354043	170 NEEDHAM ST	NEWTON	2	5/21/2020		Carried Forward	Pending				
7354148	238 TREMONT ST	NEWTON	2	2/21/2023	3/16/2023	Carried Forward	Iniated Otherwise				NO READS
7354261	MELROSE AVE & MELROSE ST	NEWTON	2	11/16/2023		Carried Forward	Pending	3			
7354538	5 MARSHALL ST	NEWTON	2	11/16/2023		Carried Forward	Pending	3			
7354888	624 BEACON ST	NEWTON	2	6/17/2020		Carried Forward	Pending				
7355426	7 KILBURN RD	NEWTON	2	10/11/2023	11/27/2023	Carried Forward	Repaired	3			
7356367	350 WINCHESTER ST	NEWTON	2	12/4/2023		Carried Forward	Pending	3			
7356436	317 PARKER ST	NEWTON	2	7/27/2021		Carried Forward	Pending				
7365827	5 OLDEFIELD RD	NEWTON	2	1/19/2021		Carried Forward	Pending				
7366850	176 BOYLSTON ST	NEWTON	1	3/24/2021		Carried Forward	Pending				
7370687	1129 WALNUT ST	NEWTON	2	5/11/2023	5/24/2023	Carried Forward	Repaired	3			
7373055	56 CRESCENT AVE	NEWTON	2	1/25/2022	1/17/2023	Carried Forward	Repaired				
7374403	963 BOYLSTON ST	NEWTON	2	4/22/2022	5/2/2023	Carried Forward	Repaired				
7374797	1675 WASHINGTON ST	NEWTON	2	5/10/2022	4/6/2023	Carried Forward	Iniated Otherwise				NO READS
7374815	211 HIGHLAND AVE	NEWTON	2	5/12/2022	9/13/2023	Carried Forward	Iniated Otherwise				NO READS

Table L6 Newton Leak Report Dec 31, 2023											
Detailed Quarterly Information			QUARTER 4 - 2023			Name of Operator: <i>Boston Gas Company</i>					
Leak ID (if applicable)	Location	Town/City	Grade [1, 2, 3]	Classification Date	Repair Dates (during quarter)	Carried Forward/ Newly Identified	Status at End of Quarter	Prior Grade (if change in classification)	For G3SEI Leaks		Notes/Explanations
									Survey Designation Date	Leak Extent or Barhole Reading	
7374816	951 WALNUT ST	NEWTON	2	4/2/2022	1/11/2023	Carried Forward	Iniated Otherwise				NO READS
7374832	366 ELLIOT ST	NEWTON	2	12/20/2023		Carried Forward	Pending	3			
7374846	90 ELM ST	NEWTON	2	3/16/2023	4/21/2023	Carried Forward	Repaired				
7375091	21 CHANDLER PL	NEWTON	2	6/10/2022	7/11/2023	Carried Forward	Iniated Otherwise				REPAIRED UNDER OTHER LEAK REPAIR
7375092	88 ESSEX RD	NEWTON	2	5/12/2022		Carried Forward	Pending				
7375098	1149 WASHINGTON ST	NEWTON	2	5/16/2022	4/6/2023	Carried Forward	Iniated Otherwise				NO READS
7375346	61 HUNTINGTON RD	NEWTON	2	6/1/2022	11/20/2023	Carried Forward	Iniated Otherwise				NO READS
7375721	100 BOYLSTON ST	NEWTON	2	6/2/2022	11/13/2023	Carried Forward	Repaired				
7376043	737 DEDHAM ST	NEWTON	2	5/23/2022	12/4/2023	Carried Forward	Repaired				
7376438	281 HOMER ST	NEWTON	2	7/29/2022		Carried Forward	Pending				
7376441	1650 WASHINGTON ST	NEWTON	2	7/28/2022	4/6/2023	Carried Forward	Iniated Otherwise				NO READS
7376565	290 DERBY ST	NEWTON	2	8/24/2022	11/28/2023	Carried Forward	Repaired				
7376582	245 RIVER ST	NEWTON	2	8/19/2022	11/29/2023	Carried Forward	Repaired				
7377314	249 DERBY ST	NEWTON	2	9/2/2022	2/9/2023	Carried Forward	Iniated Otherwise				WRONG ADDRESS
7377316	787 WASHINGTON ST	NEWTON	2	1/12/2023	7/20/2023	Carried Forward	Iniated Otherwise				NO READS
7377627	12 FERN CROFT RD	NEWTON	2	3/24/2023	5/18/2023	Carried Forward	Inated Other	3			REPAIRED UNDER OTHER LEAK REPAIR
7377630	545 PARKER ST	NEWTON	2	10/7/2022	11/27/2023	Carried Forward	Repaired				
7377830	37 GLENWOOD AVE	NEWTON	2	7/12/2023	8/24/2023	Carried Forward	Repaired	3			
7378110	599 COMMONWEALTH AVE	NEWTON	2	10/28/2022	11/30/2023	Carried Forward	Repaired				
7378159	640 BOYLSTON ST	NEWTON	2	11/8/2022	6/22/2023	Carried Forward	Inated Otherwise				REPAIRED UNDER OTHER LEAK REPAIR
7378163	371 WASHINGTON ST	NEWTON	2	11/8/2022	8/1/2023	Carried Forward	Inated Otherwise				REPAIRED UNDER OTHER LEAK REPAIR
7378190	250 ALBEMARLE RD	NEWTON	2	11/9/2022	4/27/2023	Carried Forward	Repaired				
7378193	4 JUDITH RD	NEWTON	2	11/8/2022		Carried Forward	Pending				
7378467	316 CENTRAL ST	NEWTON	2	8/21/2023		Carried Forward	Pending	3			
7378649	53 VAN ROOSEN RD	NEWTON	2	3/28/2023	7/13/2023	Carried Forward	Repaired	3			
7378798	126 NONANTUM RD	NEWTON	2	10/19/2022	8/29/2023	Carried Forward	Inited by Replacement				

Table L6 Newton Leak Report Dec 31, 2023											
Detailed Quarterly Information			QUARTER 4 - 2023		Name of Operator: <i>Boston Gas Company</i>						
Leak ID (if applicable)	Location	Town/City	Grade [1, 2, 3]	Classification Date	Repair Dates (during quarter)	Carried Forward/ Newly Identified	Status at End of Quarter	Prior Grade (if change in classification)	For G3SEI Leaks		Notes/Explanations
									Survey Designation Date	Leak Extent or Barhole Reading	
7378966	719 WATERTOWN ST	NEWTON	1	1/4/2023	1/4/2023	Newly Identified	Repaired				
7378969	1190 BOYLSTON ST	NEWTON	1	1/4/2023	1/14/2023	Newly Identified	Repaired				
7379010	315 HIGHLAND AVE	NEWTON	2	12/27/2022	1/17/2023	Carried Forward	Iniated Otherwise				NO READS
7379035	525 WALNUT ST	NEWTON	1	1/9/2023	1/9/2023	Newly Identified	Repaired				
7379036	2311 WASHINGTON ST	NEWTON	1	1/9/2023	1/10/2023	Newly Identified	Repaired				
7379078	336 LEXINGTON ST	NEWTON	2	1/6/2023	1/25/2023	Newly Identified	Repaired				
7379079	30 KILBURN RD	NEWTON	2	1/9/2023	1/24/2023	Newly Identified	Repaired				
7379088	104 AUSTIN ST	NEWTON	1	1/11/2023	1/11/2023	Newly Identified	Repaired				
7379129	54 LORNA RD	NEWTON	1	1/12/2023	1/12/2023	Newly Identified	Repaired				
7379149	19 PELHAM ST	NEWTON	1	1/13/2023	1/13/2023	Newly Identified	Repaired				
7379169	13 ASHMONT AVE	NEWTON	2	1/10/2023	1/25/2023	Newly Identified	Repaired				
7379170	41 AUBURN ST	NEWTON	2	1/11/2023	1/24/2023	Newly Identified	Repaired				
7379172	250 FULLER ST	NEWTON	2	1/11/2023	1/24/2023	Newly Identified	Repaired				
7379173	46 GARDNER ST	NEWTON	2	1/10/2023	1/26/2023	Newly Identified	Repaired				
7379207	43 WYOMING RD	NEWTON	1	1/18/2023	1/18/2023	Newly Identified	Repaired				
7379236	853 WASHINGTON ST	NEWTON	2	1/10/2023	1/4/2023	Newly Identified	Repaired				
7379237	152 LEXINGTON ST	NEWTON	2	1/7/2023	2/6/2023	Newly Identified	Repaired				
7379281	544 GROVE ST	NEWTON	2	11/7/2023	12/19/2023	Newly Identified	Repaired	3			
7379321	614 DEDHAM ST	NEWTON	2	1/5/2023	2/2/2023	Newly Identified	Repaired				
7379421	43 WYOMING RD	NEWTON	1	1/30/2023	1/30/2023	Newly Identified	Repaired				
7379428	414 WALTHAM ST	NEWTON	1	1/31/2023	1/31/2023	Newly Identified	Repaired				
7379457	575 WASHINGTON ST	NEWTON	2	7/12/2023	11/17/2023	Newly Identified	Iniated Other	3			NO READS
7379482	94 REDWOOD RD	NEWTON	1	2/2/2023	2/2/2023	Newly Identified	Repaired				
7379489	55 MURRAY RD	NEWTON	1	2/2/2023	2/2/2023	Newly Identified	Repaired				
7379564	25 CORNELL ST	NEWTON	1	2/9/2023	2/9/2023	Newly Identified	Repaired				
7379566	GREENLAWN AVE & HOMER S	NEWTON	2	1/30/2023	3/1/2023	Newly Identified	Repaired				
7379608	1385 WALNUT ST	NEWTON	1	2/10/2023	2/10/2023	Newly Identified	Repaired				
7379613	142 WALNUT HILL RD	NEWTON	1	2/10/2023	2/10/2023	Newly Identified	Repaired				

Table L6 Newton Leak Report Dec 31, 2023													
Detailed Quarterly Information			QUARTER 4 - 2023			Name of Operator: <i>Boston Gas Company</i>							
Leak ID (if applicable)	Street Number and Name	Location	Town/City	Grade [1, 2, 3]	Classification Date	Repair Dates (during quarter)	Carried Forward/ Newly Identified	Status at End of Quarter	Prior Grade (if change in classification)	For G3SEI Leaks			Notes/Explanations
										Survey Designation Date	Leak Extent or Barhole Reading	Method Used [Leak Extent/ Barhole]	
7379638	66 PLEASANT ST	NEWTON	1	2/13/2023	2/13/2022	ewly Identified	Repaired						Date error: WO closed 2/17/2023
7379641	454 WALNUT ST	NEWTON	1	2/13/2023	2/13/2023	ewly Identified	Repaired						
7379677	317 WASHINGTON ST	NEWTON	1	2/14/2023	2/22/2023	ewly Identified	Iniated Otherwise						CALLED OFF BY SUPERVISOR
7379706	1224 BOYLSTON ST	NEWTON	1	2/15/2023	2/22/2023	ewly Identified	Repaired						
7379741	925 CHESTNUT ST	NEWTON	1	2/16/2023	2/18/2023	ewly Identified	Repaired						
7379748	384 BOYLSTON ST	NEWTON	2	2/7/2023	6/22/2023	ewly Identified	Repaired						
7379781	25 COPELY ST	NEWTON	1	2/21/2023	2/21/2023	ewly Identified	Repaired						
7379859	18 MURRAY TER	NEWTON	1	2/25/2023	2/26/2023	ewly Identified	Repaired						
7379866	93 CARVER RD	NEWTON	2	2/12/2023	2/27/2023	ewly Identified	Repaired						
7379904	15 SHERIDAN ST	NEWTON	1	2/28/2023	3/1/2023	ewly Identified	Repaired						
7379911	616 BOYLSTON ST	NEWTON	2	6/20/2023	7/18/2023	ewly Identified	Iniated Other	3					REPAIRED UNDER OTHER LEAK REPAIR
7379926	15 BROADLAWN DR	NEWTON	1	3/1/2023	3/1/2023	ewly Identified	Repaired						
7379930	702 BOYLSTON ST	NEWTON	2	2/15/2023	6/22/2023	ewly Identified	Iniated Otherwise						REPAIRED UNDER OTHER LEAK REPAIR
7379946	20 WHITLOWE RD	NEWTON	1	3/2/2023	3/2/2023	ewly Identified	Repaired						
7379954	255 PARKER ST	NEWTON	1	3/3/2023	3/6/2023	ewly Identified	Iniated Otherwise						CALLED OFF BY SUPERVISOR
7379962	174 LEXINGTON ST	NEWTON	2	2/15/2023	3/10/2023	ewly Identified	Repaired						
7379991	16 DERBY ST	NEWTON	1	3/7/2023	3/7/2023	ewly Identified	Repaired						
7380058	31 ASHEVILLE RD	NEWTON	2	2/9/2023	3/22/2023	ewly Identified	Repaired						
7380059	92 CHERRY ST	NEWTON	2	2/13/2023	3/24/2023	ewly Identified	Repaired						
7380098	130 RACHEL RD	NEWTON	1	3/15/2023	3/15/2023	ewly Identified	Repaired						
7380104	65 BERNARD ST	NEWTON	1	3/15/2023	3/15/2023	ewly Identified	Repaired						
7380116	74 RACHEL RD	NEWTON	1	3/16/2023	3/16/2023	ewly Identified	Repaired						
7380137	255 PARKER ST	NEWTON	1	3/18/2023	3/22/2023	ewly Identified	Repaired						
7380201	ALBEMARLE RD & WATERTOW	NEWTON	2	3/5/2023	3/24/2023	ewly Identified	Repaired						
7380202	66 LANGDON ST	NEWTON	1	3/24/2023	3/24/2023	ewly Identified	Repaired						

Table L6 Newton Leak Report Dec 31, 2023											
Detailed Quarterly Information			QUARTER 4 - 2023		Name of Operator: <i>Boston Gas Company</i>						
Leak ID (if applicable)	Location	Town/City	Grade [1, 2, 3]	Classification Date	Repair Dates (during quarter)	Carried Forward/ Newly Identified	Status at End of Quarter	Prior Grade (if change in classification)	For G3SEI Leaks		Notes/Explanations
									Survey Designation Date	Leak Extent or Barhole Reading	
7380205	13 HENSHAW TER	NEWTON	1	3/24/2023	3/24/2023	ewly Identified	Repaired				
7380214	17 FERN CROFT RD	NEWTON	1	3/26/2023	3/27/2023	ewly Identified	Repaired				
7380222	66 LANGDON ST	NEWTON	1	3/27/2023	3/27/2023	ewly Identified	Repaired				
7380231	31 CORNELL ST	NEWTON	1	3/27/2023	3/28/2023	ewly Identified	Repaired				
7380286	491 DUDLEY RD	NEWTON	1	3/31/2023	3/31/2023	ewly Identified	Repaired				
7380293	770 CENTRE ST	NEWTON	1	3/31/2023	3/31/2023	ewly Identified	Repaired				
7380299	491 DUDLEY RD	NEWTON	1	4/1/2023	4/1/2023	ewly Identified	Repaired				
7380332	90 ELM ST	NEWTON	2	3/16/2023	4/5/2023	ewly Identified	Iniated Otherwise				SYSTEM ISSUE
7380368	32 WASHBURN ST	NEWTON	1	4/6/2023	4/6/2023	ewly Identified	Iniated Otherwise				WRONG ADDRESS
7380375	297 LOWELL AVE	NEWTON	1	4/6/2023	4/6/2023	ewly Identified	Repaired				
7380433	61 MONTVALE RD	NEWTON	1	4/10/2023	4/10/2023	ewly Identified	Repaired				
7380465	494 WATERTOWN ST	NEWTON	1	4/12/2023	4/13/2023	ewly Identified	Repaired				
7380505	961 WALNUT ST	NEWTON	1	4/14/2023	4/16/2023	ewly Identified	Repaired				
7380508	956 WALNUT ST	NEWTON	1	4/16/2023	4/16/2023	ewly Identified	Repaired				
7380544	961 WALNUT ST	NEWTON	1	4/18/2023	4/18/2023	ewly Identified	Repaired				
7380568	512 DEDHAM ST	NEWTON	1	4/19/2023	4/20/2023	ewly Identified	Repaired				
7380664	126 EVELYN RD	NEWTON	2	4/17/2023	5/1/2023	ewly Identified	Replaced by Replacement				
7380666	32 ELIZABETH CIR	NEWTON	2	4/11/2023	5/1/2023	ewly Identified	Iniated Otherwise				CALLED OFF BY SUPERVISOR
7380701	1033 WALNUT ST	NEWTON	2	4/16/2023	5/11/2023	ewly Identified	Repaired				
7380704	2390 COMMONWEALTH AVE	NEWTON	1	4/26/2023	4/28/2023	ewly Identified	Repaired				
7380707	183 WINCHESTER ST	NEWTON	2	5/31/2023	6/27/2023	ewly Identified	Repaired	3			
7380760	985 BEACON ST	NEWTON	1	4/29/2023	4/29/2023	ewly Identified	Repaired				
7380780	27 BOYLSTON ST	NEWTON	1	5/1/2023	5/1/2023	ewly Identified	Repaired				
7380844	961 WALNUT ST	NEWTON	1	5/2/2023	5/2/2023	ewly Identified	Repaired				
7380872	1000 COMMONWEALTH AVE	NEWTON	1	5/3/2023	5/4/2023	ewly Identified	Repaired				
7380874	282 WATERTOWN ST	NEWTON	1	5/4/2023	5/4/2023	ewly Identified	Repaired				
7380907	20 MANET RD	NEWTON	1	5/5/2023	5/5/2023	ewly Identified	Repaired				
7380928	961 WALNUT ST	NEWTON	1	5/6/2023	5/6/2023	ewly Identified	Repaired				

Table L6 Newton Leak Report Dec 31, 2023											
Detailed Quarterly Information			QUARTER 4 - 2023			Name of Operator: <i>Boston Gas Company</i>					
Leak ID (if applicable)	Location	Town/City	Grade [1, 2, 3]	Classification Date	Repair Dates (during quarter)	Carried Forward/ Newly Identified	Status at End of Quarter	Prior Grade (if change in classification)	For G3SEI Leaks		Notes/Explanations
									Survey Designation Date	Leak Extent or Barhole Reading	
7380934	20 AUBURNDALE AVE	NEWTON	1	5/7/2023	5/9/2023	ewly Identified	Repaired				
7380935	79 CHARLEMONT ST	NEWTON	1	5/7/2023	5/8/2023	ewly Identified	Repaired				
7380997	KERRY CT & PINE ST	NEWTON	1	5/10/2023	5/10/2023	ewly Identified	Repaired				
7381003	9 WILLIAM ST	NEWTON	1	5/10/2023	5/10/2023	ewly Identified	Repaired				
7381021	15 BEAUMONT AVE	NEWTON	1	5/11/2023	5/11/2023	ewly Identified	Repaired				
7381065	46 COCHITUATE RD	NEWTON	1	5/13/2023	5/14/2023	ewly Identified	Repaired				
7381080	46 COCHITUATE RD	NEWTON	1	5/15/2023	5/15/2023	ewly Identified	Repaired				
7381137	93 CARLTON RD	NEWTON	2	5/10/2023	5/23/2023	ewly Identified	Repaired				
7381138	100 OLDEFIELD RD	NEWTON	2	5/8/2023	5/26/2023	ewly Identified	Repaired				
7381200	121 VALENTINE ST	NEWTON	2	4/12/2023	6/1/2023	ewly Identified	Repaired				
7381201	25 CLEMENTS RD	NEWTON	1	5/18/2023	5/18/2023	ewly Identified	Repaired				
7381314	19 ADELLA AVE	NEWTON	1	5/24/2023	5/24/2023	ewly Identified	Repaired				
7381511	389 CENTRAL ST	NEWTON	1	6/1/2023	6/1/2023	ewly Identified	Repaired				
7381530	22 SHAW ST	NEWTON	1	6/1/2023	6/1/2023	ewly Identified	Repaired				
7381578	1169 WASHINGTON ST	NEWTON	1	6/4/2023	6/6/2023	ewly Identified	Repaired				
7381585	51 OAKWOOD RD	NEWTON	1	6/5/2023	6/5/2023	ewly Identified	Repaired				
7381598	43 CHINIAN PATH	NEWTON	1	6/6/2023	6/6/2023	ewly Identified	Repaired				
7381628	20 BEACON ST	NEWTON	2	5/21/2023	7/19/2023	ewly Identified	Inated Otherwise				SYSTEM ISSUE
7381630	18 PINE CREST RD	NEWTON	1	6/7/2023	6/7/2023	ewly Identified	Repaired				
7381647	33 BOYLSTON ST	NEWTON	1	6/7/2023	6/8/2023	ewly Identified	Repaired				
7381742	6 LOWELL AVE	NEWTON	1	6/12/2023	6/13/2023	ewly Identified	Repaired				
7381808	22 NARDELL RD	NEWTON	1	6/14/2023	6/15/2023	ewly Identified	Repaired				
7381812	52 RANDLETT PIKE	NEWTON	1	6/14/2023	6/14/2023	ewly Identified	Repaired				
7381822	1224 BOYLSTON ST	NEWTON	1	6/14/2023	6/20/2023	ewly Identified	Repaired				
7381828	85 CLEMENTS RD	NEWTON	1	6/7/2023	6/14/2023	ewly Identified	Repaired				
7381910	384 BOYLSTON ST	NEWTON	1	6/20/2023	6/21/2023	ewly Identified	Repaired				
7381928	336 BOYLSTON ST	NEWTON	1	6/20/2023	7/18/2023	ewly Identified	Repaired				
7381940	1 ELIOT AVE	NEWTON	2	5/16/2023	7/19/2023	ewly Identified	Inated Otherwise				NO READS
7381950	PAULSON RD & FERN CROFT R	NEWTON	1	6/21/2023	6/21/2023	ewly Identified	Repaired				

Table L6 Newton Leak Report Dec 31, 2023											
Detailed Quarterly Information			QUARTER 4 - 2023		Name of Operator: <i>Boston Gas Company</i>						
Leak ID (if applicable)	Location	Town/City	Grade [1, 2, 3]	Classification Date	Repair Dates (during quarter)	Carried Forward/ Newly Identified	Status at End of Quarter	Prior Grade (if change in classification)	For G3SEI Leaks		Notes/Explanations
									Survey Designation Date	Leak Extent or Barhole Reading	
7381973	2096 WASHINGTON ST	NEWTON	1	6/22/2023	6/22/2023	Newly Identified	Repaired				
7382027	18 PINE ST	NEWTON	1	6/24/2023	6/24/2023	Newly Identified	Repaired				
7382052	287 AUBURN ST	NEWTON	1	6/26/2023	6/27/2023	Newly Identified	Repaired				
7382072	244 UPLAND AVE	NEWTON	1	6/27/2023	6/27/2023	Newly Identified	Repaired				
7382087	399 WASHINGTON ST	NEWTON	1	6/27/2023	6/28/2023	Newly Identified	Repaired				
7382110	74 COUNTRY CLUB RD	NEWTON	1	6/29/2023	6/29/2023	Newly Identified	Repaired				
7382121	38 WETHERELL ST	NEWTON	2	6/7/2023	8/7/2023	Newly Identified	Repaired				
7382122	207 WASHINGTON ST	NEWTON	2	6/6/2023		Newly Identified	Pending				
7382161	14 HIGHLAND AVE	NEWTON	1	7/3/2023	7/3/2023	Newly Identified	Repaired				
7382175	14 HIGHLAND PIKE	NEWTON	1	7/5/2023	7/12/2023	Newly Identified	Inated Otherwise				WRONG ADDRESS
7382207	671 SAWMILL BROOK PKY	NEWTON	1	7/6/2023	7/7/2023	Newly Identified	Repaired				
7382245	21 CHANDLER PL	NEWTON	1	7/9/2023	7/10/2023	Newly Identified	Repaired				
7382248	394 HOMER ST	NEWTON	1	7/9/2023	7/9/2023	Newly Identified	Repaired				
7382269	1175 CENTRE ST	NEWTON	1	7/11/2023	7/11/2023	Newly Identified	Repaired				
7382273	115 RANDLETT PIKE	NEWTON	1	7/11/2023	7/11/2023	Newly Identified	Repaired				
7382319	1191 CENTRE ST	NEWTON	1	7/13/2023	7/14/2023	Newly Identified	Repaired				
7382364	16 JUNE LN	NEWTON	1	7/14/2023	7/14/2023	Newly Identified	Repaired				
7382370	MEREDITH AVE & BOYLSTON	NEWTON	1	7/15/2023	7/16/2023	Newly Identified	Repaired				
7382389	616 BOYLSTON ST	NEWTON	1	7/17/2023	7/18/2023	Newly Identified	Repaired				
7382443	46 GARDNER ST	NEWTON	1	7/19/2023	7/19/2023	Newly Identified	Repaired				
7382457	216 LOWELL AVE	NEWTON	1	7/19/2023	7/20/2023	Newly Identified	Repaired				
7382517	389 CENTRAL ST	NEWTON	1	7/21/2023	7/21/2023	Newly Identified	Repaired				
7382529	997 BEACON ST	NEWTON	1	7/24/2023	7/24/2023	Newly Identified	Repaired				
7382536	74 EDDY ST	NEWTON	2	6/29/2023		Newly Identified	Pending				
7382540	33 TERRACE AVE	NEWTON	1	7/24/2023	7/24/2023	Newly Identified	Repaired				
7382574	1875 BEACON ST	NEWTON	1	7/25/2023	7/25/2023	Newly Identified	Repaired				
7382593	385 WARD ST	NEWTON	2	6/25/2023	8/31/2023	Newly Identified	Repaired				
7382660	1084 BOYLSTON ST	NEWTON	1	7/29/2023	7/30/2023	Newly Identified	Repaired				
7382671	268 NEWTONVILLE AVE	NEWTON	1	7/31/2023	7/31/2023	Newly Identified	Repaired				

Table L6 Newton Leak Report Dec 31, 2023											
Detailed Quarterly Information			QUARTER 4 - 2023			Name of Operator: <i>Boston Gas Company</i>					
Leak ID (if applicable)	Location	Town/City	Grade [1, 2, 3]	Classification Date	Repair Dates (during quarter)	Carried Forward/ Newly Identified	Status at End of Quarter	Prior Grade (if change in classification)	For G3SEI Leaks		Notes/Explanations
									Survey Designation Date	Leak Extent or Barhole Reading	
7382683	371 WASHINGTON ST	NEWTON	1	7/30/2023	8/2/2023	ewly Identified	Repaired				
7382686	525 WALNUT ST	NEWTON	1	7/31/2023	8/1/2023	ewly Identified	Repaired				
7382729	1057 WALNUT ST	NEWTON	1	8/2/2023	8/3/2023	ewly Identified	Repaired				
7382741	263 HAMMOND ST	NEWTON	1	8/3/2023		Newly Identified	Pending				
7382775	40 NEEDHAM ST	NEWTON	1	8/4/2023	8/5/2023	ewly Identified	Repaired				
7382781	82 CARVER RD	NEWTON	1	8/4/2023	8/4/2023	ewly Identified	Repaired				
7382792	583 WATERTOWN ST	NEWTON	1	8/5/2023	8/5/2023	ewly Identified	Repaired				
7382795	187 MOFFAT RD	NEWTON	1	8/5/2023	8/5/2023	ewly Identified	Repaired				
7382837	118 LANGLEY RD	NEWTON	1	8/8/2023	8/8/2023	ewly Identified	Repaired				
7382839	302 CYPRESS ST	NEWTON	1	8/8/2023	8/9/2023	ewly Identified	Repaired				
7382850	187 MOFFAT RD	NEWTON	1	8/9/2023	8/10/2023	ewly Identified	Repaired				
7382874	268 NEWTONVILLE AVE	NEWTON	1	8/10/2023	8/11/2023	ewly Identified	Repaired				
7382891	118 LANGLEY RD	NEWTON	1	8/10/2023	8/11/2023	ewly Identified	Repaired				
7382903	106 FAIR OAKS AVE	NEWTON	1	8/11/2023	8/11/2023	ewly Identified	Repaired				
7382935	14 EMERALD ST	NEWTON	1	8/12/2023	8/12/2023	ewly Identified	Repaired				
7382936	116 CHURCH ST	NEWTON	1	8/12/2023	8/12/2023	ewly Identified	Repaired				
7382940	628 BOYLSTON ST	NEWTON	1	8/13/2023	8/14/2023	ewly Identified	Repaired				
7382941	4 MEREDITH AVE	NEWTON	1	8/13/2023	8/15/2023	ewly Identified	Repaired				
7382946	69 WALDORF RD	NEWTON	2	6/27/2023	9/11/2023	ewly Identified	Repaired				
7383058	28 WARWICK RD	NEWTON	1	8/18/2023	8/19/2023	ewly Identified	Repaired				
7383061	118 LANGLEY RD	NEWTON	1	8/19/2023	8/19/2023	ewly Identified	Repaired				
7383066	743 WASHINGTON ST	NEWTON	1	8/20/2023	8/21/2023	ewly Identified	Repaired				
7383078	851 WATERTOWN ST	NEWTON	1	8/21/2023	8/21/2023	ewly Identified	Repaired				
7383149	193 WINCHESTER ST	NEWTON	2	9/1/2023	11/29/2023	ewly Identified	Repaired				
7383171	WALNUT ST & WATERTOWN S	NEWTON	1	8/26/2023	9/30/2023	ewly Identified	Repaired				
7383172	19 WEBSTER PL	NEWTON	1	8/26/2023	8/26/2023	ewly Identified	Repaired				
7383193	17 SUFFOLK RD	NEWTON	1	8/28/2023	8/29/2023	ewly Identified	Repaired				
7383225	45 PARK AVE	NEWTON	1	8/29/2023	8/29/2023	ewly Identified	Repaired				
7383272	325 BEACON ST	NEWTON	1	8/31/2023	9/1/2023	ewly Identified	Repaired				

Table L6 Newton Leak Report Dec 31, 2023												
Detailed Quarterly Information			QUARTER 4 - 2023		Name of Operator: <i>Boston Gas Company</i>							
Leak ID (if applicable)	Location	Town/City	Grade [1, 2, 3]	Classification Date	Repair Dates (during quarter)	Carried Forward/ Newly Identified	Status at End of Quarter	Prior Grade (if change in classification)	For G3SEI Leaks			Notes/Explanations
									Survey Designation Date	Leak Extent or Barhole Reading	Method Used [Leak Extent/ Barhole]	
7383368	292 FRANKLIN ST	NEWTON	1	9/7/2023	9/7/2023	ewly Identified	Repaired					
7383391	128 OTIS ST	NEWTON	1	9/8/2023	9/8/2023	ewly Identified	Repaired					
7383437	233 NAHANTON ST	NEWTON	1	9/11/2023	9/11/2023	ewly Identified	Repaired					
7383475	495 WATERTOWN ST	NEWTON	1	9/12/2023	9/13/2023	ewly Identified	Repaired					
7383538	107 TRUMAN RD	NEWTON	1	9/14/2023	9/14/2023	ewly Identified	Repaired					
7383539	209 COUNTRY CLUB RD	NEWTON	2	8/11/2023	10/11/2023	ewly Identified	Repaired					
7383616	FERN CROFT RD & BEACON ST	NEWTON	1	9/19/2023	9/19/2023	ewly Identified	Repaired					
7383823	999 CHESTNUT ST	NEWTON	2	9/16/2023	11/27/2023	ewly Identified	Repaired					
7383839	39 MASON RD	NEWTON	1	10/2/2023	10/2/2023	ewly Identified	Repaired					
7383883	64 CARL ST	NEWTON	1	10/3/2023	10/3/2023	ewly Identified	Repaired					
7383905	34 WATERSTON RD	NEWTON	1	10/4/2023	10/4/2023	ewly Identified	Repaired					
7383988	1 ELIOT AVE	NEWTON	2	10/10/2023	10/21/2023	ewly Identified	Repaired					
7383995	46 VISTA AVE	NEWTON	1	10/11/2023	10/12/2023	ewly Identified	Repaired					
7384027	29 HUNTER ST	NEWTON	1	10/13/2023	10/13/2023	ewly Identified	Repaired					
7384033	131 BRANDEIS RD	NEWTON	1	10/13/2023	10/13/2023	ewly Identified	Repaired					
7384099	31 HOLLY RD	NEWTON	1	10/17/2023	10/17/2023	ewly Identified	Repaired					
7384217	1268 BOYLSTON ST	NEWTON	1	10/23/2023	10/23/2023	ewly Identified	Repaired					
7384257	1766 COMMONWEALTH AVE	NEWTON	1	10/25/2023	10/27/2023	ewly Identified	Repaired					
7384283	20 CARL ST	NEWTON	1	10/26/2023	10/26/2023	ewly Identified	Repaired					
7384330	181 CALIFORNIA ST	NEWTON	1	10/27/2023	10/27/2023	ewly Identified	Repaired					
7384401	93 BEAUMONT AVE	NEWTON	1	11/2/2023	11/2/2023	ewly Identified	Repaired					
7384437	38 MECHANIC ST	NEWTON	1	11/5/2023	11/5/2023	ewly Identified	Repaired					
7384443	62 BEACON ST	NEWTON	2	11/2/2023	12/4/2023	ewly Identified	Initiated Otherwise					
7384460	91 ARNOLD RD	NEWTON	1	11/6/2023	11/6/2023	ewly Identified	Repaired					NO READS
7384464	48 INDIANA TER	NEWTON	1	11/6/2023	11/6/2023	ewly Identified	Repaired					
7384465	112 WINCHESTER ST	NEWTON	1	11/6/2023	11/7/2023	ewly Identified	Repaired					
7384549	643 WATERTOWN ST	NEWTON	1	11/11/2023	11/15/2023	ewly Identified	Repaired					
7384625	275 NEVADA ST	NEWTON	1	11/15/2023	11/15/2023	ewly Identified	Repaired					
7384626	42 PLAINFIELD ST	NEWTON	1	11/15/2023	11/15/2023	ewly Identified	Repaired					

Table L6 Newton Leak Report Dec 31, 2023													
Detailed Quarterly Information			QUARTER 4 - 2023		Name of Operator: <i>Boston Gas Company</i>								
Leak ID (if applicable)	Street Number and Name	Location	Town/City	Grade [1, 2, 3]	Classification Date	Repair Dates (during quarter)	Carried Forward/ Newly Identified	Status at End of Quarter	Prior Grade (if change in classification)	For G3SEI Leaks			Notes/Explanations
										Survey Designation Date	Leak Extent or Barhole Reading	Method Used [Leak Extent/ Barhole]	
7384637	41 JOHN ST	NEWTON	1	11/16/2023	11/16/2023	Newly Identified	Repaired						
7384664	11 THORNTON ST	NEWTON	1	11/18/2023	11/21/2023	Newly Identified	Qualified Otherwise					DUPLICATE LEAK	
7384682	11 THORNTON ST	NEWTON	1	11/18/2023	11/20/2023	Newly Identified	Repaired						
7384705	LOWELL AVE & WASHINGTON	NEWTON	1	11/22/2023	11/22/2023	Newly Identified	Repaired						
7384726	934 BEACON ST	NEWTON	1	11/27/2023	11/27/2023	Newly Identified	Repaired						
7384775	628 BOYLSTON ST	NEWTON	2	10/24/2023		Newly Identified	Pending						
7384797	318 BOYLSTON ST	NEWTON	1	11/30/2023	12/1/2023	Newly Identified	Repaired						
7384926	55 MURRAY RD	NEWTON	1	12/10/2023		Newly Identified	Pending						
7384927	55 MURRAY RD	NEWTON	1	12/10/2023	12/12/2023	Newly Identified	Repaired						
7385003	13 WOODROW AVE	NEWTON	1	12/14/2023	12/14/2023	Newly Identified	Repaired						
7385038	168 RIVER ST	NEWTON	2	12/16/2023	12/17/2023	Newly Identified	Repaired						
7385073	48 WARWICK RD	NEWTON	1	12/20/2023	12/20/2023	Newly Identified	Repaired						
7385091	142 CHURCH ST	NEWTON	1	12/22/2023	12/22/2023	Newly Identified	Repaired						
7385092	437 CENTRE ST	NEWTON	1	12/22/2023	12/23/2023	Newly Identified	Repaired						
7385096	68 WOODBINE ST	NEWTON	1	12/22/2023	12/22/2023	Newly Identified	Repaired						
7385123	437 CENTRE ST	NEWTON	1	12/26/2023	12/26/2023	Newly Identified	Repaired						
7385129	90 ALLEN AVE	NEWTON	1	12/26/2023	12/27/2023	Newly Identified	Repaired						
7385159	15 BEECH ST	NEWTON	1	12/27/2023	12/27/2023	Newly Identified	Repaired						
7385304	35 LEXINGTON ST	NEWTON	2	12/24/2023		Newly Identified	Pending						
7385348	17 WARE RD	NEWTON	2	12/22/2023		Newly Identified	Pending						

Table L7 All eliminated Newton leaks in 2023

Leak ID	Street Address	Grade	Classification Date	Repair Date	Carried Forward or Newly Identified	Status	Prior Grade (if any)	Survey Date	Leak Extent	Method	Notes
7381314	19 ADELLA AVE	1	2023-05-24	2023-05-24	Newly Identified	Repaired					
7380201	ALBEMARLE RD & WATERTOWN ST	2	2023-03-05	2023-03-24	Newly Identified	Repaired					
7378190	250 ALBEMARLE RD	2	2022-11-09	2023-04-27	Carried Forward	Repaired					
7327564	367 ALBEMARLE RD	3	2016-06-24	2023-03-03	Carried Forward	Eliminated by Replacement	2023-01-18	2100	Leak Extent		
7354697	72 ALGONQUIN RD	3	2019-07-16	2023-10-17	Carried Forward	Repaired		2023-03-03	600	Leak Extent	
7385129	90 ALLEN AVE	1	2023-12-26	2023-12-27	Newly Identified	Repaired					
7375100	7 AMHERST RD	3	2022-04-05	2023-02-08	Carried Forward	Repaired		2022-04-05	4454	Leak Extent	
7384460	91 ARNOLD RD	1	2023-11-06	2023-11-06	Newly Identified	Repaired					
7327326	91 ARNOLD RD	3	2016-07-08	2023-11-08	Carried Forward	Eliminated Otherwise		2023-01-27	200	Leak Extent	REPAIRED UNDER OTHER LEAK REPAIR
7380058	31 ASHEVILLE RD	2	2023-02-09	2023-03-22	Newly Identified	Repaired					
7379169	13 ASHMONT AVE	2	2023-01-10	2023-01-25	Newly Identified	Repaired					
7379170	41 AUBURN ST	2	2023-01-11	2023-01-24	Newly Identified	Repaired					
7382052	287 AUBURN ST	1	2023-06-26	2023-06-27	Newly Identified	Repaired					
7380934	20 AUBURNDALE AVE	1	2023-05-07	2023-05-09	Newly Identified	Repaired					
7364832	274 AUBURNDALE AVE	3	2020-08-14	2023-07-06	Carried Forward	Eliminated Otherwise		2023-04-25	0	No CGI reading	NO READS
7379088	104 AUSTIN ST	1	2023-01-11	2023-01-11	Newly Identified	Repaired					
7339371	110 AUSTIN ST	3	2017-10-17	2023-02-15	Carried Forward	Repaired		2022-04-25	2700	Leak Extent	
7381628	20 BEACON ST	2	2023-05-21	2023-07-19	Newly Identified	Eliminated Otherwise					SYSTEM ISSUE
7360536	34 BEACON ST	3	2020-05-29	2023-02-21	Carried Forward	Repaired		2022-04-11	3600	Leak Extent	
7384443	62 BEACON ST	2	2023-11-02	2023-12-04	Newly Identified	Eliminated Otherwise					NO READS
7383272	325 BEACON ST	1	2023-08-31	2023-09-01	Newly Identified	Repaired					
591420	342 BEACON ST	2	2023-02-22	2023-03-18	Carried Forward	Repaired					
7384726	934 BEACON ST	1	2023-11-27	2023-11-27	Newly Identified	Repaired					
7354944	942 BEACON ST	3	2022-09-27	2023-12-05	Carried Forward	Eliminated Otherwise		2023-07-19	1820	Leak Extent	REPAIRED UNDER OTHER LEAK REPAIR
7380760	985 BEACON ST	1	2023-04-29	2023-04-29	Newly Identified	Repaired					
7382529	997 BEACON ST	1	2023-07-24	2023-07-24	Newly Identified	Repaired					
7382574	1875 BEACON ST	1	2023-07-25	2023-07-25	Newly Identified	Repaired					
7374847	1880 BEACON ST	3	2022-05-02	2023-03-10	Carried Forward	Repaired		2022-05-02	13120	Leak Extent	
7381021	15 BEAUMONT AVE	1	2023-05-11	2023-05-11	Newly Identified	Repaired					
7384401	93 BEAUMONT AVE	1	2023-11-02	2023-11-02	Newly Identified	Repaired					
7385159	15 BEECH ST	1	2023-12-27	2023-12-27	Newly Identified	Repaired					
7380104	65 BERNARD ST	1	2023-03-15	2023-03-15	Newly Identified	Repaired					
7354551	30 BERWICK RD	3	2019-07-09	2023-03-06	Carried Forward	Repaired		2023-03-03	1178	Leak Extent	
7356413	27 BONTEMPO RD	3	2019-09-26	2023-07-06	Carried Forward	Eliminated Otherwise		2023-04-24	0	No CGI reading	NO READS
7356368	36 BONTEMPO RD	3	2019-09-25	2023-07-06	Carried Forward	Eliminated Otherwise		2023-04-24	0	No CGI reading	NO READS
7356370	47 BONTEMPO RD	3	2019-09-25	2023-09-28	Carried Forward	Eliminated by Replacement		2023-04-24	0	No CGI reading	
7380780	27 BOYLSTON ST	1	2023-05-01	2023-05-01	Newly Identified	Repaired					
7381647	33 BOYLSTON ST	1	2023-06-07	2023-06-08	Newly Identified	Repaired					

Table L7 All eliminated Newton leaks in 2023

	Listed alphabetically by street										
Leak ID	Street Address	Grade	Classification Date	Repair Date	Carried Forward or Newly Identified	Status	Prior Grade (if any)	Survey Date	Leak Extent	Method	Notes
7375721	100 BOYLSTON ST	2	2022-06-02	2023-11-13	Carried Forward	Repaired					
7384797	318 BOYLSTON ST	1	2023-11-30	2023-12-01	Newly Identified	Repaired					
7381928	336 BOYLSTON ST	1	2023-06-20	2023-07-18	Newly Identified	Repaired					
7379748	384 BOYLSTON ST	2	2023-02-07	2023-06-22	Newly Identified	Repaired					
7381910	384 BOYLSTON ST	1	2023-06-20	2023-06-21	Newly Identified	Repaired					
7379911	616 BOYLSTON ST	2	2023-06-20	2023-07-18	Newly Identified	Eliminated Otherwise	3				REPAIRED UNDER OTHER LEAK REPAIR
7382389	616 BOYLSTON ST	1	2023-07-17	2023-07-18	Newly Identified	Repaired					
7382940	628 BOYLSTON ST	1	2023-08-13	2023-08-14	Newly Identified	Repaired					
7378159	640 BOYLSTON ST	2	2022-11-08	2023-06-22	Carried Forward	Eliminated Otherwise					REPAIRED UNDER OTHER LEAK REPAIR
7379912	692 BOYLSTON ST	3	2023-01-30	2023-06-27	Newly Identified	Repaired					
7379930	702 BOYLSTON ST	2	2023-02-15	2023-06-22	Newly Identified	Eliminated Otherwise					REPAIRED UNDER OTHER LEAK REPAIR
7374403	963 BOYLSTON ST	2	2022-04-22	2023-05-02	Carried Forward	Repaired					
7382660	1084 BOYLSTON ST	1	2023-07-29	2023-07-30	Newly Identified	Repaired					
7378969	1190 BOYLSTON ST	1	2023-01-04	2023-01-14	Newly Identified	Repaired					
7379706	1224 BOYLSTON ST	1	2023-02-15	2023-02-22	Newly Identified	Repaired					
7381822	1224 BOYLSTON ST	1	2023-06-14	2023-06-20	Newly Identified	Repaired					
7384217	1268 BOYLSTON ST	1	2023-10-23	2023-10-23	Newly Identified	Repaired					
7368732	1304 BOYLSTON ST	3	2021-05-30	2023-01-09	Carried Forward	Repaired		2022-04-20	4	Leak Extent	
7384033	131 BRANDEIS RD	1	2023-10-13	2023-10-13	Newly Identified	Repaired					
7379926	15 BROADLAWN DR	1	2023-03-01	2023-03-01	Newly Identified	Repaired					
7384330	181 CALIFORNIA ST	1	2023-10-27	2023-10-27	Newly Identified	Repaired					
7384283	20 CARL ST	1	2023-10-26	2023-10-26	Newly Identified	Repaired					
7383883	64 CARL ST	1	2023-10-03	2023-10-03	Newly Identified	Repaired					
7376320	CARLTON RD & WABAN AVE	3	2022-08-02	2023-05-16	Carried Forward	Eliminated Otherwise					REPAIRED UNDER OTHER LEAK REPAIR
7381137	93 CARLTON RD	2	2023-05-10	2023-05-23	Newly Identified	Repaired					
100193	9 CARTER ST	2	2023-01-20	2023-02-09	Carried Forward	Repaired					
7382781	82 CARVER RD	1	2023-08-04	2023-08-04	Newly Identified	Repaired					
7379866	93 CARVER RD	2	2023-02-12	2023-02-27	Newly Identified	Repaired					
7381511	389 CENTRAL ST	1	2023-06-01	2023-06-01	Newly Identified	Repaired					
7382517	389 CENTRAL ST	1	2023-07-21	2023-07-21	Newly Identified	Repaired					
7370883	389 CENTRAL ST	3	2021-09-14	2023-06-01	Carried Forward	Eliminated Otherwise		2023-06-01	0	No CGI reading	REPAIRED UNDER OTHER LEAK REPAIR
7331479	425 CENTRE ST	3	2017-01-03	2023-12-28	Carried Forward	Eliminated Otherwise		2023-11-17	0	No CGI reading	REPAIRED UNDER OTHER LEAK REPAIR
7385092	437 CENTRE ST	1	2023-12-22	2023-12-23	Newly Identified	Repaired					
7385123	437 CENTRE ST	1	2023-12-26	2023-12-26	Newly Identified	Repaired					
7380293	770 CENTRE ST	1	2023-03-31	2023-03-31	Newly Identified	Repaired					
7370879	983 CENTRE ST	3	2021-09-08	2023-12-04	Carried Forward	Repaired		2023-06-01	1600	Leak Extent	
7382269	1175 CENTRE ST	1	2023-07-11	2023-07-11	Newly Identified	Repaired					
7382319	1191 CENTRE ST	1	2023-07-13	2023-07-14	Newly Identified	Repaired					

Table L7 All eliminated Newton leaks in 2023

	Listed alphabetically by street										
Leak ID	Street Address	Grade	Classification Date	Repair Date	Carried Forward or Newly Identified	Status	Prior Grade (if any)	Survey Date	Leak Extent	Method	Notes
7326186	1267 CENTRE ST	3	2016-05-20	2023-03-01	Carried Forward	Eliminated Otherwise		2022-08-30	100	Leak Extent	NO READS
7322667	12 CHAMBERLAIN RD	3	2016-01-12	2023-12-22	Carried Forward	Eliminated Otherwise		2023-11-13	0	No CGI reading	NO READS
7375091	21 CHANDLER PL	2	2022-06-10	2023-07-11	Carried Forward	Eliminated Otherwise					REPAIRED UNDER OTHER LEAK REPAIR
7382245	21 CHANDLER PL	1	2023-07-09	2023-07-10	Newly Identified	Repaired					
7380935	79 CHARLEMONT ST	1	2023-05-07	2023-05-08	Newly Identified	Repaired					
7325705	79 CHARLEMONT ST	3	2016-04-15	2023-05-16	Carried Forward	Eliminated Otherwise		2023-02-21	1188	Leak Extent	NO READS
7380059	92 CHERRY ST	2	2023-02-13	2023-03-24	Newly Identified	Repaired					
1363297	284 CHESTNUT ST	3	2013-09-06	2023-03-24	Carried Forward	Repaired		2023-03-07	0	No CGI reading	
7379741	925 CHESTNUT ST	1	2023-02-16	2023-02-18	Newly Identified	Repaired					
7383823	999 CHESTNUT ST	2	2023-09-16	2023-11-27	Newly Identified	Repaired					
7381598	43 CHINIAN PATH	1	2023-06-06	2023-06-06	Newly Identified	Repaired					
7382936	116 CHURCH ST	1	2023-08-12	2023-08-12	Newly Identified	Repaired					
7385091	142 CHURCH ST	1	2023-12-22	2023-12-22	Newly Identified	Repaired					
42649	CLAREMONT ST & LOMBARD ST	3	1993-03-03	2023-12-05	Carried Forward	Eliminated Otherwise		2023-11-08	25	Leak Extent	NO READS
7375992	8 CLEARWATER RD	3	2022-06-20	2023-02-07	Carried Forward	Repaired		2022-06-20	2420	Leak Extent	
7381201	25 CLEMENTS RD	1	2023-05-18	2023-05-18	Newly Identified	Repaired					
7381828	85 CLEMENTS RD	1	2023-06-07	2023-06-14	Newly Identified	Repaired					
7381065	46 COCHITUATE RD	1	2023-05-13	2023-05-14	Newly Identified	Repaired					
7381080	46 COCHITUATE RD	1	2023-05-15	2023-05-15	Newly Identified	Repaired					
4105417	23 COLLEGE RD	3	2019-03-22	2023-07-17	Carried Forward	Eliminated Otherwise		2023-07-11	0	No CGI reading	NO READS
7359968	33 COLLINS RD	3	2020-08-18	2023-07-27	Carried Forward	Eliminated Otherwise		2023-05-04	0	No CGI reading	NO READS
7351330	34 COLLINS RD	2	2023-06-23	2023-07-27	Carried Forward	Eliminated Otherwi	3				NO READS
7354710	103 COLLINS RD	3	2019-07-19	2023-03-09	Carried Forward	Repaired		2023-03-01	5280	Leak Extent	
7345915	COMMONWEALTH AVE & HOMER ST	3	2019-02-04	2023-03-08	Carried Forward	Repaired		2022-08-03	25	Leak Extent	
7378110	599 COMMONWEALTH AVE	2	2022-10-28	2023-11-30	Carried Forward	Repaired					
7380872	1000 COMMONWEALTH AVE	1	2023-05-03	2023-05-04	Newly Identified	Repaired					
2835044	1766 COMMONWEALTH AVE	2	2023-07-21	2023-10-26	Carried Forward	Eliminated Otherwi	3				REPAIRED UNDER OTHER LEAK REPAIR
7384257	1766 COMMONWEALTH AVE	1	2023-10-25	2023-10-27	Newly Identified	Repaired					
7364116	1774 COMMONWEALTH AVE	3	2020-06-29	2023-08-14	Carried Forward	Eliminated Otherwise		2023-03-07	1	Leak Extent	DUPPLICATE LEAK
7380704	2390 COMMONWEALTH AVE	1	2023-04-26	2023-04-28	Newly Identified	Repaired					
303097	82 CONCORD ST	3	2007-07-03	2023-12-05	Carried Forward	Eliminated Otherwise		2023-11-08	25	Leak Extent	NO READS
7379781	25 COPLEY ST	1	2023-02-21	2023-02-21	Newly Identified	Repaired					
7379564	25 CORNELL ST	1	2023-02-09	2023-02-09	Newly Identified	Repaired					
7325822	25 CORNELL ST	3	2016-04-28	2023-02-09	Carried Forward	Repaired		2022-03-30	5123	Leak Extent	
7380231	31 CORNELL ST	1	2023-03-27	2023-03-28	Newly Identified	Repaired					
7382533	43 COTTON ST	3	2023-09-22	2023-10-10	Newly Identified	Repaired	2				
307227	210 COTTON ST	2	2023-01-19	2023-02-02	Carried Forward	Repaired					
7382110	74 COUNTRY CLUB RD	1	2023-06-29	2023-06-29	Newly Identified	Repaired					

Table L7 All eliminated Newton leaks in 2023

	Listed alphabetically by street										
Leak ID	Street Address	Grade	Classification Date	Repair Date	Carried Forward or Newly Identified	Status	Prior Grade (if any)	Survey Date	Leak Extent	Method	Notes
7383539	209 COUNTRY CLUB RD	2	2023-08-11	2023-10-11	Newly Identified	Repaired					
7373055	56 CRESCENT AVE	2	2022-01-25	2023-01-17	Carried Forward	Repaired					
1337372	229 CYPRESS ST	3	2013-08-21	2023-11-29	Carried Forward	Eliminated Otherwise		2023-11-09	0	No CGI reading	NO READS
7382839	302 CYPRESS ST	1	2023-08-08	2023-08-09	Newly Identified	Repaired					
7365084	DAVIS ST & HIGHLAND ST	3	2020-09-23	2023-02-16	Carried Forward	Repaired		2022-07-27	3105	Leak Extent	
7380568	512 DEDHAM ST	1	2023-04-19	2023-04-20	Newly Identified	Repaired					
7379321	614 DEDHAM ST	2	2023-01-05	2023-02-02	Newly Identified	Repaired					
7376043	737 DEDHAM ST	2	2022-05-23	2023-12-04	Carried Forward	Repaired					
7336298	867 DEDHAM ST	3	2017-07-10	2023-09-28	Carried Forward	Eliminated by Replacement		2023-09-12	0	No CGI reading	
7379991	16 DERBY ST	1	2023-03-07	2023-03-07	Newly Identified	Repaired					
7377314	249 DERBY ST	2	2022-09-02	2023-02-09	Carried Forward	Eliminated Otherwise					WRONG ADDRESS
7376565	290 DERBY ST	2	2022-08-24	2023-11-28	Carried Forward	Repaired					
7380286	491 DUDLEY RD	1	2023-03-31	2023-03-31	Newly Identified	Repaired					
7380299	491 DUDLEY RD	1	2023-04-01	2023-04-01	Newly Identified	Repaired					
7378587	8 EARLY PATH	3	2022-11-15	2023-02-23	Carried Forward	Eliminated Otherwise					DUPPLICATE LEAK
7376046	11 EDGEFIELD RD	3	2022-06-23	2023-02-23	Carried Forward	Eliminated Otherwise		2022-06-23	90	Leak Extent	DUPPLICATE LEAK
7381940	1 ELIOT AVE	2	2023-05-16	2023-07-19	Newly Identified	Eliminated Otherwise					NO READS
7383988	1 ELIOT AVE	2	2023-10-10	2023-10-21	Newly Identified	Repaired					
7380666	32 ELIZABETH CIR	2	2023-04-11	2023-05-01	Newly Identified	Eliminated Otherwise					CALLED OFF BY SUPERVISOR
270315	144 ELLIOT ST	3	2003-09-29	2023-01-10	Carried Forward	Repaired		2022-03-25	13000	Leak Extent	
7374846	90 ELM ST	2	2023-03-16	2023-04-21	Carried Forward	Repaired					
7380332	90 ELM ST	2	2023-03-16	2023-04-05	Newly Identified	Eliminated Otherwise					SYSTEM ISSUE
7382935	14 EMERALD ST	1	2023-08-12	2023-08-12	Newly Identified	Repaired					
7380671	118 EVELYN RD	3	2023-03-30	2023-05-01	Newly Identified	Eliminated by Replacement					
7380664	126 EVELYN RD	2	2023-04-17	2023-05-01	Newly Identified	Eliminated by Replacement					
7339363	4 EVERGREEN AVE	3	2017-10-21	2023-07-06	Carried Forward	Eliminated Otherwise		2023-03-16	0	No CGI reading	NO READS
7382903	106 FAIR OAKS AVE	1	2023-08-11	2023-08-11	Newly Identified	Repaired					
7375169	78 FARLOW RD	3	2022-06-01	2023-02-07	Carried Forward	Repaired		2022-06-01	4160	Leak Extent	
7379280	17 FAYETTE ST	3	2023-01-11	2023-12-05	Newly Identified	Eliminated Otherwise		2023-11-08	25	Leak Extent	NO READS
7338876	47 FELLSMERE RD	3	2017-09-27	2023-07-27	Carried Forward	Eliminated Otherwise		2023-04-25	0	No CGI reading	NO READS
7383616	FERN CROFT RD & BEACON ST	1	2023-09-19	2023-09-19	Newly Identified	Repaired					
7377627	12 FERN CROFT RD	2	2023-03-24	2023-05-18	Carried Forward	Eliminated Otherwise	3				REPAIRED UNDER OTHER LEAK REPAIR
7380214	17 FERN CROFT RD	1	2023-03-26	2023-03-27	Newly Identified	Repaired					
7338743	50 FORDHAM RD	3	2017-09-26	2023-07-27	Carried Forward	Eliminated Otherwise		2023-05-16	0	No CGI reading	NO READS
7374855	23 FOREST AVE	3	2022-05-12	2023-02-25	Carried Forward	Repaired		2022-05-12	3420	Leak Extent	
7383368	292 FRANKLIN ST	1	2023-09-07	2023-09-07	Newly Identified	Repaired					
7355415	7 FREDETTE RD	3	2019-08-02	2023-12-05	Carried Forward	Eliminated Otherwise		2023-11-09	0	No CGI reading	NO READS
7379172	250 FULLER ST	2	2023-01-11	2023-01-24	Newly Identified	Repaired					

Table L7 All eliminated Newton leaks in 2023

	Listed alphabetically by street										
Leak ID	Street Address	Grade	Classification Date	Repair Date	Carried Forward or Newly Identified	Status	Prior Grade (if any)	Survey Date	Leak Extent	Method	Notes
7379173	46 GARDNER ST	2	2023-01-10	2023-01-26	Newly Identified	Repaired					
7382443	46 GARDNER ST	1	2023-07-19	2023-07-19	Newly Identified	Repaired					
7379881	63 GARLAND RD	3	2023-02-02	2023-12-18	Newly Identified	Eliminated Otherwise		2023-11-15	0	No CGI reading	NO READS
321189	4 GARRISON ST	3	2009-01-27	2023-07-27	Carried Forward	Eliminated Otherwise		2023-05-15	0	No CGI reading	NO READS
7377830	37 GLENWOOD AVE	2	2023-07-12	2023-08-24	Carried Forward	Repaired	3				
1594140	43 GRAY CLIFF RD	3	2014-01-16	2023-09-28	Carried Forward	Repaired		2023-02-10	0	No CGI reading	
7379566	GREENLAWN AVE & HOMER ST	2	2023-01-30	2023-03-01	Newly Identified	Repaired					
7379281	544 GROVE ST	2	2023-11-07	2023-12-19	Newly Identified	Repaired	3				
341416	144 HANCOCK ST	3	2011-01-28	2023-11-27	Carried Forward	Repaired		2023-11-16	0	No CGI reading	
7375163	303 HARTMAN RD	3	2022-05-25	2023-03-06	Carried Forward	Repaired		2022-05-25	2058	Leak Extent	
7380205	13 HENSHAW TER	1	2023-03-24	2023-03-24	Newly Identified	Repaired					
7353513	23 HIGH ST	3	2019-05-23	2023-03-09	Carried Forward	Repaired		2023-02-15	3168	Leak Extent	
7353516	43 HIGH ST	3	2019-05-23	2023-03-16	Carried Forward	Repaired		2023-02-15	560	Leak Extent	
7382161	14 HIGHLAND AVE	1	2023-07-03	2023-07-03	Newly Identified	Repaired					
7353695	90 HIGHLAND AVE	2	2023-06-01	2023-06-21	Carried Forward	Eliminated Otherwise	3				NO READS
7374815	211 HIGHLAND AVE	2	2022-05-12	2023-09-13	Carried Forward	Eliminated Otherwise					NO READS
7379010	315 HIGHLAND AVE	2	2022-12-27	2023-01-17	Carried Forward	Eliminated Otherwise					NO READS
7382175	14 HIGHLAND PIKE	1	2023-07-05	2023-07-12	Newly Identified	Eliminated Otherwise					WRONG ADDRESS
349458	HIGHLAND ST & TEMPLE ST	3	2011-08-14	2023-07-10	Carried Forward	Eliminated Otherwise		2023-05-16	0	No CGI reading	NO READS
7384099	31 HOLLY RD	1	2023-10-17	2023-10-17	Newly Identified	Repaired					
329877	39 HOLMAN RD	3	2009-11-05	2023-02-09	Carried Forward	Repaired		2022-03-28	3201	Leak Extent	
7381364	376 HOMER ST	3	2023-05-11	2023-09-15	Newly Identified	Eliminated by Replacement					
7382248	394 HOMER ST	1	2023-07-09	2023-07-09	Newly Identified	Repaired					
7353077	8 HOPE ST	2	2023-09-30	2023-11-28	Carried Forward	Repaired	3				
7384027	29 HUNTER ST	1	2023-10-13	2023-10-13	Newly Identified	Repaired					
7375346	61 HUNTINGTON RD	2	2022-06-01	2023-11-20	Carried Forward	Eliminated Otherwise					NO READS
7384464	48 INDIANA TER	1	2023-11-06	2023-11-06	Newly Identified	Repaired					
284000	48 INDIANA TER	3	2005-12-10	2023-11-08	Carried Forward	Eliminated Otherwise		2023-11-06	0	No CGI reading	REPAIRED UNDER OTHER LEAK REPAIR
7377817	21 IVANHOE ST	3	2022-09-02	2023-07-17	Carried Forward	Eliminated Otherwise		2023-07-12	0	No CGI reading	NO READS
7384637	41 JOHN ST	1	2023-11-16	2023-11-16	Newly Identified	Repaired					
7382364	16 JUNE LN	1	2023-07-14	2023-07-14	Newly Identified	Repaired					
305353	312 KENDRICK ST	3	2007-08-29	2023-02-08	Carried Forward	Repaired		2022-08-03	9750	Leak Extent	
335126	79 KENWOOD AVE	3	2010-07-02	2023-12-05	Carried Forward	Eliminated by Replacement		2023-11-07	25	Leak Extent	
7380997	KERRY CT & PINE ST	1	2023-05-10	2023-05-10	Newly Identified	Repaired					
7355426	7 KILBURN RD	2	2023-10-11	2023-11-27	Carried Forward	Repaired	3				
7379079	30 KILBURN RD	2	2023-01-09	2023-01-24	Newly Identified	Repaired					
7380691	43 KING ST	3	2023-11-08	2023-11-29	Newly Identified	Repaired	2	2023-11-08	64	Leak Extent	
7378751	2 KINGSTON RD	3	2022-11-07	2023-02-23	Carried Forward	Eliminated Otherwise					DUPPLICATE LEAK

Table L7 All eliminated Newton leaks in 2023

	Listed alphabetically by street										
Leak ID	Street Address	Grade	Classification Date	Repair Date	Carried Forward or Newly Identified	Status	Prior Grade (if any)	Survey Date	Leak Extent	Method	Notes
7380202	66 LANGDON ST	1	2023-03-24	2023-03-24	Newly Identified	Repaired					
7380222	66 LANGDON ST	1	2023-03-27	2023-03-27	Newly Identified	Repaired					
7326995	3 Langley RD	3	2016-06-15	2023-07-10	Carried Forward	Eliminated Otherwise		2023-05-15	0	No CGI reading	NO READS
7382837	118 Langley RD	1	2023-08-08	2023-08-08	Newly Identified	Repaired					
7382891	118 Langley RD	1	2023-08-10	2023-08-11	Newly Identified	Repaired					
7383061	118 Langley RD	1	2023-08-19	2023-08-19	Newly Identified	Repaired					
1286053	LEXINGTON ST & SCRIBNER PIKE	2	2023-01-27	2023-02-10	Carried Forward	Repaired					
7355236	98 Lexington ST	3	2019-08-05	2023-03-09	Carried Forward	Repaired		2023-03-07	480	Leak Extent	
7379237	152 Lexington ST	2	2023-01-07	2023-02-06	Newly Identified	Repaired					
7379962	174 Lexington ST	2	2023-02-15	2023-03-10	Newly Identified	Repaired					
232986	174 Lexington ST	3	2002-07-10	2023-03-03	Carried Forward	Eliminated Otherwise		2023-02-15	0	No CGI reading	SYSTEM ISSUE
7379078	336 Lexington ST	2	2023-01-06	2023-01-25	Newly Identified	Repaired					
7375168	410 Lexington ST	3	2022-06-03	2023-09-28	Carried Forward	Repaired		2023-03-21	2500	Leak Extent	
7353517	26 Linden ST	3	2019-05-29	2023-02-22	Carried Forward	Repaired		2023-02-14	840	Leak Extent	
7379129	54 Lorna RD	1	2023-01-12	2023-01-12	Newly Identified	Repaired					
7384705	LOWELL AVE & WASHINGTON ST	1	2023-11-22	2023-11-22	Newly Identified	Repaired					
7381742	6 Lowell Ave	1	2023-06-12	2023-06-13	Newly Identified	Repaired					
7382457	216 Lowell Ave	1	2023-07-19	2023-07-20	Newly Identified	Repaired					
7377997	216 Lowell Ave	3	2022-10-03	2023-07-21	Carried Forward	Eliminated Otherwise		2023-07-19	0	No CGI reading	REPAIRED UNDER OTHER LEAK REPAIR
7380375	297 Lowell Ave	1	2023-04-06	2023-04-06	Newly Identified	Repaired					
7380907	20 Manet RD	1	2023-05-05	2023-05-05	Newly Identified	Repaired					
3190426	5 Mary Ellen RD	3	2015-05-05	2023-05-01	Carried Forward	Eliminated by Replacement		2023-05-04	0	No CGI reading	
7360337	44 Mary Ellen RD	3	2020-03-14	2023-05-01	Carried Forward	Eliminated by Replacement		2022-11-28	0	No CGI reading	
3047119	94 Mary Ellen RD	3	2007-08-29	2023-05-01	Carried Forward	Eliminated by Replacement		2022-07-26	525	Leak Extent	
7383839	39 Mason RD	1	2023-10-02	2023-10-02	Newly Identified	Repaired					
7377629	39 Mason RD	3	2022-09-13	2023-10-05	Carried Forward	Eliminated Otherwise		2023-07-12	375	Leak Extent	REPAIRED UNDER OTHER LEAK REPAIR
1363562	102 McCarthy RD	3	2013-09-18	2023-12-18	Carried Forward	Eliminated Otherwise		2023-11-14	25	Leak Extent	NO READS
7327024	118 Meadowbrook RD	3	2016-06-22	2023-09-28	Carried Forward	Eliminated by Replacement		2023-09-13	0	No CGI reading	
7384437	38 Mechanic ST	1	2023-11-05	2023-11-05	Newly Identified	Repaired					
7382370	MEREDITH AVE & BOYLSTON ST	1	2023-07-15	2023-07-16	Newly Identified	Repaired					
7382941	4 MEREDITH AVE	1	2023-08-13	2023-08-15	Newly Identified	Repaired					
304740	275 Mill ST	3	2007-08-31	2023-01-26	Carried Forward	Repaired		2022-08-23	0	No CGI reading	
7382795	187 Moffat RD	1	2023-08-05	2023-08-05	Newly Identified	Repaired					
7382850	187 Moffat RD	1	2023-08-09	2023-08-10	Newly Identified	Repaired					
7379289	89 Montrose ST	3	2022-12-21	2023-01-24	Carried Forward	Repaired		2023-01-26	0	No CGI reading	
7380433	61 Montvale RD	1	2023-04-10	2023-04-10	Newly Identified	Repaired					
7379907	85 Montvale RD	3	2023-01-27	2023-06-29	Newly Identified	Repaired					
693370	230 Mount Vernon ST	3	2011-12-23	2023-07-10	Carried Forward	Eliminated Otherwise		2023-05-16	0	No CGI reading	NO READS

Table L7 All eliminated Newton leaks in 2023

	Listed alphabetically by street										
Leak ID	Street Address	Grade	Classification Date	Repair Date	Carried Forward or Newly Identified	Status	Prior Grade (if any)	Survey Date	Leak Extent	Method	Notes
1286045	12 MURRAY RD	2	2023-01-27	2023-02-09	Carried Forward	Repaired					
7379489	55 MURRAY RD	1	2023-02-02	2023-02-02	Newly Identified	Repaired					
7384927	55 MURRAY RD	1	2023-12-10	2023-12-12	Newly Identified	Repaired					
7379859	18 MURRAY TER	1	2023-02-25	2023-02-26	Newly Identified	Repaired					
7383437	233 NAHANTON ST	1	2023-09-11	2023-09-11	Newly Identified	Repaired					
7381808	22 NARDELL RD	1	2023-06-14	2023-06-15	Newly Identified	Repaired					
7382775	40 NEEDHAM ST	1	2023-08-04	2023-08-05	Newly Identified	Repaired					
7384625	275 NEVADA ST	1	2023-11-15	2023-11-15	Newly Identified	Repaired					
7382671	268 NEWTONVILLE AVE	1	2023-07-31	2023-07-31	Newly Identified	Repaired					
7382874	268 NEWTONVILLE AVE	1	2023-08-10	2023-08-11	Newly Identified	Repaired					
7356426	5 NIGHTINGALE PATH	3	2019-09-26	2023-11-30	Carried Forward	Repaired		2023-04-25	600	Leak Extent	
7378798	126 NONANTUM RD	2	2022-10-19	2023-08-29	Carried Forward	Eliminated by Replacement					
7378999	1 OAK AVE	3	2022-11-03	2023-05-10	Carried Forward	Eliminated Otherwise		2022-11-03	0	No CGI reading	REPAIRED UNDER OTHER LEAK REPAIR
7374838	64 OAK ST	3	2022-04-13	2023-11-29	Carried Forward	Repaired		2023-09-26	0	No CGI reading	
1217730	10 OAK TER	2	2023-05-12	2023-07-21	Carried Forward	Repaired	3				
7381585	51 OAKWOOD RD	1	2023-06-05	2023-06-05	Newly Identified	Repaired					
7365409	64 OBER RD	3	2020-12-21	2023-07-17	Carried Forward	Eliminated Otherwise		2023-07-11	0	No CGI reading	NO READS
7379296	25 OLD ENGLAND RD	3	2023-01-11	2023-02-23	Newly Identified	Eliminated Otherwise					DUPPLICATE LEAK
7379908	100 OLDEFIELD RD	3	2023-02-12	2023-08-09	Newly Identified	Eliminated Otherwise					REPAIRED UNDER OTHER LEAK REPAIR
7381138	100 OLDEFIELD RD	2	2023-05-08	2023-05-26	Newly Identified	Repaired					
7383391	128 OTIS ST	1	2023-09-08	2023-09-08	Newly Identified	Repaired					
7335226	26 PAGE RD	3	2017-05-31	2023-07-18	Carried Forward	Eliminated by Replacement		2022-10-07	680	Leak Extent	
7383225	45 PARK AVE	1	2023-08-29	2023-08-29	Newly Identified	Repaired					
7371857	26 PARK LN	3	2021-11-21	2023-07-17	Carried Forward	Eliminated Otherwise		2023-07-12	0	No CGI reading	NO READS
7326619	26 PARKER ST	3	2016-06-10	2023-07-18	Carried Forward	Eliminated Otherwise		2023-07-18	3400	Leak Extent	NO READS
7379954	255 PARKER ST	1	2023-03-03	2023-03-06	Newly Identified	Eliminated Otherwise					CALLED OFF BY SUPERVISOR
7380137	255 PARKER ST	1	2023-03-18	2023-03-22	Newly Identified	Repaired					
7377630	545 PARKER ST	2	2022-10-07	2023-11-27	Carried Forward	Repaired					
7381950	PAULSON RD & FERN CROFT RD	1	2023-06-21	2023-06-21	Newly Identified	Repaired					
7379149	19 PELHAM ST	1	2023-01-13	2023-01-13	Newly Identified	Repaired					
1338964	15 PHEASANT RD	3	2013-09-03	2023-02-10	Carried Forward	Repaired		2023-01-27	400	Leak Extent	
7381630	18 PINE CREST RD	1	2023-06-07	2023-06-07	Newly Identified	Repaired					
7382027	18 PINE ST	1	2023-06-24	2023-06-24	Newly Identified	Repaired					
7384626	42 PLAINFIELD ST	1	2023-11-15	2023-11-15	Newly Identified	Repaired					
293593	12 PLEASANT ST	2	2023-02-13	2023-03-01	Carried Forward	Repaired					
7379638	66 PLEASANT ST	1	2023-02-13	2022-02-13	Newly Identified	Repaired					Date error: WO closed 2/17/2023
7380116	74 RACHEL RD	1	2023-03-16	2023-03-16	Newly Identified	Repaired					
7380098	130 RACHEL RD	1	2023-03-15	2023-03-15	Newly Identified	Repaired					

Table L7 All eliminated Newton leaks in 2023

	Listed alphabetically by street										
Leak ID	Street Address	Grade	Classification Date	Repair Date	Carried Forward or Newly Identified	Status	Prior Grade (if any)	Survey Date	Leak Extent	Method	Notes
7325267	130 RACHEL RD	3	2016-04-14	2023-03-16	Carried Forward	Eliminated Otherwise		2022-07-12	4	Leak Extent	UPGRADE
7381812	52 RANDLETT PIKE	1	2023-06-14	2023-06-14	Newly Identified	Repaired					
7382273	115 RANDLETT PIKE	1	2023-07-11	2023-07-11	Newly Identified	Repaired					
4118969	141 RANDLETT PIKE	3	2015-03-15	2023-07-27	Carried Forward	Eliminated Otherwise		2023-05-04	0	No CGI reading	NO READS
7379482	94 REDWOOD RD	1	2023-02-02	2023-02-02	Newly Identified	Repaired					
7356517	6 RESERVOIR AVE	3	2019-09-12	2023-02-22	Carried Forward	Repaired		2022-04-28	2184	Leak Extent	
7327103	19 RICHARDSON RD	3	2016-06-30	2023-10-03	Carried Forward	Eliminated by Replacement		2023-09-13	25	Leak Extent	
7385038	168 RIVER ST	2	2023-12-16	2023-12-17	Newly Identified	Repaired					
7376582	245 RIVER ST	2	2022-08-19	2023-11-29	Carried Forward	Repaired					
7355428	265 RIVER ST	3	2019-07-25	2023-03-06	Carried Forward	Repaired		2023-03-03	0	No CGI reading	
1363327	36 ROSLYN RD	2	2023-01-27	2023-02-09	Carried Forward	Repaired					
596669	90 ROWENA RD	3	2011-11-28	2023-06-20	Carried Forward	Eliminated by Replacement		2023-01-18	700	Leak Extent	
7375166	20 RUTHVEN RD	3	2022-06-01	2023-03-01	Carried Forward	Repaired		2022-06-01	5640	Leak Extent	
7382207	671 SAWMILL BROOK PKY	1	2023-07-06	2023-07-07	Newly Identified	Repaired					
7381530	22 SHAW ST	1	2023-06-01	2023-06-01	Newly Identified	Repaired					
7379904	15 SHERIDAN ST	1	2023-02-28	2023-03-01	Newly Identified	Repaired					
7378483	15 SHERIDAN ST	3	2022-11-04	2023-03-02	Carried Forward	Eliminated Otherwise		2023-01-27	0	No CGI reading	REPAIRED UNDER OTHER LEAK REPAIR
7376817	115 SHERIDAN ST	3	2022-08-18	2023-08-03	Carried Forward	Repaired		2023-06-22	0	No CGI reading	
7348856	140 STANLEY RD	3	2018-07-13	2023-07-27	Carried Forward	Eliminated Otherwise		2023-05-11	0	No CGI reading	NO READS
7383298	20 STAR RD	3	2023-09-01	2023-09-01	Newly Identified	Repaired					
7364122	STONELEIGH RD & DAVIS AVE	3	2020-06-29	2023-02-16	Carried Forward	Repaired		2022-04-15	4503	Leak Extent	
7364449	20 STONEWOOD DR	3	2020-08-09	2023-07-27	Carried Forward	Eliminated Otherwise		2023-03-16	0	No CGI reading	NO READS
7383193	17 SUFFOLK RD	1	2023-08-28	2023-08-29	Newly Identified	Repaired					
7355432	65 SUFFOLK RD	3	2019-07-24	2023-02-15	Carried Forward	Repaired		2023-01-22	2485	Leak Extent	
7355567	7 SUNSET RD	3	2019-08-19	2023-02-22	Carried Forward	Repaired		2022-04-15	6710	Leak Extent	
7371048	212 TEMPLE ST	3	2021-09-27	2023-11-29	Carried Forward	Repaired		2023-07-11	100	Leak Extent	
7382540	33 TERRACE AVE	1	2023-07-24	2023-07-24	Newly Identified	Repaired					
339664	33 TERRACE AVE	3	2015-10-13	2023-11-13	Carried Forward	Eliminated Otherwise		2023-11-17	3456	Leak Extent	REPAIRED UNDER OTHER LEAK REPAIR
7384664	11 THORNTON ST	1	2023-11-18	2023-11-21	Newly Identified	Eliminated Otherwise					DUPLICATE LEAK
7384682	11 THORNTON ST	1	2023-11-18	2023-11-20	Newly Identified	Repaired					
7354148	238 TREMONT ST	2	2023-02-21	2023-03-16	Carried Forward	Eliminated Otherwise					NO READS
7383538	107 TRUMAN RD	1	2023-09-14	2023-09-14	Newly Identified	Repaired					
7323095	21 TURNER TER	3	2016-01-21	2023-12-22	Carried Forward	Eliminated Otherwise		2023-11-13	0	No CGI reading	NO READS
7356514	25 TURNER TER	3	2019-09-10	2023-07-06	Carried Forward	Eliminated Otherwise		2023-03-13	0	No CGI reading	NO READS
7382072	244 UPLAND AVE	1	2023-06-27	2023-06-27	Newly Identified	Repaired					
7381200	121 VALENTINE ST	2	2023-04-12	2023-06-01	Newly Identified	Repaired					
7371862	26 VAN ROOSEN RD	3	2021-11-08	2023-07-17	Carried Forward	Eliminated Otherwise		2023-07-11	0	No CGI reading	NO READS
7378649	53 VAN ROOSEN RD	2	2023-03-28	2023-07-13	Carried Forward	Repaired	3				

Table L7 All eliminated Newton leaks in 2023

Leak ID	Street Address	Grade	Classification Date	Repair Date	Carried Forward or Newly Identified	Status	Prior Grade (if any)	Survey Date	Leak Extent	Method	Notes
7356154	104 VINE ST	3	2019-09-04	2023-12-06	Carried Forward	Eliminated Otherwise		2023-03-10	1500	Leak Extent	NO READS
7383995	46 VISTA AVE	1	2023-10-11	2023-10-12	Newly Identified	Repaired					
5338221	WABAN AVE & ANNawan RD	3	2015-07-10	2023-02-15	Carried Forward	Repaired		2022-04-21	2250	Leak Extent	
7364131	28 WADE ST	3	2020-07-16	2023-02-21	Carried Forward	Repaired		2022-04-21	2040	Leak Extent	
7332283	76 WALDEN ST	2	2023-09-12	2023-10-03	Carried Forward	Repaired	3				
7382946	69 WALDORF RD	2	2023-06-27	2023-09-11	Newly Identified	Repaired					
7379613	142 WALNUT HILL RD	1	2023-02-10	2023-02-10	Newly Identified	Repaired					
7383171	WALNUT ST & WATERTOWN ST	1	2023-08-26	2023-09-30	Newly Identified	Repaired					
7353689	454 WALNUT ST	2	2022-05-24	2023-02-15	Carried Forward	Eliminated Otherwise					UPGRADE
7379641	454 WALNUT ST	1	2023-02-13	2023-02-13	Newly Identified	Repaired					
7379035	525 WALNUT ST	1	2023-01-09	2023-01-09	Newly Identified	Repaired					
7382686	525 WALNUT ST	1	2023-07-31	2023-08-01	Newly Identified	Repaired					
7325235	525 WALNUT ST	3	2016-06-09	2023-05-01	Carried Forward	Eliminated Otherwise		2022-09-20	0	No CGI reading	REPAIRED UNDER OTHER LEAK REPAIR
7374816	951 WALNUT ST	2	2022-04-02	2023-01-11	Carried Forward	Eliminated Otherwise					NO READS
7380508	956 WALNUT ST	1	2023-04-16	2023-04-16	Newly Identified	Repaired					
7378796	960 WALNUT ST	3	2022-11-10	2023-05-01	Carried Forward	Eliminated Otherwise					REPAIRED UNDER OTHER LEAK REPAIR
7380505	961 WALNUT ST	1	2023-04-14	2023-04-16	Newly Identified	Repaired					
7380544	961 WALNUT ST	1	2023-04-18	2023-04-18	Newly Identified	Repaired					
7380844	961 WALNUT ST	1	2023-05-02	2023-05-02	Newly Identified	Repaired					
7380928	961 WALNUT ST	1	2023-05-06	2023-05-06	Newly Identified	Repaired					
7380701	1033 WALNUT ST	2	2023-04-16	2023-05-11	Newly Identified	Repaired					
7382729	1057 WALNUT ST	1	2023-08-02	2023-08-03	Newly Identified	Repaired					
7370687	1129 WALNUT ST	2	2023-05-11	2023-05-24	Carried Forward	Repaired	3				
7379608	1385 WALNUT ST	1	2023-02-10	2023-02-10	Newly Identified	Repaired					
7379428	414 WALTHAM ST	1	2023-01-31	2023-01-31	Newly Identified	Repaired					
270497	WARD ST & ASHFORD RD	3	2004-06-18	2023-12-05	Carried Forward	Eliminated Otherwise		2023-11-08	0	No CGI reading	NO READS
7355569	300 WARD ST	3	2019-08-21	2023-10-03	Carried Forward	Eliminated by Replacement		2023-03-08	100	Leak Extent	
7382593	385 WARD ST	2	2023-06-25	2023-08-31	Newly Identified	Repaired					
6722106	400 WARD ST	3	2015-09-28	2023-06-27	Carried Forward	Eliminated Otherwise		2023-02-15	1440	Leak Extent	DUPLICATE LEAK
7339900	57 WARREN RD	3	2017-10-30	2023-07-27	Carried Forward	Eliminated Otherwise		2023-04-24	0	No CGI reading	NO READS
7374835	138 WARREN ST	3	2022-04-08	2023-03-02	Carried Forward	Eliminated Otherwise		2023-03-01	0	No CGI reading	WRONG ADDRESS
7383058	28 WARWICK RD	1	2023-08-18	2023-08-19	Newly Identified	Repaired					
7385073	48 WARWICK RD	1	2023-12-20	2023-12-20	Newly Identified	Repaired					
333022	WASHBURN AVE & AUBURNDALE AVE	2	2023-02-09	2023-03-20	Carried Forward	Repaired					
7380368	32 WASHBURN ST	1	2023-04-06	2023-04-06	Newly Identified	Eliminated Otherwise					WRONG ADDRESS
7379677	317 WASHINGTON ST	1	2023-02-14	2023-02-22	Newly Identified	Eliminated Otherwise					CALLED OFF BY SUPERVISOR
7378163	371 WASHINGTON ST	2	2022-11-08	2023-08-01	Carried Forward	Eliminated Otherwise					REPAIRED UNDER OTHER LEAK REPAIR
7382683	371 WASHINGTON ST	1	2023-07-30	2023-08-02	Newly Identified	Repaired					

Table L7 All eliminated Newton leaks in 2023

	Listed alphabetically by street										
Leak ID	Street Address	Grade	Classification Date	Repair Date	Carried Forward or Newly Identified	Status	Prior Grade (if any)	Survey Date	Leak Extent	Method	Notes
7382087	399 WASHINGTON ST	1	2023-06-27	2023-06-28	Newly Identified	Repaired					
7379457	575 WASHINGTON ST	2	2023-07-12	2023-11-17	Newly Identified	Eliminated Otherwise	3				NO READS
7383066	743 WASHINGTON ST	1	2023-08-20	2023-08-21	Newly Identified	Repaired					
7377316	787 WASHINGTON ST	2	2023-01-12	2023-07-20	Carried Forward	Eliminated Otherwise					NO READS
7379236	853 WASHINGTON ST	2	2023-01-10	2023-01-04	Newly Identified	Repaired					
7375098	1149 WASHINGTON ST	2	2022-05-16	2023-04-06	Carried Forward	Eliminated Otherwise					NO READS
7381578	1169 WASHINGTON ST	1	2023-06-04	2023-06-06	Newly Identified	Repaired					
7376441	1650 WASHINGTON ST	2	2022-07-28	2023-04-06	Carried Forward	Eliminated Otherwise					NO READS
7374797	1675 WASHINGTON ST	2	2022-05-10	2023-04-06	Carried Forward	Eliminated Otherwise					NO READS
7381973	2096 WASHINGTON ST	1	2023-06-22	2023-06-22	Newly Identified	Repaired					
7379036	2311 WASHINGTON ST	1	2023-01-09	2023-01-10	Newly Identified	Repaired					
7383905	34 WATERSTON RD	1	2023-10-04	2023-10-04	Newly Identified	Repaired					
7382778	45 WATERSTON RD	3	2023-08-04	2023-08-04	Newly Identified	Repaired					
7380874	282 WATERTOWN ST	1	2023-05-04	2023-05-04	Newly Identified	Repaired					
7380465	494 WATERTOWN ST	1	2023-04-12	2023-04-13	Newly Identified	Repaired					
7383475	495 WATERTOWN ST	1	2023-09-12	2023-09-13	Newly Identified	Repaired					
7373591	495 WATERTOWN ST	3	2022-01-21	2023-09-13	Carried Forward	Eliminated Otherwise		2023-09-12	0	No CGI reading	REPAIRED UNDER OTHER LEAK REPAIR
7382792	583 WATERTOWN ST	1	2023-08-05	2023-08-05	Newly Identified	Repaired					
7384549	643 WATERTOWN ST	1	2023-11-11	2023-11-15	Newly Identified	Repaired					
7378966	719 WATERTOWN ST	1	2023-01-04	2023-01-04	Newly Identified	Repaired					
7383078	851 WATERTOWN ST	1	2023-08-21	2023-08-21	Newly Identified	Repaired					
7375167	275 WAVERLY AVE	3	2022-06-02	2023-09-28	Carried Forward	Eliminated by Replacement		2023-03-21	800	Leak Extent	
7350045	400 WAVERLY AVE	3	2018-12-26	2023-07-27	Carried Forward	Eliminated Otherwise		2023-04-25	0	No CGI reading	NO READS
7379848	457 WAVERLY AVE	3	2023-02-13	2023-12-05	Newly Identified	Eliminated Otherwise		2023-11-08	0	No CGI reading	REPAIRED UNDER OTHER LEAK REPAIR
341457	71 WEBSTER PIKE	3	2011-01-28	2023-07-27	Carried Forward	Eliminated Otherwise		2023-03-21	0	No CGI reading	NO READS
7383172	19 WEBSTER PL	1	2023-08-26	2023-08-26	Newly Identified	Repaired					
7382121	38 WETHERELL ST	2	2023-06-07	2023-08-07	Newly Identified	Repaired					
7379946	20 WHITLOWE RD	1	2023-03-02	2023-03-02	Newly Identified	Repaired					
7381003	9 WILLIAM ST	1	2023-05-10	2023-05-10	Newly Identified	Repaired					
7384465	112 WINCHESTER ST	1	2023-11-06	2023-11-07	Newly Identified	Repaired					
5321355	124 WINCHESTER ST	3	2009-06-23	2023-11-08	Carried Forward	Eliminated Otherwise		2023-06-28	100	Leak Extent	REPAIRED UNDER OTHER LEAK REPAIR
7379116	151 WINCHESTER ST	3	2023-01-04	2023-12-20	Newly Identified	Repaired		2023-11-07	0	No CGI reading	
7380678	183 WINCHESTER ST	3	2023-03-31	2023-05-01	Newly Identified	Eliminated Otherwise					DUPPLICATE LEAK
7380707	183 WINCHESTER ST	2	2023-05-31	2023-06-27	Newly Identified	Repaired	3				
7383149	193 WINCHESTER ST	2	2023-09-01	2023-11-29	Newly Identified	Repaired					
7353074	70 WINDERMERE RD	3	2019-05-13	2023-12-18	Carried Forward	Eliminated Otherwise		2023-11-14	25	Leak Extent	NO READS
7364133	121 WINDSOR RD	3	2020-07-30	2023-02-14	Carried Forward	Repaired		2022-06-14	6000	Leak Extent	
303664	12 WOODBINE ST	3	2014-04-18	2023-02-15	Carried Forward	Repaired		2023-02-14	1800	Leak Extent	

Table L7 All eliminated Newton leaks in 2023

	Listed alphabetically by street										
Leak ID	Street Address	Grade	Classification Date	Repair Date	Carried Forward or Newly Identified	Status	Prior Grade (if any)	Survey Date	Leak Extent	Method	Notes
7385096	68 WOODBINE ST	1	2023-12-22	2023-12-22	Newly Identified	Repaired					
7359597	8 WOODCHESTER DR	3	2020-01-30	2023-01-11	Carried Forward	Eliminated Otherwise		2022-12-09	0	No CGI reading	NO READS
7374850	145 WOODLAND RD	3	2022-05-09	2023-02-10	Carried Forward	Repaired		2022-05-09	3150	Leak Extent	
7374848	299 WOODLAND RD	3	2022-05-06	2023-12-04	Carried Forward	Repaired		2023-03-17	1750	Leak Extent	
7385003	13 WOODROW AVE	1	2023-12-14	2023-12-14	Newly Identified	Repaired					
270391	WOODWARD ST & UPLAND RD	3	2004-04-22	2023-09-06	Carried Forward	Repaired		2023-07-31	0	No CGI reading	
7365119	110 WOODWARD ST	3	2020-09-24	2023-03-07	Carried Forward	Repaired		2022-07-27	1232	Leak Extent	
7377831	155 WOODWARD ST	3	2022-08-01	2023-11-27	Carried Forward	Repaired		2023-09-15	0	No CGI reading	
7379207	43 WYOMING RD	1	2023-01-18	2023-01-18	Newly Identified	Repaired					
7379421	43 WYOMING RD	1	2023-01-30	2023-01-30	Newly Identified	Repaired					

	Table L8 Newton Leaks Eliminated by Repair - Detail						
Source:	National Grid Service Quality Report 24-SQ-05						
Leak #	Reported Address	Cross Street	Reported Date	Repaired Date	Leak Grade	24-SQ-05 Leak Extent Measurement	Grade 3 Leak Designation
100193	9 CARTER ST		15-Mar-96	9-Feb-23	2		
270315	144 ELLIOT ST		29-Sep-03	10-Jan-23	3	13000	G3SEI-LVL
270391	WOODWARD ST	UPLAND RD	22-Apr-04	6-Sep-23	3	0	No Reads
293593	12 PLEASANT ST	LYME RD	3-Oct-06	1-Mar-23	2		
303664	12 WOODBINE ST	AUBURN ST	1-Aug-07	15-Feb-23	3	1800	Non-G3SEI
304740	275 MILL ST	WOODSIDE RD	31-Aug-07	26-Jan-23	3	0	No Reads
305353	312 KENDRICK ST	CHARLES RIV	29-Aug-07	8-Feb-23	3	9750	G3SEI
307227	210 COTTON ST	CENTRE ST	27-Aug-07	2-Feb-23	2		
329877	39 HOLMAN RD	DAY ST	5-Nov-09	9-Feb-23	3	3201	G3SEI
333022	WASHBURN AV	AUBURNDALE AV	28-Apr-10	20-Mar-23	2		
341416	144 HANCOCK ST	WILLISTON RD	28-Jan-11	27-Nov-23	3	0	No Reads
591420	342 BEACON ST	COLLEGE RD	27-Nov-11	18-Mar-23	2		
1217730	10 OAK TER	MOUNTFORT RD	6-May-13	21-Jul-23	2		
1286045	12 MURRAY RD	AUBURNDALE AV	10-Jul-13	9-Feb-23	2		
1286053	LEXINGTON ST	SCRIBNER PKE	10-Jul-13	10-Feb-23	2		
1338964	15 PHEASANT RD	UPLAND RD	3-Sep-13	10-Feb-23	3	400	Non-G3SEI
1363297	284 CHESTNUT ST	PRINCE ST	6-Sep-13	24-Mar-23	3	0	No Reads
1363327	36 ROSLYN RD	ASHMONT RD	6-Sep-13	9-Feb-23	2		
1594140	43 GRAY CLIFF RD	SQUIRREL LN	16-Jan-14	28-Sep-23	3	0	No Reads
5338221	WABAN AV	ANNAWAN RD	10-Jul-15	15-Feb-23	3	2250	G3SEI
7325822	25 CORNELL ST	ITHACA CIR	28-Apr-16	9-Feb-23	3	5123	G3SEI
7332283	76 WALDEN ST	HIGHLAND ST	27-Jan-17	3-Oct-23	2		
7339371	110 AUSTIN ST	ELMWOOD PKE	17-Oct-17	15-Feb-23	3	2700	G3SEI
7345915	COMMONWEALTH AV	HOMER ST	16-Jun-18	8-Mar-23	3	25	Non-G3SEI
7353077	8 HOPE ST	DAY ST	13-May-19	28-Nov-23	2		
7353513	23 HIGH ST	ROCKLAND ST	23-May-19	9-Mar-23	3	3168	G3SEI
7353516	43 HIGH ST	WINTER ST	23-May-19	16-Mar-23	3	560	Non-G3SEI

	Table L8 Newton Leaks Eliminated by Repair - Detail						
Source:	National Grid Service Quality Report 24-SQ-05						
Leak #	Reported Address	Cross Street	Reported Date	Repaired Date	Leak Grade	24-SQ-05 Leak Extent Measurement	Grade 3 Leak Designation
7353517	26 LINDEN ST	CLIFF RD	29-May-19	22-Feb-23	3	840	Non-G3SEI
7354551	30 BERWICK RD	SAXON RD	9-Jul-19	6-Mar-23	3	1178	Non-G3SEI
7354697	72 ALGONQUIN RD	WABAN HILL PATH	16-Jul-19	17-Oct-23	3	600	Non-G3SEI
7354710	103 COLLINS RD	FENWICK RD	19-Jul-19	9-Mar-23	3	5280	G3SEI
7355236	98 LEXINGTON ST	RUMFORD AV	5-Aug-19	9-Mar-23	3	480	Non-G3SEI
7355426	7 KILBURN RD	HARRIS RD	25-Jul-19	27-Nov-23	2		
7355428	265 RIVER ST	WILLIAM ST	25-Jul-19	6-Mar-23	3	0	No Reads
7355432	65 SUFFOLK RD	KINGSBURY RD	24-Jul-19	15-Feb-23	3	2485	G3SEI
7355567	7 SUNSET RD	LANCASTER RD	19-Aug-19	22-Feb-23	3	6710	G3SEI
7356426	5 NIGHTINGALE PATH	OSBORNE PATH	26-Sep-19	30-Nov-23	3	600	Non-G3SEI
7356517	6 RESERVOIR AV	BEACON ST	12-Sep-19	22-Feb-23	3	2184	G3SEI
7360536	34 BEACON ST	MALIA TER	23-Apr-20	21-Feb-23	3	3600	G3SEI
7364122	STONELEIGH RD	DAVIS AV	29-Jun-20	16-Feb-23	3	4503	G3SEI
7364131	28 WADE ST	HERSEY ST	16-Jul-20	21-Feb-23	3	2040	G3SEI
7364133	121 WINDSOR RD	KENT RD	30-Jul-20	14-Feb-23	3	6000	G3SEI
7365084	DAVIS ST	HIGHLAND ST	23-Sep-20	16-Feb-23	3	3105	G3SEI
7365119	110 WOODWARD ST	PLYMOUTH RD	24-Sep-20	7-Mar-23	3	1232	Non-G3SEI
7368732	1304 BOYLSTON ST	CHESTNUT ST	30-May-21	9-Jan-23	3	4	Non-G3SEI
7370687	1129 WALNUT ST	FOREST ST	21-Aug-21	24-May-23	2		
7370879	983 CENTRE ST	CLINTON PL	8-Sep-21	4-Dec-23	3	1600	Non-G3SEI
7371048	212 TEMPLE ST	MIGNON RD	27-Sep-21	29-Nov-23	3	100	Non-G3SEI
7373055	56 CRESCENT AV	NORWOOD AV	25-Jan-22	17-Jan-23	2		
7374403	963 BOYLSTON ST	RAMSDELL ST	22-Apr-22	2-May-23	2		
7374838	64 OAK ST	OSSIPEE RD	13-Apr-22	29-Nov-23	3	0	No Reads
7374846	90 ELM ST	WEBSTER ST	2-May-22	21-Apr-23	2		
7374847	1880 BEACON ST	HOLLY RD	2-May-22	10-Mar-23	3	13120	G3SEI-LVL
7374848	299 WOODLAND RD	WASHINGTON ST	6-May-22	4-Dec-23	3	1750	Non-G3SEI

Table L8 Newton Leaks Eliminated by Repair - Detail							
Source:	National Grid Service Quality Report 24-SQ-05						
Leak #	Reported Address	Cross Street	Reported Date	Repaired Date	Leak Grade	24-SQ-05 Leak Extent Measurement	Grade 3 Leak Designation
7374850	145 WOODLAND RD	SEMINARY AV	9-May-22	10-Feb-23	3	3150	G3SEI
7374855	23 FOREST AV	HIGHLAND AV	12-May-22	25-Feb-23	3	3420	G3SEI
7375100	7 AMHERST RD	OLIVER RD	5-Apr-22	8-Feb-23	3	4454	G3SEI
7375163	303 HARTMAN RD	CLIFTON RD	25-May-22	6-Mar-23	3	2058	G3SEI
7375166	20 RUTHVEN RD	WATERSTON RD	1-Jun-22	1-Mar-23	3	5640	G3SEI
7375168	410 LEXINGTON ST	COMMONWEALTH AV	3-Jun-22	28-Sep-23	3	2500	G3SEI
7375169	78 FARLOW RD	HUNTINGTON RD	1-Jun-22	7-Feb-23	3	4160	G3SEI
7375721	100 BOYLSTON ST	HAMMOND POND PKWY	2-Jun-22	13-Nov-23	2		
7375992	8 CLEARWATER RD	SHERRIN RD	20-Jun-22	7-Feb-23	3	2420	G3SEI
7376043	937 DEDHAM ST	NAHANTON ST	23-May-22	4-Dec-23	2		
7376565	290 DERBY ST	TOLMAN ST	24-Aug-22	28-Nov-23	2		
7376582	245 RIVER ST	LILL AV	19-Aug-22	29-Nov-23	2		
7376817	115 SHERIDAN ST	RIVER ST	18-Aug-22	3-Aug-23	3	0	No Reads
7377630	545 PARKER ST	DEDHAM ST	7-Oct-22	27-Nov-23	2		
7377830	37 GLENWOOD AV	RIDGE AV	30-Aug-22	24-Aug-23	2		
7377831	155 WOODWARD ST	CARVER RD	1-Aug-22	27-Nov-23	3	0	No Reads
7378110	599 COMMONWEALTH AV	SUMNER ST	28-Oct-22	30-Nov-23	2		
7378190	250 ALBEMARLE RD	ACCESS RD	9-Nov-22	27-Apr-23	2		
7378649	53 VAN ROOSEN RD	WISWALL RD	9-Nov-22	13-Jul-23	2		
7378966	719 WATERTOWN ST	WILDWOOD AV	4-Jan-23	4-Jan-23	1		
7378969	1190 BOYLSTON ST	BACON PL	4-Jan-23	14-Jan-23	1		
7379035	525 WALNUT ST	MILL ST	9-Jan-23	9-Jan-23	1		
7379036	2311 WASHINGTON ST	GROVE ST	9-Jan-23	10-Jan-23	1		
7379078	336 LEXINGTON ST	KING ST	6-Jan-23	25-Jan-23	2		
7379079	30 KILBURN RD	S GATE PKE	9-Jan-23	24-Jan-23	2		
7379088	104 AUSTIN ST	ELMWOOD PKE	11-Jan-23	11-Jan-23	1		
7379116	151 WINCHESTER ST	HEATHERLAND RD	4-Jan-23	20-Dec-23	3	0	No Reads

	Table L8 Newton Leaks Eliminated by Repair - Detail						
Source:	National Grid Service Quality Report 24-SQ-05						
Leak #	Reported Address	Cross Street	Reported Date	Repaired Date	Leak Grade	24-SQ-05 Leak Extent Measurement	Grade 3 Leak Designation
7379129	54 LORNA RD	GRALYNN RD	12-Jan-23	12-Jan-23	1		
7379149	19 PELHAM ST	CENTRE ST	13-Jan-23	13-Jan-23	1		
7379169	13 ASHMONT AV	HAWTHORN ST	10-Jan-23	25-Jan-23	2		
7379170	41 AUBURN ST	GILBERT ST	11-Jan-23	24-Jan-23	2		
7379172	250 FULLER ST	EXETER ST	11-Jan-23	24-Jan-23	2		
7379173	46 GARDNER ST	JEWETT ST	10-Jan-23	26-Jan-23	2		
7379207	43 WYOMING RD	NEVADA ST	18-Jan-23	18-Jan-23	1		
7379236	853 WASHINGTON ST	BAILEY PL	10-Jan-23	4-Jan-23	2		
7379237	152 LEXINGTON ST	ROBERTA RD	7-Jan-23	6-Feb-23	2		
7379281	544 GROVE ST	BLUEBEERY RD	9-Jan-23	19-Dec-23	2		
7379289	89 MONTROSE ST	IVANHOE ST	21-Dec-22	24-Jan-23	3	0	No Reads
7379321	614 DEDHAM ST	GREENWOOD ST	5-Jan-23	2-Feb-23	2		
7379421	43 WYOMING RD	NEVADA ST	30-Jan-23	30-Jan-23	1		
7379428	414 WALTHAM ST	ORCHARD AV	31-Jan-23	31-Jan-23	1		
7379482	94 REDWOOD RD	CLIFTON RD	2-Feb-23	2-Feb-23	1		
7379489	55 MURRAY RD	LARKIN RD	2-Feb-23	2-Feb-23	1		
7379564	25 CORNELL ST	ITHACA CIR	9-Feb-23	9-Feb-23	1		
7379566	GREENLAWN AV	HOMER ST	30-Jan-23	1-Mar-23	2		
7379608	1385 WALNUT ST	ELINOR RD	10-Feb-23	10-Feb-23	1		
7379613	142 WALNUT HILL RD	WOODCLIFF RD	10-Feb-23	10-Feb-23	1		
7379638	66 PLEASANT ST	FORDHAM RD	13-Feb-23	13-Feb-23	1		
7379641	454 WALNUT ST	CLYDE ST	13-Feb-23	13-Feb-23	1		
7379706	1224 BOYLSTON ST	WORCESTER TPKE	15-Feb-23	22-Feb-23	1		
7379741	925 CHESTNUT ST	ANITA CIR	16-Feb-23	18-Feb-23	1		
7379748	384 BOYLSTON ST	LANGLEY RD	7-Feb-23	22-Jun-23	2		
7379781	25 COBLEY ST	WASHINGTON ST	21-Feb-23	21-Feb-23	1		
7379859	18 MURRAY TER	MURRAY RD	25-Feb-23	26-Feb-23	1		

	Table L8 Newton Leaks Eliminated by Repair - Detail						
Source:	National Grid Service Quality Report 24-SQ-05						
Leak #	Reported Address	Cross Street	Reported Date	Repaired Date	Leak Grade	24-SQ-05 Leak Extent Measurement	Grade 3 Leak Designation
7379866	93 CARVER RD	DICKERMAN RD	12-Feb-23	27-Feb-23	2		
7379904	15 SHERIDAN ST	GRANT ST	28-Feb-23	1-Mar-23	1		
7379907	85 MONTVALE RD	MONTVALE CIR	27-Jan-23	29-Jun-23	3		
7379912	692 BOYLSTON ST	PAYNE RD	30-Jan-23	27-Jun-23	3		
7379926	15 BROADLAWN DR	BROADLAWN PKE	1-Mar-23	1-Mar-23	1		
7379946	20 WHITLOWE RD	LEXINGTON ST	2-Mar-23	2-Mar-23	1		
7379962	174 LEXINGTON ST	ROBERTA RD	15-Feb-23	10-Mar-23	2		
7379991	16 DERBY ST	ADENA RD	7-Mar-23	7-Mar-23	1		
7380058	31 ASHEVILLE RD	GROVE ST	9-Feb-23	22-Mar-23	2		
7380059	92 CHERRY ST	ANNAPOLIS RD	13-Feb-23	24-Mar-23	2		
7380098	130 RACHEL RD	WINCHESTER ST	15-Mar-23	15-Mar-23	1		
7380104	65 BERNARD ST	CHARLES RIVER TER	15-Mar-23	15-Mar-23	1		
7380116	74 RACHEL RD	UPLAND AV	16-Mar-23	16-Mar-23	1		
7380137	255 PARKER ST	OAKDALE RD	18-Mar-23	22-Mar-23	1		
7380201	ALBEMARLE RD	WATERTOWN ST	5-Mar-23	24-Mar-23	2		
7380202	66 LANGDON ST	WORTH CIR	24-Mar-23	24-Mar-23	1		
7380205	13 HENSHAW TER	JEPSON CT	24-Mar-23	24-Mar-23	1		
7380214	17 FERN CROFT RD	BEACON ST	26-Mar-23	27-Mar-23	1		
7380222	66 LANGDON ST	WORTH CIR	27-Mar-23	27-Mar-23	1		
7380231	31 CORNELL ST	ITHACA CIR	27-Mar-23	28-Mar-23	1		
7380286	491 DUDLEY RD	DRUMLIN RD	31-Mar-23	31-Mar-23	1		
7380293	770 CENTRE ST	COLBY ST	31-Mar-23	31-Mar-23	1		
7380299	491 DUDLEY RD	DRUMLIN RD	1-Apr-23	1-Apr-23	1		
7380375	297 LOWELL AV	OTIS ST	6-Apr-23	6-Apr-23	1		
7380433	61 MONTVALE RD	MONTVALE CIR	10-Apr-23	10-Apr-23	1		
7380465	494 WATERTOWN ST	NEVADA ST	12-Apr-23	13-Apr-23	1		
7380505	961 WALNUT ST	KINGMAN RD	14-Apr-23	16-Apr-23	1		

Table L8 Newton Leaks Eliminated by Repair - Detail							
Source:	National Grid Service Quality Report 24-SQ-05						
Leak #	Reported Address	Cross Street	Reported Date	Repaired Date	Leak Grade	24-SQ-05 Leak Extent Measurement	Grade 3 Leak Designation
7380508	956 WALNUT ST	KINGMAN RD	16-Apr-23	16-Apr-23	1		
7380544	961 WALNUT ST	KINGMAN RD	18-Apr-23	18-Apr-23	1		
7380568	512 DEDHAM ST	COUNTRY CLUB RD	19-Apr-23	20-Apr-23	1		
7380691	43 KING ST	CROWN ST	13-Apr-23	29-Nov-23	3	64	Non-G3SEI
7380701	1033 WALNUT ST	HYDE ST	16-Apr-23	11-May-23	2		
7380704	2390 COMMONWEALTH A	OAKLAND AV	26-Apr-23	28-Apr-23	1		
7380707	183 WINCHESTER ST	HEATHERLAND RD	31-Mar-23	27-Jun-23	2		
7380760	985 BEACON ST	CRYSTAL ST	29-Apr-23	29-Apr-23	1		
7380780	27 BOYLSTON ST	TULLY ST	1-May-23	1-May-23	1		
7380844	961 WALNUT ST	KINGMAN RD	2-May-23	2-May-23	1		
7380872	1000 COMMONWEALTH A	CITY HALL DR	3-May-23	4-May-23	1		
7380874	282 WATERTOWN ST	FAXON ST	4-May-23	4-May-23	1		
7380907	20 MANET RD	OFF MANET RD	5-May-23	5-May-23	1		
7380928	961 WALNUT ST	KINGMAN RD	6-May-23	6-May-23	1		
7380934	20 AUBURNDALE AV	OAK AV	7-May-23	9-May-23	1		
7380935	79 CHARLEMONT ST	ROLAND ST	7-May-23	8-May-23	1		
7380997	KERRY CT	PINE ST	10-May-23	10-May-23	1		
7381003	9 WILLIAM ST	RIVER ST	10-May-23	10-May-23	1		
7381021	15 BEAUMONT AV	PROSPECT PKE	11-May-23	11-May-23	1		
7381065	46 COCHITUATE RD	NANTUCKET RD	13-May-23	14-May-23	1		
7381080	46 COCHITUATE RD	NANTUCKET RD	15-May-23	15-May-23	1		
7381137	93 CARLTON RD	WABAN AV	10-May-23	23-May-23	2		
7381138	100 OLDEFIELD RD	NARDONE RD	8-May-23	26-May-23	2		
7381200	121 VALENTINE ST	BONAD RD	12-Apr-23	1-Jun-23	2		
7381201	25 CLEMENTS RD	WAVERLY AV	18-May-23	18-May-23	1		
7381314	19 ADELLA AV	FURBUSH AV	24-May-23	24-May-23	1		
7381511	389 CENTRAL ST	LEIGHTON RD	1-Jun-23	1-Jun-23	1		

Table L8 Newton Leaks Eliminated by Repair - Detail							
Source:	National Grid Service Quality Report 24-SQ-05						
Leak #	Reported Address	Cross Street	Reported Date	Repaired Date	Leak Grade	24-SQ-05 Leak Extent Measurement	Grade 3 Leak Designation
7381530	22 SHAW ST	LINCOLN PKE	1-Jun-23	1-Jun-23	1		
7381578	1169 WASHINGTON ST	KEMPTON PL	4-Jun-23	6-Jun-23	1		
7381585	51 OAKWOOD RD	VIRGINIA RD	5-Jun-23	5-Jun-23	1		
7381598	43 CHINIAN PATH	OSBORNE PATH	6-Jun-23	6-Jun-23	1		
7381630	18 PINE CREST RD	KENMORE ST	7-Jun-23	7-Jun-23	1		
7381647	33 BOYLSTON ST	TULLY ST	7-Jun-23	8-Jun-23	1		
7381742	6 LOWELL AV	CRAFTS ST	12-Jun-23	13-Jun-23	1		
7381808	22 NARDELL RD	DONNA RD	14-Jun-23	15-Jun-23	1		
7381812	52 RANDLETT PKE	BUNKER LN	14-Jun-23	14-Jun-23	1		
7381822	1224 BOYLSTON ST	WORCESTER TPKE	14-Jun-23	20-Jun-23	1		
7381828	85 CLEMENTS RD	COTTON ST	7-Jun-23	14-Jun-23	1		
7381910	384 BOYLSTON ST	LANGLEY RD	20-Jun-23	21-Jun-23	1		
7381928	336 BOYLSTON ST	LANGLEY RD	20-Jun-23	18-Jul-23	1		
7381950	PAULSON RD	FERNCROFT RD	21-Jun-23	21-Jun-23	1		
7381973	2096 WASHINGTON ST	NESHOBE RD	22-Jun-23	22-Jun-23	1		
7382027	18 PINE ST	DUANE AV	24-Jun-23	24-Jun-23	1		
7382052	287 AUBURN ST	LEXINGTON ST	26-Jun-23	27-Jun-23	1		
7382072	244 UPLAND AV	WILLARD ST	27-Jun-23	27-Jun-23	1		
7382087	399 WASHINGTON ST	HOVEY ST	27-Jun-23	28-Jun-23	1		
7382110	74 COUNTRY CLUB RD	MEADOWBROOK RD	29-Jun-23	29-Jun-23	1		
7382121	38 WETHERELL ST	MECHANIC ST	7-Jun-23	7-Aug-23	2		
7382161	14 HIGHLAND AV	WALNUT PL	3-Jul-23	3-Jul-23	1		
7382207	671 SAWMILL BROOK PK	KAPPIUS PATH	6-Jul-23	7-Jul-23	1		
7382245	21 CHANDLER PL	ELLIOT TER	9-Jul-23	10-Jul-23	1		
7382248	394 HOMER ST	CUMMINGS RD	9-Jul-23	9-Jul-23	1		
7382269	1175 CENTRE ST	TYLER TER	11-Jul-23	11-Jul-23	1		
7382273	115 RANDLETT PKE	WALTHAM ST	11-Jul-23	11-Jul-23	1		

	Table L8 Newton Leaks Eliminated by Repair - Detail						
Source:	National Grid Service Quality Report 24-SQ-05						
Leak #	Reported Address	Cross Street	Reported Date	Repaired Date	Leak Grade	24-SQ-05 Leak Extent Measurement	Grade 3 Leak Designation
7382319	1191 CENTRE ST	LYMAN ST	13-Jul-23	14-Jul-23	1		
7382364	16 JUNE LN	ESTY FARM RD	14-Jul-23	14-Jul-23	1		
7382370	MEREDITH AV	BOYLSTON ST	15-Jul-23	16-Jul-23	1		
7382389	616 BOYLSTON ST	PARKER ST	17-Jul-23	18-Jul-23	1		
7382443	46 GARDNER ST	JEWETT ST	19-Jul-23	19-Jul-23	1		
7382457	216 LOWELL AV	AUSTIN ST	19-Jul-23	20-Jul-23	1		
7382517	389 CENTRAL ST	LEIGHTON RD	21-Jul-23	21-Jul-23	1		
7382529	997 BEACON ST	CRYSTAL ST	24-Jul-23	24-Jul-23	1		
7382533	43 COTTON ST	PARK AV	18-Jul-23	10-Oct-23	3		
7382540	33 TERRACE AV	HILLSIDE RD	24-Jul-23	24-Jul-23	1		
7382574	1875 BEACON ST	HOLLY RD	25-Jul-23	25-Jul-23	1		
7382593	385 WARD ST	IRVING ST	25-Jun-23	31-Aug-23	2		
7382660	1084 BOYLSTON ST	CIRCUIT AV	29-Jul-23	30-Jul-23	1		
7382671	268 NEWTONVILLE AV	PILLION CT	31-Jul-23	31-Jul-23	1		
7382683	371 WASHINGTON ST	THORNTON ST	30-Jul-23	2-Aug-23	1		
7382686	525 WALNUT ST	MILL ST	31-Jul-23	1-Aug-23	1		
7382729	1057 WALNUT ST	DUNCKLEE ST	2-Aug-23	3-Aug-23	1		
7382775	40 NEEDHAM ST	OFF NEEDHAN ST	4-Aug-23	5-Aug-23	1		
7382778	45 WATERSTON RD	RUTHVEN RD	4-Aug-23	4-Aug-23	3		
7382781	82 CARVER RD	WOODWARD ST	4-Aug-23	4-Aug-23	1		
7382792	583 WATERTOWN ST	WALNUT ST	5-Aug-23	5-Aug-23	1		
7382795	187 MOFFAT RD	MONTCLAIR RD	5-Aug-23	5-Aug-23	1		
7382837	118 LANGLEY RD	GLAZER RD	8-Aug-23	8-Aug-23	1		
7382839	302 CYPRESS ST	JACKSON ST	8-Aug-23	9-Aug-23	1		
7382850	187 MOFFAT RD	MONTCLAIR RD	9-Aug-23	10-Aug-23	1		
7382874	268 NEWTONVILLE AV	PILLION CT	10-Aug-23	11-Aug-23	1		
7382891	118 LANGLEY RD	GLAZER RD	10-Aug-23	11-Aug-23	1		

	Table L8 Newton Leaks Eliminated by Repair - Detail						
Source:	National Grid Service Quality Report 24-SQ-05						
Leak #	Reported Address	Cross Street	Reported Date	Repaired Date	Leak Grade	24-SQ-05 Leak Extent Measurement	Grade 3 Leak Designation
7382903	106 FAIR OAKS AV	SCHOFIELD DR	11-Aug-23	11-Aug-23	1		
7382935	14 EMERALD ST	HAWTHORN ST	12-Aug-23	12-Aug-23	1		
7382936	116 CHURCH ST	ELDRIDGE ST	12-Aug-23	12-Aug-23	1		
7382940	628 BOYLSTON ST	PARKER ST	13-Aug-23	14-Aug-23	1		
7382941	4 MEREDITH AV	BOYLSTON ST	13-Aug-23	15-Aug-23	1		
7382946	69 WALDORF RD	BACON PL	27-Jun-23	11-Sep-23	2		
7383058	28 WARWICK RD	WALTHAM ST	18-Aug-23	19-Aug-23	1		
7383061	118 LANGLEY RD	GLAZER RD	19-Aug-23	19-Aug-23	1		
7383066	743 WASHINGTON ST	BEACH ST	20-Aug-23	21-Aug-23	1		
7383078	851 WATERTOWN ST	CROSS ST	21-Aug-23	21-Aug-23	1		
7383149	193 WINCHESTER ST	COLUMBIA AV	20-Jul-23	29-Nov-23	2		
7383171	WALNUT ST	WATERTOWN ST	26-Aug-23	30-Sep-23	1		
7383172	19 WEBSTER PL	WEBSTER ST	26-Aug-23	26-Aug-23	1		
7383193	17 SUFFOLK RD	HAMMOND ST	28-Aug-23	29-Aug-23	1		
7383225	45 PARK AV	GREEN PKE	29-Aug-23	29-Aug-23	1		
7383272	325 BEACON ST	HAMMOND ST	31-Aug-23	1-Sep-23	1		
7383298	20 STAR RD	LIND RD	1-Sep-23	1-Sep-23	3		
7383368	292 FRANKLIN ST	ELDRIDGE ST	7-Sep-23	7-Sep-23	1		
7383391	128 OTIS ST	WALDEN ST	8-Sep-23	8-Sep-23	1		
7383437	233 NAHANTON ST	DEDHAM ST	11-Sep-23	11-Sep-23	1		
7383475	495 WATERTOWN ST	NEVADA ST	12-Sep-23	13-Sep-23	1		
7383538	107 TRUMAN RD	PARKER RD	14-Sep-23	14-Sep-23	1		
7383539	209 COUNTRY CLUB RD	CROSS HILL RD	11-Aug-23	11-Oct-23	2		
7383616	FERN CROFT RD	BEACON ST	19-Sep-23	19-Sep-23	1		
7383823	999 CHESTNUT ST	WINTER ST	16-Sep-23	27-Nov-23	2		
7383839	39 MASON RD	CEDAR ST	2-Oct-23	2-Oct-23	1		
7383883	64 CARL ST	CHARLEMONT ST	3-Oct-23	3-Oct-23	1		

Table L8 Newton Leaks Eliminated by Repair - Detail							
Source:	National Grid Service Quality Report 24-SQ-05						
Leak #	Reported Address	Cross Street	Reported Date	Repaired Date	Leak Grade	24-SQ-05 Leak Extent Measurement	Grade 3 Leak Designation
7383905	34 WATERSTON RD	RUTHVEN RD	4-Oct-23	4-Oct-23	1		
7383988	1 ELIOT AV	WATERTOWN ST	10-Oct-23	21-Oct-23	2		
7383995	46 VISTA AV	ASPEN AV	11-Oct-23	12-Oct-23	1		
7384027	29 HUNTER ST	PUTNAM ST	13-Oct-23	13-Oct-23	1		
7384033	131 BRANDEIS RD	ADELINE RD	13-Oct-23	13-Oct-23	1		
7384099	31 HOLLY RD	LARCH RD	17-Oct-23	17-Oct-23	1		
7384217	1268 BOYLSTON ST	CHESTNUT ST	23-Oct-23	23-Oct-23	1		
7384257	1766 COMMONWEALTH A	ARAPAHOE RD	25-Oct-23	27-Oct-23	1		
7384283	20 CARL ST	CHARLEMONT ST	26-Oct-23	26-Oct-23	1		
7384330	181 CALIFORNIA ST	LOS ANGELES ST	27-Oct-23	27-Oct-23	1		
7384401	93 BEAUMONT AV	PROSPECT AV	2-Nov-23	2-Nov-23	1		
7384437	38 MECHANIC ST	WETHERELL ST	5-Nov-23	5-Nov-23	1		
7384460	91 ARNOLD RD	GREENWOOD ST	6-Nov-23	6-Nov-23	1		
7384464	48 INDIANA TER	INDIANA CT	6-Nov-23	6-Nov-23	1		
7384465	112 WINCHESTER ST	NEEDHAM ST	6-Nov-23	7-Nov-23	1		
7384549	643 WATERTOWN ST	LINWOOD AV	11-Nov-23	15-Nov-23	1		
7384625	275 NEVADA ST	CHURCHILL ST	15-Nov-23	15-Nov-23	1		
7384626	42 PLAINFIELD ST	HOMESTEAD ST	15-Nov-23	15-Nov-23	1		
7384637	41 JOHN ST	BOYLSTON ST	16-Nov-23	16-Nov-23	1		
7384682	11 THORNTON ST	CRESCENT SQ	18-Nov-23	20-Nov-23	1		
7384705	LOWELL AV	WASHINGTON ST	22-Nov-23	22-Nov-23	1		
7384726	934 BEACON ST	WEBSTER CT	27-Nov-23	27-Nov-23	1		
7384797	318 BOYLSTON ST	GASBARRI AV	30-Nov-23	1-Dec-23	1		
7384927	55 MURRAY RD	LARKIN RD	10-Dec-23	12-Dec-23	1		
7385003	13 WOODROW AV	CALIFORNIA ST	14-Dec-23	14-Dec-23	1		
7385038	168 RIVER ST	MAGUE AV	16-Dec-23	17-Dec-23	2		
7385073	48 WARWICK RD	WALTHAM ST	20-Dec-23	20-Dec-23	1		

	Table L8 Newton Leaks Eliminated by Repair - Detail						
Source:	National Grid Service Quality Report 24-SQ-05						
Leak #	Reported Address	Cross Street	Reported Date	Repaired Date	Leak Grade	24-SQ-05 Leak Extent Measurement	Grade 3 Leak Designation
7385091	142 CHURCH ST	CENTRE ST	22-Dec-23	22-Dec-23	1		
7385092	437 CENTRE ST	VERNON ST	22-Dec-23	23-Dec-23	1		
7385096	68 WOODBINE ST	WOODBINE TER	22-Dec-23	22-Dec-23	1		
7385123	437 CENTRE ST	RICHARDSON ST	26-Dec-23	26-Dec-23	1		
7385129	90 ALLEN AV	WOODHAVEN RD	26-Dec-23	27-Dec-23	1		
7385159	15 BEECH ST	JASSET ST	27-Dec-23	27-Dec-23	1		

Table L9 leaks eliminated by pipe replacement

Leak ID	Street Address	Grade	Classification Date	Repair Date	Carried Forward or Newly Identified	Prior Grade (if any)	Survey Date	Leak Extent	Method	Appeared in GREC
7327564	367 ALBEMARLE RD	3	2016-06-24	2023-03-03	Carried Forward		2023-01-18	2100	Leak Extent	Y
7356370	47 BONTEMPO RD	3	2019-09-25	2023-09-28	Carried Forward		2023-04-24	0	No CGI reading	N
7336298	867 DEDHAM ST	3	2017-07-10	2023-09-28	Carried Forward		2023-09-12	0	No CGI reading	N
7380671	118 EVELYN RD	3	2023-03-30	2023-05-01	Newly Identified					Y
7380664	126 EVELYN RD	2	2023-04-17	2023-05-01	Newly Identified					Y
7381364	376 HOMER ST	3	2023-05-11	2023-09-15	Newly Identified					Y
335126	79 KENWOOD AVE	3	2010-07-02	2023-12-05	Carried Forward		2023-11-07	25	Leak Extent	N
3190426	5 MARY ELLEN RD	3	2015-05-05	2023-05-01	Carried Forward		2023-05-04	0	No CGI reading	Y
7360337	44 MARY ELLEN RD	3	2020-03-14	2023-05-01	Carried Forward		2022-11-28	0	No CGI reading	Y
304719	94 MARY ELLEN RD	3	2007-08-29	2023-05-01	Carried Forward		2022-07-26	525	Leak Extent	Y
7327024	118 MEADOWBROOK RD	3	2016-06-22	2023-09-28	Carried Forward		2023-09-13	0	No CGI reading	Y
7378798	126 NONANTUM RD	2	2022-10-19	2023-08-29	Carried Forward					N
7335226	26 PAGE RD	3	2017-05-31	2023-07-18	Carried Forward		2022-10-07	680	Leak Extent	N
7327103	19 RICHARDSON RD	3	2016-06-30	2023-10-03	Carried Forward		2023-09-13	25	Leak Extent	N
596669	90 ROWENA RD	3	2011-11-28	2023-06-20	Carried Forward		2023-01-18	700	Leak Extent	Y
7355569	300 WARD ST	3	2019-08-21	2023-10-03	Carried Forward		2023-03-08	100	Leak Extent	Y
7375167	275 WAVERLY AVE	3	2022-06-02	2023-09-28	Carried Forward		2023-03-21	800	Leak Extent	N

Table L10 Newton leaks eliminated otherwise

Leak ID	Street Address	Grade	Classification Date	Repair Date	Carried Forward or Newly Identified	Prior Grade (if any)	Survey Date	Leak Extent	Method	Notes
7380666	32 ELIZABETH CIR	2	2023-04-11	2023-05-01	Newly Identified					CALLED OFF BY SUPERVISOR
7379954	255 PARKER ST	1	2023-03-03	2023-03-06	Newly Identified					CALLED OFF BY SUPERVISOR
7379677	317 WASHINGTON ST	1	2023-02-14	2023-02-22	Newly Identified					CALLED OFF BY SUPERVISOR
7364116	1774 COMMONWEALTH AV	3	2020-06-29	2023-08-14	Carried Forward		2023-03-07	1	Leak Extent	DUPLICATE LEAK
7378587	8 EARLY PATH	3	2022-11-15	2023-02-23	Carried Forward					DUPLICATE LEAK
7376046	11 EDGEFIELD RD	3	2022-06-23	2023-02-23	Carried Forward		2022-06-23	90	Leak Extent	DUPLICATE LEAK
7378751	2 KINGSTON RD	3	2022-11-07	2023-02-23	Carried Forward					DUPLICATE LEAK
7379296	25 OLD ENGLAND RD	3	2023-01-11	2023-02-23	Newly Identified					DUPLICATE LEAK
7384664	11 THORNTON ST	1	2023-11-18	2023-11-21	Newly Identified					DUPLICATE LEAK
6722106	400 WARD ST	3	2015-09-28	2023-06-27	Carried Forward		2023-02-15	1440	Leak Extent	DUPLICATE LEAK
7380678	183 WINCHESTER ST	3	2023-03-31	2023-05-01	Newly Identified					DUPLICATE LEAK
7364832	274 AUBURNDALE AVE	3	2020-08-14	2023-07-06	Carried Forward		2023-04-25	0	No CGI reading	NO READS
7384443	62 BEACON ST	2	2023-11-02	2023-12-04	Newly Identified					NO READS
7356413	27 BONTEMPO RD	3	2019-09-26	2023-07-06	Carried Forward		2023-04-24	0	No CGI reading	NO READS
7356368	36 BONTEMPO RD	3	2019-09-25	2023-07-06	Carried Forward		2023-04-24	0	No CGI reading	NO READS
7326186	1267 CENTRE ST	3	2016-05-20	2023-03-01	Carried Forward		2022-08-30	100	Leak Extent	NO READS
7322667	12 CHAMBERLAIN RD	3	2016-01-12	2023-12-22	Carried Forward		2023-11-13	0	No CGI reading	NO READS
7325705	79 CHARLEMONT ST	3	2016-04-15	2023-05-16	Carried Forward		2023-02-21	1188	Leak Extent	NO READS
42649	CLAREMONT ST & LOMBARD	3	1993-03-03	2023-12-05	Carried Forward		2023-11-08	25	Leak Extent	NO READS
4105417	23 COLLEGE RD	3	2019-03-22	2023-07-17	Carried Forward		2023-07-11	0	No CGI reading	NO READS
7359968	33 COLLINS RD	3	2020-08-18	2023-07-27	Carried Forward		2023-05-04	0	No CGI reading	NO READS
7351330	34 COLLINS RD	2	2023-06-23	2023-07-27	Carried Forward	3				NO READS
303097	82 CONCORD ST	3	2007-07-03	2023-12-05	Carried Forward		2023-11-08	25	Leak Extent	NO READS
1337372	229 CYPRESS ST	3	2013-08-21	2023-11-29	Carried Forward		2023-11-09	0	No CGI reading	NO READS
7381940	1 ELIOT AVE	2	2023-05-16	2023-07-19	Newly Identified					NO READS
7339363	4 EVERGREEN AVE	3	2017-10-21	2023-07-06	Carried Forward		2023-03-16	0	No CGI reading	NO READS
7379280	17 FAYETTE ST	3	2023-01-11	2023-12-05	Newly Identified		2023-11-08	25	Leak Extent	NO READS
7338876	47 FELLSMERE RD	3	2017-09-27	2023-07-27	Carried Forward		2023-04-25	0	No CGI reading	NO READS
7338743	50 FORDHAM RD	3	2017-09-26	2023-07-27	Carried Forward		2023-05-16	0	No CGI reading	NO READS
7355415	7 FREDETTE RD	3	2019-08-02	2023-12-05	Carried Forward		2023-11-09	0	No CGI reading	NO READS
7379881	63 GARLAND RD	3	2023-02-02	2023-12-18	Newly Identified		2023-11-15	0	No CGI reading	NO READS
321189	4 GARRISON ST	3	2009-01-27	2023-07-27	Carried Forward		2023-05-15	0	No CGI reading	NO READS
7353695	90 HIGHLAND AVE	2	2023-06-01	2023-06-21	Carried Forward	3				NO READS
7374815	211 HIGHLAND AVE	2	2022-05-12	2023-09-13	Carried Forward					NO READS
7379010	315 HIGHLAND AVE	2	2022-12-27	2023-01-17	Carried Forward					NO READS

Table L10 Newton leaks eliminated otherwise

Leak ID	Street Address	Grade	Classification Date	Repair Date	Carried Forward or Newly Identified	Prior Grade (if any)	Survey Date	Leak Extent	Method	Notes
349458	HIGHLAND ST & TEMPLE S	3	2011-08-14	2023-07-10	Carried Forward		2023-05-16	0	No CGI reading	NO READS
7375346	61 HUNTINGTON RD	2	2022-06-01	2023-11-20	Carried Forward					NO READS
7377817	21 IVANHOE ST	3	2022-09-02	2023-07-17	Carried Forward		2023-07-12	0	No CGI reading	NO READS
7326995	3 Langley RD	3	2016-06-15	2023-07-10	Carried Forward		2023-05-15	0	No CGI reading	NO READS
1363562	102 MCCARTHY RD	3	2013-09-18	2023-12-18	Carried Forward		2023-11-14	25	Leak Extent	NO READS
693370	230 MOUNT VERNON ST	3	2011-12-23	2023-07-10	Carried Forward		2023-05-16	0	No CGI reading	NO READS
7365409	64 OBER RD	3	2020-12-21	2023-07-17	Carried Forward		2023-07-11	0	No CGI reading	NO READS
7371857	26 PARK LN	3	2021-11-21	2023-07-17	Carried Forward		2023-07-12	0	No CGI reading	NO READS
7326619	26 PARKER ST	3	2016-06-10	2023-07-18	Carried Forward		2023-07-18	3400	Leak Extent	NO READS
4118969	141 RANDLETT PIKE	3	2015-03-15	2023-07-27	Carried Forward		2023-05-04	0	No CGI reading	NO READS
7348856	140 STANLEY RD	3	2018-07-13	2023-07-27	Carried Forward		2023-05-11	0	No CGI reading	NO READS
7364449	20 STONEWOOD DR	3	2020-08-09	2023-07-27	Carried Forward		2023-03-16	0	No CGI reading	NO READS
7354148	238 TREMONT ST	2	2023-02-21	2023-03-16	Carried Forward					NO READS
7323095	21 TURNER TER	3	2016-01-21	2023-12-22	Carried Forward		2023-11-13	0	No CGI reading	NO READS
7356514	25 TURNER TER	3	2019-09-10	2023-07-06	Carried Forward		2023-03-13	0	No CGI reading	NO READS
7371862	26 VAN ROOSEN RD	3	2021-11-08	2023-07-17	Carried Forward		2023-07-11	0	No CGI reading	NO READS
7356154	104 VINE ST	3	2019-09-04	2023-12-06	Carried Forward		2023-03-10	1500	Leak Extent	NO READS
7374816	951 WALNUT ST	2	2022-04-02	2023-01-11	Carried Forward					NO READS
270497	WARD ST & ASHFORD RD	3	2004-06-18	2023-12-05	Carried Forward		2023-11-08	0	No CGI reading	NO READS
7339900	57 WARREN RD	3	2017-10-30	2023-07-27	Carried Forward		2023-04-24	0	No CGI reading	NO READS
7379457	575 WASHINGTON ST	2	2023-07-12	2023-11-17	Newly Identified	3				NO READS
7377316	787 WASHINGTON ST	2	2023-01-12	2023-07-20	Carried Forward					NO READS
7375098	1149 WASHINGTON ST	2	2022-05-16	2023-04-06	Carried Forward					NO READS
7376441	1650 WASHINGTON ST	2	2022-07-28	2023-04-06	Carried Forward					NO READS
7374797	1675 WASHINGTON ST	2	2022-05-10	2023-04-06	Carried Forward					NO READS
7350045	400 WAVERLY AVE	3	2018-12-26	2023-07-27	Carried Forward		2023-04-25	0	No CGI reading	NO READS
341457	71 WEBSTER PIKE	3	2011-01-28	2023-07-27	Carried Forward		2023-03-21	0	No CGI reading	NO READS
7353074	70 WINDERMERE RD	3	2019-05-13	2023-12-18	Carried Forward		2023-11-14	25	Leak Extent	NO READS
7359597	8 WOODCHESTER DR	3	2020-01-30	2023-01-11	Carried Forward		2022-12-09	0	No CGI reading	NO READS
7327326	91 ARNOLD RD	3	2016-07-08	2023-11-08	Carried Forward		2023-01-27	200	Leak Extent	REPAIRED UNDER OTHER LEAK REPAIR
7354944	942 BEACON ST	3	2022-09-27	2023-12-05	Carried Forward		2023-07-19	1820	Leak Extent	REPAIRED UNDER OTHER LEAK REPAIR
7379911	616 BOYLSTON ST	2	2023-06-20	2023-07-18	Newly Identified	3				REPAIRED UNDER OTHER LEAK REPAIR
7378159	640 BOYLSTON ST	2	2022-11-08	2023-06-22	Carried Forward					REPAIRED UNDER OTHER LEAK REPAIR
7379930	702 BOYLSTON ST	2	2023-02-15	2023-06-22	Newly Identified					REPAIRED UNDER OTHER LEAK REPAIR
7376320	CARLTON RD & WABAN AV	3	2022-08-02	2023-05-16	Carried Forward					REPAIRED UNDER OTHER LEAK REPAIR

Table L10 Newton leaks eliminated otherwise

Leak ID	Street Address	Grade	Classification Date	Repair Date	Carried Forward or Newly Identified	Prior Grade (if any)	Survey Date	Leak Extent	Method	Notes
7370883	389 CENTRAL ST	3	2021-09-14	2023-06-01	Carried Forward		2023-06-01	0	No CGI reading	REPAIRED UNDER OTHER LEAK REPAIR
7331479	425 CENTRE ST	3	2017-01-03	2023-12-28	Carried Forward		2023-11-17	0	No CGI reading	REPAIRED UNDER OTHER LEAK REPAIR
7375091	21 CHANDLER PL	2	2022-06-10	2023-07-11	Carried Forward					REPAIRED UNDER OTHER LEAK REPAIR
2835044	1766 COMMONWEALTH AV	2	2023-07-21	2023-10-26	Carried Forward	3				REPAIRED UNDER OTHER LEAK REPAIR
7377627	12 FERN CROFT RD	2	2023-03-24	2023-05-18	Carried Forward	3				REPAIRED UNDER OTHER LEAK REPAIR
284000	48 INDIANA TER	3	2005-12-10	2023-11-08	Carried Forward		2023-11-06	0	No CGI reading	REPAIRED UNDER OTHER LEAK REPAIR
7377997	216 LOWELL AVE	3	2022-10-03	2023-07-21	Carried Forward		2023-07-19	0	No CGI reading	REPAIRED UNDER OTHER LEAK REPAIR
7377629	39 MASON RD	3	2022-09-13	2023-10-05	Carried Forward		2023-07-12	375	Leak Extent	REPAIRED UNDER OTHER LEAK REPAIR
7378999	1 OAK AVE	3	2022-11-03	2023-05-10	Carried Forward		2022-11-03	0	No CGI reading	REPAIRED UNDER OTHER LEAK REPAIR
7379908	100 OLDEFIELD RD	3	2023-02-12	2023-08-09	Newly Identified					REPAIRED UNDER OTHER LEAK REPAIR
7378483	15 SHERIDAN ST	3	2022-11-04	2023-03-02	Carried Forward		2023-01-27	0	No CGI reading	REPAIRED UNDER OTHER LEAK REPAIR
339664	33 TERRACE AVE	3	2015-10-13	2023-11-13	Carried Forward		2023-11-17	3456	Leak Extent	REPAIRED UNDER OTHER LEAK REPAIR
7325235	525 WALNUT ST	3	2016-06-09	2023-05-01	Carried Forward		2022-09-20	0	No CGI reading	REPAIRED UNDER OTHER LEAK REPAIR
7378796	960 WALNUT ST	3	2022-11-10	2023-05-01	Carried Forward					REPAIRED UNDER OTHER LEAK REPAIR
7378163	371 WASHINGTON ST	2	2022-11-08	2023-08-01	Carried Forward					REPAIRED UNDER OTHER LEAK REPAIR
7373591	495 WATERTOWN ST	3	2022-01-21	2023-09-13	Carried Forward		2023-09-12	0	No CGI reading	REPAIRED UNDER OTHER LEAK REPAIR
7379848	457 WAVERLY AVE	3	2023-02-13	2023-12-05	Newly Identified		2023-11-08	0	No CGI reading	REPAIRED UNDER OTHER LEAK REPAIR
5321355	124 WINCHESTER ST	3	2009-06-23	2023-11-08	Carried Forward		2023-06-28	100	Leak Extent	REPAIRED UNDER OTHER LEAK REPAIR
7381628	20 BEACON ST	2	2023-05-21	2023-07-19	Newly Identified					SYSTEM ISSUE
7380332	90 ELM ST	2	2023-03-16	2023-04-05	Newly Identified					SYSTEM ISSUE
232986	174 LEXINGTON ST	3	2002-07-10	2023-03-03	Carried Forward		2023-02-15	0	No CGI reading	SYSTEM ISSUE
7325267	130 RACHEL RD	3	2016-04-14	2023-03-16	Carried Forward		2022-07-12	4	Leak Extent	UPGRADE
7353689	454 WALNUT ST	2	2022-05-24	2023-02-15	Carried Forward					UPGRADE
7377314	249 DERBY ST	2	2022-09-02	2023-02-09	Carried Forward					WRONG ADDRESS
7382175	14 HIGHLAND PIKE	1	2023-07-05	2023-07-12	Newly Identified					WRONG ADDRESS
7374835	138 WARREN ST	3	2022-04-08	2023-03-02	Carried Forward		2023-03-01	0	No CGI reading	WRONG ADDRESS
7380368	32 WASHBURN ST	1	2023-04-06	2023-04-06	Newly Identified					WRONG ADDRESS

Table L11 Aggregation of Leaks Eliminated Otherwise

Aggregation of Leak Repair listed as "Eliminated Otherwise"		
How Eliminated	Count	Leak extent, sq. ft.
REPAIRED UNDER OTHER LEAK REPAIR	24	5,951
UPGRADE	2	4
Total	26	5,955

Aggregation of Leaks "Eliminated Otherwise" - Not By Leak Repair		
How Eliminated	Count	Leak extent, sq. ft.
CALLED OFF BY SUPERVISOR	3	0
DUPLICATE LEAK	8	1,531
NO READS	53	6,313
SYSTEM ISSUE	3	0
WRONG ADDRESS	4	0
Total	71	7,844

	Count	Leak extent, sq. ft.
Total of leaks "eliminated otherwise"	97	13,799